
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





FOUNDED IN 1802

J. M. THORBURN & CO.

53 BARCLAY STREET THROUGH TO 54 PARK PLACE

NEW YORK CITY

The Improvement of Land



HE proper preparation of land so as to insure maximum crops is a weighty problem with most farmers and gardeners, if we can judge from the number of requests that come in daily for information on this subject.

To prepare old worn-out soils that have been allowed to get into a hard, poor, weedy condition, for a Vegetable Garden, it is necessary to get the soil mellow, well enriched with decayed vegetable matter and well-rotted barnyard manure, and clear of weeds.

The ground should be plowed as early in spring as it can be worked, putting in about one ton of burnt lime to the acre. Harrow and pulverize, giving the soil a thorough working to get it as fine as possible. Sow 1½ bushels Canadian field peas and 3 bushels oats to the acre. Late in June or early in July this crop should be plowed under, applying thirty or forty loads of coarse, well-rotted barnyard manure, well worked in, and sow 2 bushels of buckwheat and rye and 20 lbs. crimson clover to the acre, or 2½ bushels cowpeas to the acre. If buckwheat, rye and clover are used, let the buckwheat die down when frost comes and plow all under early next spring—if cowpeas are sown, turn them under in September and apply a ton of unleached hardwood ashes to the acre and sow 2 bushels rye to the acre, and in spring apply another thirty or forty loads of well-rotted barnyard manure plowing under as soon as dry enough.

In place of the June or July sowing of cereals mentioned above, the oats and peas may be followed with white beans, planted in hills, cultivated both ways and hoed. In September sow rye among the beans and in spring plow all under; another half ton of lime can be used to advantage, and the cultivating and hoeing will clean out the weeds and give a cleaner garden. This soil, if thoroughly plowed and harrowed, should be mellow and rich enough to grow any kind of vegetables,

Another plan would be to plow the ground as deeply as possible in fall. Harrow and pulverize, to make it friable and easy to work. Apply as a top dressing 50 bushels air-slaked lime and sow to rye, 2 bushels to the acre. Apply thirty or forty loads of coarse barnyard manure early in spring, and plow all under about the middle of June, then sow cowpeas, 2½ bushels to the acre, and harrow or cultivate them in. About the end of September turn the cowpeas under, applying one ton of unleached hardwood ashes and again sow to rye. Next spring apply forty loads of well-rotted barnyard manure and plow all under as soon as dry enough.

In order to renovate ground used as a Vegetable Garden that has been run down, as soon as frost comes the ground should be plowed, applying a liberal quantity of sheep manure, working it well in, then sow winter rye, 2 bushels to the acre. In early spring this should be plowed well under, applying our Complete Manure at the rate of 1200 to 1500 lbs. per acrethis will give a good foundation for the new garden.

J. M. THORBURN & CO.

IN presenting this our 116th successive annual Catalogue, we have to thank our innumerable customers and friends for their patronage in the past, which we trust will continue in the future to our mutual advantage.

Our Seeds hold the record for being always Reliable. Over a century in business means something—and it does much to emphasize the reliability of our goods. The Thorburn experience—the Thorburn knowledge of what's what in seeds—the Thorburn reputation for fair dealing—these are your safeguards in buying.

Our catalogue has always received a considerable amount of study. The cultural directions and descriptions therein are concise and to the point. You can make up your order from its pages with entire confidence in the exceptional quality of the products we are offering.

We would suggest that your order be made up as soon after the receipt of this catalogue as possible. It will help us to ship promptly, and it will help you by giving you your goods just when you want them. Placing orders late sometimes makes delays unavoidable.

The difficulties and delays in obtaining supplies from our European Growers, as well as the shortage of many crops, both abroad and in our own country, make it more important than ever that orders should be placed as early as possible this year. We have the facilities for handling a vast amount of business, and your orders will receive the most prompt attention regardless of when they come.

Owing to the conditions at present prevailing in Europe, some kinds of seeds may be late in reaching us this season. It also sometimes happens that certain articles are not ready when the bulk of the goods ordered is shipped. In such cases, rather than hold back the whole order, we send what is ready and keep a memorandum of what is to follow when available. Customers would, therefore, in such cases, do well to await our advice or invoices before writing in regard to items not sent them.

If there is any information you want that is not given in this catalogue, write us about it. We will give all inquiries our careful attention.

May we have the pleasure of filling your order?

WE ASK THAT YOU READ THE NEXT PAGE BEFORE SENDING IN YOUR ORDER

CONTENTS For Itemized Index, see pages 159 and 160. PAGE PAGE Novelties..... Collections, Vegetable Seeds.... Flower Seeds..... FORAGE, ECONOMICAL AND MISCEL-5-10 64-66 TREE, SHRUB AND FRUIT SEEDS..... 11-12 12 VEGETABLE SEEDS..... FLOWER SEEDS..... 71-128 13-49 PALM SEEDS. 128 49 TOBACCO SEEDS, BIRD SEEDS, ESCU-ORNAMENTAL GRASSES..... 129 LENT PLANTS AND ROOTS..... 5 I 52-53 54-61 Books. GRASS SEEDS FOR ALL PURPOSES... PLANT DISEASES...... 145-146 62 147-148 CLOVERS, VARIOUS..... Fertilizers..... Tools and Garden Requisites.... 149-158 FIELD CORN AND OTHER CEREALS... 63

ORDERS

Orders should be written on our order sheet or on a blank sheet separate from letter, preferably in ink, and, to receive prompt attention, should be directed to the firm and not to individuals. Orders from new customers should be accompanied by a remittance in the form of a Post-Office or Express Money Order, Bank Check or Bank Bills.

PRICES

The prices quoted are net, and do NOT include free transit, EXCEPT FOR SEEDS IN PACKETS, OUNCES or QUARTER-POUNDS, on which WE pay postage or expressage anywhere in the U. S.

SEEDS BY MAIL OR EXPRESS

If wanted by mail in the United States, add postage according to zone rate, as per table at foot; except for seeds ordered by the packet, ounce or quarter pound, which we mail free. By special arrangement with the express companies, we can ship seeds and bulbs at a reduction of about 25 per cent from the regular rates. In view of the greater safety, it will be found best to send parcels of 15 lbs. or over by express, as packages are apt to get crushed in the mail. Unless otherwise instructed, we send orders from persons unknown to us C.O.D.

PARCEL-POST ZONE RATES

Within the United States

		4	idditiona.
		ıst lb.	lb. or
			fraction
ist50 miles of N. Y. City		. 5c.	IC.
2d50 to 150 miles of N. Y. City			IC.
3d150 to 300 miles of N. Y. City			2C.
4th300 to 600 miles of N. Y. City		. 7C.	4c.
5th600 to 1,000 miles of N. Y. City		. 8c.	6c.
6th,000 to 1,400 miles of N. Y. City		. 9c.	8c.
7th1,400 to 1,800 miles of N. Y. City	٠.	.IIC.	IOC.
8th,800 and over miles of N. Y. City		. I 2C.	12C.

Maximum weight, 50 lbs. to 1st and 2d zones, and 20 lbs. from the 3d zone upward.

Postage to Canada 12 cents per pound, or fraction thereof, maximum weight 4 lbs. 6 oz.

NAME, ADDRESS, ETC.

We beg our correspondents to give us on each order the correct name and address; also to indicate very precisely the means of carriage which they prefer—mail, express or freight, and the office or railroad station which best serves their locality. In case these directions are not followed out, or if they are not sufficient, we ourselves shall of course choose the most advantageous and convenient means.

CULTURAL DIRECTIONS

These apply to the climate of New York and vicinity. For more nothern and southern localities the necessary changes in time of sowing, etc., will readily suggest themselves to gardeners.

WARRANTIES

Seeds of best quality will sometimes fail through improper treatment. Thus, a small seed may be sown so deeply that the young plant cannot reach the surface. More failures result from disregard of the conditions necessary to germination than from information of the conductions. inferiority of the seeds used.

These conditions are: A proper temperature, sufficient moisture and free access of air. Besides these, the soil must be in proper condition and present no physical obstacle to the growth of the young plant. If heavy rains have compacted the surface of the soil, and the sun has baked it to a hard crust, it will be impossible, even if all other conditions are favorable, for the seedling plants to force their way through it, and many perish from this cause alone.

Seeds differ greatly as to the temperature required for germination. Beets, Cress, Peas, etc., germinate rapidly at a temperature of 45 deg.; but if Melons and other seeds of that family, Bush or Pole Beans, and other plants of sub-tropical origin are sown under the same conditions, they will be apt to decay, as for their prompt germination they require a heat of at least 60 deg. For this reason many seeds fail yearly from too early sowing.

The second condition, proper moisture, is likely to be violated by an excess rather than by too small a portion. The proper amount is that which a welldrained soil will naturally hold.

Free access of air is all-important, and this is interfered with by an excess of water in the soil.

In germination, complex chemical changes take place in the seeds, in which the air performs an important part. A portion of the seed is consumed, carbonic acid gas being given off in changing the starch and other constituents of the seed into nutriment to forward the growth of the germ or embryo plant, which depends upon the contents of the seed until it forms roots below ground and leaves above, and is able to sustain itself.

Besides these conditions affecting the germination of the seed, the young plants, after they have made their way to the surface, are liable to various accidents; a sudden current of very cold air, or a continuous drying wind may check their growth or destroy them altogether.

In addition, there are numerous insects, both below and above ground, that may attack the plants, some of them being so small that they often destroy a crop before they are discovered.

We may also mention the well-known tendency of many vegetables to revert to their original types, notwithstanding the care of the seed-grower; the Yellow-Podded Wax Beans becoming green, the Yellow and White Celery becoming more or less green, dwarf Peas becoming running sorts, etc.

J. M. Thorburn & Co. give no warranty, express or implied, as to description, quality, productiveness or any other matter of any seeds, bulbs or plants they send out, and they will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms, they are at once to be returned.

F. W. BRUGGERHOF President

J. M. THORBURN & CO.

53 Barclay Street, through to 54 Park Place, New York

ALL COMMUNICATIONS SHOULD BE ADDRESSED TO THE COMPANY Telephone Nos. 6445 and 6446 Barclay. Private Exchange connecting all departments

Directions for the Cultivation of Vegetables

TO SECURE a good crop of vegetables, three things are necessary, viz., a suitable soil, pure seed and clean culture. The exposure for a vegetable-garden should be scuth or southeast, or nearly so. The soil should be naturally rich and friable, a sandy loam being about the best. If the soil be stiff, it should be gradually mellowed by the free use of barnyard manure, or, if convenient, by the addition of sand. If wet, or inclined to hold an excess of moisture, it should be underdrained, preferably by tile, but if possible, a location should be selected naturally dry and free from surface water.

A dark-colored soil, or one supplied with a goodly portion of decayed vegetable matter, will produce the earliest crops. If the soil be shallow, it should be deepened gradually by plowing or spading an inch or two deeper each year, and not all at once by trenching or subsoiling, unless manure and money both be abundant. A sandy soil may be greatly improved by adding vegetable mold from the woods. To produce the best results, the vegetable garden should have at lease one foot of good, rich soil. The roots of large trees should not be allowed to encroach on any part of the garden, though large trees, sufficiently far off, afford a valuable protection on the north and west.

tion on the north and west.


Mark the garden off into squares or beds of convenient size, to facilitate the practice of a rotation of crops, which is an important matter. As a rule, never let the same crop or kind of vegetable occupy the same bed or spot two years in succession.

Potatoes, Onions and a few other things may form exceptions to this rule. Every year the beds must be warmed up by a liberal coat of manure, which should be thoroughly mixed with the soil. From seeds sown in drills, larger crops from a given surface are grown, and cultivation is simple and comparatively easy. The space between the drills, and other special information, is given in the body of this catalogue; the least distance is named, in order to economize space; it might be increased in some cases to advantage. The ground should be frequently hoed, to kill the weeds and to keep the soil mellow; and the proper time to hoe is just when the weeds appear above the ground.

Much time may be gained by starting certain kinds of plants in a hotbed, or even in a coldframe, the latter being a convenient thing, even on a small place. The hotbed is chiefly intended for raising early Tomatoes, Eggplants, Peppers, Cabbage, Cauliflower, Lettuce, etc., but as all these plants can now be bought cheaply of this company at the proper time, the expense and labor of a hotbed may be dispensed with, especially on small places.

be dispensed with, especially on small places.

To Prepare a Coldframe.—The coldframe is simply a frame set on the ground, no bottom heat being applied. It is banked up on the outside during the Winter with salt hay, straw or coarse litter. The soil is prepared by forking in and thoroughly mixing to the depth of 10 to 12 inches a liberal quantity of old, well-rotted manure. The manure of an old hotbed is good for the purpose. The frame is prepared in the Fall, and young Cabbage, Cauli-



A Section of Our Trial Grounds

flower and Lettuce plants are set out in it in time to get well established before very cold weather. Cauliflower and Cabbage should be set down to the first leaf, and the soil made firm around the plants. The seed is usually sown, in the vicinity of New York, from the 15th to the 20th of September, but the very early kinds some 8 to 10 days later. The young plants will be ready to transplant in about 25 to 30 days. During the cold nights and stormy days, the beds should be closely covered with the sashes, and these further protected by straw mats or shutters. Cauliflower needs more

and closer protection than Cabbage, as it is rather more tender. During mild days admit air freely, the object being to keep the plants in a dormant state, without actual freezing, so that when Spring comes they are in a forward state for setting out early crops. Seeds of Cabbage, Cauliflower, Lettuce and Radish may be sown in a coldframe in the Spring from the last week in February to the first week in March. The frame should stand in a warm and sheltered spot, and be kept from freezing by mats or a thick covering of straw during cold nights.

laking a Hotbed Directions for M

N the vicinity of New York, from the first to the latter part of March is quite early enough to make a hotbed. The time must vary according to the latitude. Use fresh horse manure, and add to this.

latitude. Use fresh horse manure, and add to this, if possible, one-third to one-half of its bulk of leaves. Mix them thoroughly, tramping down the mass in successive layers, and form into a large pile, so that fermentation will proceed.

In two or three days fermentation will be apparent by the escape of steam from the heap. Now turn again, and allow the heap to remain until the second fermentation commences. Make a pit 2½ feet deep, and of a size suited to the number of plants required. The pit will be better if built up of brick. It should and of a size suited to the number of plants required. The pit will be better if built up of brick. It should be located in a dry, sheltered spot, facing the south or east, if possible. Hotbed sashes are usually 3x6 feet, and one or two sashes will give early plants enough for a small family The frame of the bed should be 18 inches high at the back and 12 inches in front, which will give the proper slope to catch the sunlight. Crosspieces should be placed for the sashes to slide on, to facilitate opening and shutting the frames.

When everything is ready, the manure is placed in

the pit and trodden down firmly in layers to the required depth, 2 to 2½ feet. Then put on the sashes and keep the pit closed until the heat arises. At first it will probably be 100 deg. or more, which is too hot to sow the seed in; but in two or three days it will subside to go deg. or a little less, when the soil may be put on to the depth of 6 to 8 inches. Try the heat by plunging a

thermometer into the manure.

The soil should be of well-rotted sod (or common garden soil will do), mixed with about a third of fine old manure; and in this the seeds may be sown thinly in drills 2 to 3 inches apart, and afterward (as soon as out of the seed-leaf) either thinned out or else transplanted

of the seed-leaf) either thinned out of else transplanted to another frame. Air must be given every mild day by raising the sashes at the back.

Water with tepid water whenever necessary, and during cold nights and snow storms keep covered with mats or board shutters. Tomatoes, Peppers and Eggplants should be sown in a separate frame from Cabbage, Cauliflower and Lettuce, as they require more heat. Hotbeds may be made on the surface of the ground, if the may received a feat wider on all cides that the if the manure extends a foot wider on all sides than the frame.



Another Section of Our Trial Grounds

Novelties and Specialties in Vegetable Seeds


New Dwarf Green-Podded Snap Bean

Thorburn's Earliest of All, Long, Round Green Pod, Stringless. Very early, prolific and of finest quality, also a good forcer. Our trials show this to be the earliest of all, as the name we have given it indicates. ½ pt. pkt. 25 cts. No less quantity sold.

New Green-Podded Beans

Pale Dun, or Cream Color. A fine, stringless variety. ½ pt. pkt. 25c.

Dark Dun. Liver color and stringless. Pkt. 15 cts., $\frac{1}{2}$ pt. 25 cts.



Thorburn's Model Leek

Dwarf Green-Podded Bean

Masterpiece (Sutton's). The plant is a robust grower, very prolific, the pods are straight, handsome, very tender, and stringless. Early and well adapted for forcing, an exceptionally fine green, round podded variety. Pt. 50 cts., qt. 85 cts.

Thorburn's Gilt-Edge Cauliflower

Best and surest of all. Produces large, heavy, solid, white heads of finest quality. Undoubtedly the best variety. Pkt. 25 cts., oz. \$2.50, 1/4 lb. \$9.00.

Early Jersey Wakefield Cabbage

Thorburn's Selected Stock

Undoubtedly the finest strain of this most popular, well-known early Cabbage in cultivation. The heads are extremely solid, pyramidal in shape, with very little outside foliage. Pkt. 10 cts., oz. 30 cts., ¼ lb. 85 cts., lb. \$3.00.

Extra-Early Nordheim Sweet Corn

The earliest Sweet Corn in cultivation. Produces stalks from 6 to 7 feet high, each bearing three or four nearly perfect ears of finest quality. On style of Minnesota, but far exceeding that variety in the deliciousness of its flavor, as well as in earliness and productiveness. Pt. 20 cts., qt. 30 cts., ½ pk. 85 cts., pk. \$1.50.

Golden Evergreen Sweet Corn

Late; very sweet, round grains. Pt. 30 cts., qt. 50 cts., $\frac{1}{2}$ pk. \$1.65.

Cucumber, Thorburn's Noroton Selected White Spine

A selection of the Improved White Spine, but earlier, more perfect in shape and more prolific. The best slicing variety we have seen, being solid in flesh, fine-grained, tender and of delicious flavor. Vigorous, healthy grower. A splendid sort for the home garden, and absolutely without an equal for market. Pkt. 10 cts., oz. 15 cts., ¼ lb. 35 cts., lb. \$1.25.

Celery, Thorburn's Gilt-Edge Golden Self-Blanching

Golden Self-blanching is the variety of Celery par excellence, and we can recommend our strain with every confidence. The chief characteristics of this sort are its self-blanching qualities and the beautiful waxy yellow appearance of the stalks. It is of compact, heavy growth and produces stalks that are brittle and crisp in the extreme, and hearts that are large and solid. Pkt. 20 cts., oz. \$1.00, ½ lb. \$3.50, lb. \$12.00.

Thorburn's Model Leek

Grand exhibition variety of mild, agreeable flavor. The long, thick, pure white stems of immense size are a great improvement on other varieties. Pkt. 15 cts.



Pimiento Pepper

Thorburn's Big Boston Lettuce, Improved

Our strain of this well-known and most popular sort is without doubt the finest in existence. It is too well known to require any lengthy description. It is sufficient to say that it is equally valuable for growing in greenhouses for Winter use, in frames for Spring, or for sowing the seed in the open ground for use in Summer and Fall. It is unequaled by any other variety for crispness and tenderness; produces large, solid heads with few outside leaves, and stands long before running to seed. See illustration of a head of Big Boston Lettuce, Improved, on page 31. Pkt. 5 cts., oz. 15 cts., ½ lb. 35 cts., lb. \$1.25.

Egyptian Deity Muskmelon

A new Melon of Casaba type, from South Africa, said to be very fine quality. 20 cts. per oz. (See page 33.)

Pea, Quite Content

A giant-podded, second early Pea, the pods mostly grow in pairs and are quite distinct from all other Peas. The pods are well filled with large, round peas of excellent flavor, very prolific, a stout, robust grower, height about 5 feet. It has been pronounced by experts to be the finest largest, second early Pea. Pt. 30 cts., qt. 50 cts.

Pepper Pimiento, dulce

The mildest of all Peppers. This new sweet Pepper has a flavor unknown to Peppers, absolutely free of the pungent flavor that so many consider undesirable. It has a thick, firm flesh which permits its being scalded and peeled; when fully ripe, the fruits are brilliant scarlet. Should be in every family garden. Pkt. 10 cts., oz. 50 cts.

Tomato "Noroton Forcing"

This new variety will be found to be valuable for the market gardener, as well as for private gardens. Color bright crimson, of uniform size, averaging about six to a pound. Solid, very prolific and of perfect form. Pkt. 15 cts., oz. 40 cts., 1/4 lb. \$1.25, lb. \$4.00.


Tomato—Thorburn's Improved Early Cluster

A valuable new variety, color bright scarlet, grows in bunches like grapes, each plant producing 100 to 150 Tomatoes of excellent quality. Pkt. 15 cts., oz. 40 cts., ½ lb. \$1.25, lb. \$4.00.

Turnip

Prince Engalitscheff

New early, scarlet, striped, yellow, flat. Pkt. 10 cts., oz. 20 cts., lb. \$1.25.



Thorburn's Improved Early Cluster Tomato

Flower Seed Novelties and Specialties of Merit

Aster, Hercules White

A new type of great merit. In form it is similar to the well known "Ostrich Plume," but of dwarfer habit, it is a strong grower and produces very large flowers of a refined shape, pure glistening white. Per pkt. 25 cts.

Asters, Hercules Lilac

An artistic flower of a beautiful rosy lilac shade, a decided acquisition to any garden. Per pkt. 25 cts.

Aster, Single Japanese (hA)

This Aster is of a branching habit, which is greatly in its favor as a cut flower, it having a fine, long stem. The central disc of the flower is encircled by a wreath of long, quilled ray petals either white or delicate rose.

White, pkt. 20 cts. Delicate Rose, pkt. 20 cts.

Alyssum Benthamii compacta lutescens

Dwarf, compact, upright growth, with yellowish flowers; useful for carpet-bedding or ribboning. Pkt. 20 cts.

Antirrhinum nanum grandiflorum, "Mauve Beauty"

A unique color in Antirrhinums and quite a new break. The color is a lovely shade of pale clear mauve; the flowers are large and the habit of the plant all that can be desired. A welcome addition to the Nanum type. Pkt. 20 cts.

Antirrhinum, Silver Pink

New, silvery pink, splendid variety for greenhouse culture; semi-dwarf. Pkt. 25 cts.

Aquilegia, Veitch's Long-Spurred Hybrids

A magnificent strain of many years selection, truly beautiful; mixture of Columbines, long stemmed and beautiful colors. Pkt. 40 cts.

Bellis Perennis fl. albo Giantflowered Daisy

Monstrosa alba—White flowers, $2\frac{1}{2}$ to 3 inches diameter. Pkt. 25 cts.

Monstrosa rosea—Rose flowers, $2\frac{1}{2}$ to 3 inches diameter. Pkt. 25 cts.

Centaurea Cyanus, Double Blue

A double flowered form of the popular old fashioned blue cornflower or bachelor's button, which it eclipses in every way, producing its large, fine double flowers on long, strong stems. Per pkt. 25 cts.

Centaurea moschata rosea (hA)

This new, beautiful annual Sweet Sultan is $2\frac{1}{2}$ to 3 feet high, with flowers of a very delicate rosy white, and light pink stamens and style; the flowers are about the same size as the white and purple varieties, and will make fine flowers for cutting. Pkt. 25 cts.

Calceolaria, Veitchii White

"A white Calceolaria for the conservatory." In many respects, this Calceolaria, is remarkable, and an extraordinary departure from the conventional color of greenhouse Calceolarias, being milk white in color. It is a true perennial, has a strong habit of growth, with healthy, strong, lance-shaped, shining, serrated foliage. It bears an abundance of bloom on first season plants, which grow to a height of about 3 feet, and are quite bushy. It is of great value for decorative work. Pkt. 50 cts.

Calceolaria, Bronze Age

This is another remarkable hybrid and differs from all others in being of deep red mahogany-bronze shades, some light, others dark, ranging between crimson and bronze, softened to a warm murillo tint, while the apex or lid of the pouch in some instances is a deep yellow, free bloomer and robust constitution. Pkt. 40 cts.

New Cardinal Climber (hA) (Ipomœa Quamoclit Hybrida)

This beautiful annual is the result of a cross between *Ipomæa coccinea* and the Cypress Vine (*Ipomæa Quamoclit*). It is one of the best introductions as regards an annual climber for many years. It is a strong and rapid grower, attaining a height of from 20 to 30 feet, and is of a branching habit. It flowers perpetually from July until frost, the foliage is deeply laciniated, and the flowers are borne in clusters of five to seven, and are of a fiery cardinal-red. It is well worth trying. Pkt. 25 cts.

Celosia Pompon

(Chinese Woolflower)

Do You Need a Gardener? At all times we have on our books the names of capable men in search of employment on private estates, farms and the like, and all persons in search are cordially invited to call upon us at any time for such men. Gardeners and Superintendents desiring positions are requested to call here, or drop us a line for application blanks.

Chrysanthemum Maximum laciniatum

White Comet Marguerite

Of remarkable beauty, quite different from all other varieties, the petals of this novelty come in light, tufty waves, partly covering the yellow center of the flower, creating a graceful charming effect. About 40 inches high, with long, strong stems; flowers abundantly in July and August. Pkt. 50 cts.

New Cosmos

Thorburn's Extra Early Flowering Cosmos. Rose pink and shell pink, the foliage of this variety is not dense, and shows all the long, graceful stems tossing their airy, fairy blossoms in the air, making a most beautiful sight; in our trial grounds the past season this variety was in flower from June 15th until frost. Pkt. 25 cts.

Cosmos, White Lady Lenox

An exact counterpart in every particular, except as to color, of the favorite Pink Lady Lenox Cosmos. Well worth a trial by all lovers of these splendid annuals. Pkt. 25 cts.

Cosmos, Crimson Ray

The flowers while equally as large in diameter, show a new departure in form, number and shape of the petals, the petals greatly increased in number, are narrow and fluted, separated in star-like form, and of the most brilliant crimson. Pkt. 15 cts.

Crested Cosmos

Cyclamen Persicum Giganteum Marginatum "Victoria"

Of strong, vigorous growth, these Cyclamen give an abundance of flowers of most beautiful colors in great variety of shades; the quaintly formed flowers standing well above the prettily marked foliage. Pkt. 50 cts.

Dimorphotheca aurantiaca hybrida fl. pl. (hA)

Double-Flowering African Daisy, Pkt. 25 cts.

This is the double and semi-double form of the African Golden Daisy hybrids which we offered last season.

Dimorphotheca Aurantiaca Hybrida, Purplishred. Pkt. 25 cts.

Dimorphotheca Aurantiaca Hybrida, Lilac, Bluish Tint. Pkt. 25 cts.

Those rare and quite new colorings are very pleasing, ranging from purplish red to purplish rose, mostly with large white center, also to orange red with claret red tips or edges, while in the bluish tints there will be found lilac selves or purplish lilac varieties tinged white or white and yellow centered. Very attractive when in full bloom.

Delphinium Pauli

A new perennial hardy Larkspur from East Africa. The plants form loosely branched bushes, $1\frac{1}{2}$ to 2 feet in height, with wire-like, stiff stems and branches bearing pure white flowers, $1\frac{1}{2}$ to $1\frac{3}{4}$ inches in diameter, with spurs of equal length; the stamens are dark violet-brown. A feature of this new Delphinium is the intense, sweet. eucharis-like scent of the flowers. Pkt. 20 cts.

Erigeron Multiradiatus Roseus

A new variety of these handsome perennials; producing on graceful, long stalks an abundance of beautiful blooms measuring about 2½ inches across; innumerable rosy-colored petals surround the golden yellow disc, giving the appearance of a small, rose-blooming Marguerite; excellent for cutting. Pkt. 25 cts.

Gazania Longiscapa

A magnificent annual from South Africa. Forms round bushes about 8 inches in height, with dark green foliage, and covered with large, long-stemmed flowers of a lovely golden_yellow with unique brown markings. Blooms continuously all through the season; of the easiest culture; succeeds best in a sunny location. Pkt. 25 cts.

Giant Pink Moonflower

The Giant Pink Moonflower produces a luxuriant vine. It grows very fast and dense, with thorns all over stems. The blooms are about the size of a Brazilian Morning Glory. Pkt. 10 cts.

Gloxinia Hybrida

Crassifolia Crispa "Waterloo" Black-purple

Delicate white margin, giant flowers with seven lobes. Very valuable for florists. Pkt. 50 cts.

Crassifolia Crispa "Meteor"

Undoubtedly the most beautiful of all the Crassifolia Gloxinias, deep pure white throat, tinted bluish towards the petals, which are of a bright scarlet red with white underneath. Pkt. 50 cts.

Crassifolia "Scarlet Queen"

This hybrid is of vigorous growth, with wonderful big wave-shaped flowers of true scarlet. Pkt. 50 cts.

Leucanthemum secundum giganteum

Giant Shasta Daisy (hP)

This strain has flowers which measure 4 to 5 inches across, borne on strong stems, 2 to 3 feet high; the discs of this beautiful Daisy are very small, of a deep golden yellow, surrounded with extremely long florets of snow white. Pkt. 25 cts.

Lupinus polyphyllus Moerheimii

A perennial plant that everyone should have.

This *new* Perennial Lupine is of rather dwarf habit, with beautiful rose-and-white flowers, and blooms continuously during the Summer. 69230. Pkt. 25 cts.


New Hybrid Lupine All are hardy herbaceous perennials.
Lupinus Polyphyllus
Blue Cloud. Long spikes of soft lavender blue, upper petals shaded rose \$0 25
Lupinus Polyphyllus Eastern Queen. Flowers blush, shaded sky blue, upper petals yellow, shot rose, very beautiful
Lupinus Polyphyllus Ophir. F'owers soft blue, with rose lilac, upper petals changing to a purple-red
Lupinus Polyphyllus Rosy Gem. Soft rose, passing to a deeper shade
Lupinus Polyphyllus The Bride. Soft primrose, shaded delicate rosy peach, pretty. 25
New Early Blooming Hardy Pansies This new type of pansy is valuable on account of its hardiness and earliness. If given slight protection they will be found perfectly hardy in this latitude and even further north, beginning to bloom about the end of March. Flowers are very large and have a sweet perfume. Pkt.
Celestial Queen. Beautiful light blue with yellow eye
March Beauty. Fine dark velvety blue with yellow eye
Rehmannia angulata Pink Perfection. Splendid, half hardy, herbaceous perennial for pot culture, or outdoors in sheltered situation. When massed they are very beautiful. Clean, bright pink, with markings on the throat, continuous

Nasturtium Lobbianum, Ivy-Leaved, "Emma Alida"

Dark, Ivy-leaf-shaped foliage, with golden yellow and orange to deep scarlet, laciniated flowers; very lively colors. Pkt. 15 cts.

Petunia Hybrida Grandiflora Superbissima "Nana" Selected Mixture

Dwarf Petunia with a high percentage of compact large flowers; colors from dark to light and finely veined in all shades. Pkt. 50 cts.



Lupinus Polyphyllus

Polygonum Orientale

(Persicaria) (Lady's Thumb)

This old-fashioned hardy annual is suitable for backgrounds; pink or greenish purple flowers on short spikes. 1 to 2 feet. Pkt. 15 cts.

Primula Japonica

(The Hardy Japanese Primrose) (Veitch's)

In mixed colors. Primula japonica has, for a generation, been a favorite of those who love the miscellaneous flower border. This mixture comprises every shade of color in primulas. Pkt. 30 cts.

Virginia Poppy (hA)

Papaver Somniferum

This new, large-flowering, single Poppy produces beautiful, large, white flowers with fringed, soft pink edges. They are especially recommended for cutflowers, for they last long in vases, especially when cut in the morning before they are full blown. Pkt. 15 cts., 2 pkts. 25 cts.

Ricinus Laciniatus

Distinct new variety of Castor-Oil Bean of medium height, with light green, deeply-cut foliage, the elegantly narrow lobes being divided nearly to the stalk. The appearance of the whole plant is very graceful, Pkt. 25 cts.



Ricinus Laciniatus

Salvia Patens

(Veitch's Special Strain)

This particular strain is exceptionally hardy, and has been saved from long established hardy plants. Pkt. 30 cts.

Salvia Splendens, Ostrich-Plume

The most attractive Salvia recently introduced, of Salvia splendens type; the bush is well covered with beautiful plume, each plume being a bouquet in itself; color brightest scarlet. Pkt. 25 cts.

Stocks

Dresden Perpetual or Branching

"Princess Alice," white, profuse and perpetualblooming; double white flowers, excellent for cutting. Our strain of this is very fine. See page 123. Pkt. 25 cts.

Yarrawa Sweet Pea

This is a splendid early-flowering Spencer variety, especially valuable for Winter flowering as well as the open ground. The color is rose on first opening, changing as the flower develops to a charming combination of light pink standard and blush wings; of vigorous habit; the flowers are produced on long stiff stems. 54590. Pkt. 25 cts.

Thermopsis Caroliniana

(St. Peter's Staff)

Pretty yellow, Pea-shaped flowers, adapting itself to almost any situation, but succeeding best in a light, rich soil. They are deep rooted plants and endure drought very well. Pkt. 15 cts.

Vinca Delicata

This is the handsomest of all Vincas. Soft, delicate shade of pink in color, very desirable for rockery and shrubbery borders. The plants are quite hardy.

Verbena grandiflora, "Helen Willmott"

A very pretty, bright salmon-rose, with white eye. The seed produces plants with flowers, many of which are of the true "Helen Willmott" color, with a percentage of varied shades, which are also very fine both in color and size. Pkt. 25 cts.

New Double semi-dwarf Wallflower

The plants grow 18 inches high, colors ranging from golden yellow to brown and purple. Seed saved from extra selected plants. Pkt. 25 cts.

Zinnia, Double Mammoth-Flowering (hA)

A new and distinct class of this ever-popular flower, producing large, very double blooms, from $4\frac{1}{2}$ to 6 inches in diameter. We offer five distinct colors, viz.: Crimson, Flesh-color, Sulphur-Yellow, Violet and White. Each color and mixed, pkt. 15 cts. Collection of five varieties, one pkt. of each color, 60 cts.

Extract from one of the numerous unsolicited testimonials we receive:

Miller, South Dakota.

"The seeds you sent us last Spring were simply perfect, and I trust these now ordered will be as good—they could not be better.

Eighty years ago, Elizabeth Dickinson began planting Thorburn seeds. When she passed away, her daughter, Mary Bube, used Thorburn seeds, and now her daughter. Levantia Bard (my wife) will have no other seeds, and our daughter Bess, is a staunch advocate of Thorburn Seeds. Four generations sticking to one brand of flower and vegetable seed is speaking pretty well for their excellence, and rather unusual I think. JAMES E. BARD."

Collections of Vegetable Seeds

Only the choicest sorts are put into these assortments, and they are picked out so as to give a continuous supply of vegetables from your garden all season.

The amount charged for these collections is considerably less than you would pay for the individual seeds, on account of the fact that we are able to put them up during the slack Winter months.

Owing to this, we cannot permit any alterations in the varieties, and the reduced price will not be allowed unless the collection is taken in full and without change.

COLLECTION NO. A, \$1 (Including free delivery)

This collection was gotten up primarily for rather small gardens, such as back-yard gardens and the like.

```
I pa. Beans, Refugee Green-Pod.
I "Beans, Golden Wax.
I "Beet, Egyptian.
I "Cabbage, Early Wakefield.
I "Carrot, Half-Long.
I "Dana Cucumber, Imp.White Spine.
I "Leek, Best Flag.
I "Lettuce, Big Boston.
I "Donion, White Globe.
I "Parsley, Extra Curled.
I "Spinach, Viroflay.
I "Turnip, Snowball.
```

COLLECTION NO. 1, \$2.50 (Including free delivery)

COLLECTION NO. 2, \$5 (Including free delivery)

This assortment is suitable for a family of approximately five persons.

```
½ pt. Corn, Country Gentleman.
½ " Metropolitan.
½ " Stowell's Evergreen.
1 oz. Cucumber, Imp. White Spine.
1 pa. Eggplant, New York Purple.
1 " Kohlrabi, Early White Vienna
1 " Leek, Best Flag
                                                                                                                                   I oz. Parsnip, Hollow Crown.
I pt. Peas, Thor. Ex.-Er'ly Market.
I "each Peas, Two Best Wrinkled
Our Selection.
I pt. Beans, Refugee Green-Pod.
Early Valentine.
I "
                       Stringless Green-Pod.
  44
                       Challenger Lima.
                                                                                                                                  Our Selection.

I pa. Pepper, Chinese Giant.

I oz. Radish, White-tipped.

I "Scarlet Turnip.

Scarlet Globe.
I oz. Beet, Eclipse.
I "
            " Egyptian.
" Globe.
                                                                          Leek, Best Flag.
                                                                         Lettuce, Big Boston.

"May King.
ı pa. Cabbage, Early Wakefield.
                                                                 Т
                                                                                                                                  Salsify, Mam. Sa'wich Isl'nd oz. Spinach, Viroflay.
                           Ballhead.
Thorburn Private
                                                                         "Cos or Romaine.
"Giant Crystal Head.

Melon, Netted Gem.
                                                                    66
                               Stock Flat Dutch.
                                                                    64
                                                                                                                                   I pa. Squash, Early Bush Crook-
I 02. Carrot, Half-Long.

St. Valery.

I pa. Cauliflower, Thor. Gilt-Edge.
                                                                                                                                                                neck.
                                                                                        Long Island Beauty.
                                                                                                                                                            Hubbard.
                                                                i " Long Island Beauty.
i " Water, Black Spanish.
i oz. Okra, Perkins' Improved.
i pa. Onion, White Globe.

Large Red Globe.
                                                                                                                                  Tomato, Early June Pink.

"Stone.
         Celery, Giant Pascal.
"White Plume.
                                                                                                                                   I oz. Turnip, Snowball
                       Fin de Siecle.
                                                                                                                                                            Golden Ball.
½ pt. Corn, Early Bantam.
                                                                 i pa. Parsley, Extra Curled.
                                                                                                                                                            Thorburn Rutabaga.
```

COLLECTION NO. 3, \$10 (Including free delivery by express)

Will make an excellent garden for a farm or country estate desiring to put about one acre under cultivation for vegetables.

I pt. Beans, Refugee Green-Pod.
I " " Early Valentine.

I oz. Corn Salad, Large-seeded.

I qt. Peas, Thor. Ex.-Early Market.

```
I pt. Beans, Refugee Green-Pod.
                     Early Valentine.
ī "
             "
                     Golden Wax.
                    Stringless Green-Pod. Challenger Lima.
   64
            6.6
2 oz. Beet, Egyptian.
I "Globe.
Half-Long.
  pa. Brussels Sprouts, Dalkeith.
oz. Cabbage, Early Wakefield.
"Thorburn Private
                           Stock Flat Dutch.
I "Carrot, Early French Forcing.
I pa. Cauliflower, Thor. Gilt-Edge.
Thor. Snowball.
2 oz. Celery, Fin de Siecle
White Plume.
          44
                     Golden Self-blanching
ī pa.
I pt. Corn, Early Bantam.
                   Cory.
                   Country Gentleman.
```

```
1 oz. Corn Salad, Large-seeded.
2 "Cress or Pepper Grass.
1 "Cucumber, Imp. White Spine.
1 pa. Eggplant, Imp. N. Y. Purple.
2 oz. Endive, Green-Curled
2 "Kohlrabi, Early White Vienna
1 pa. Leek, Best Flag.
2 oz. Lettuce, Big Boston.
3 "May King.
4 "Cos or Romaine.
5 Giant Crystal Head.
1 pa. Melon, Long Island Beauty.
1 "Netted Gem.
1 "Water, Black Spanish.
2 oz. Okra, Perkins' Improved.
1 "Clarge Red Globe.
1 "Parsley, Extra Curled.
```

put about one acre under cultivation
2 oz. Parsnip, Hollow Crown.
I qt. Peas, Thor. ExEarly Market.
I " each Peas, Three Best Wrink-
led, Our Selection.
I pa. Pepper, Chinese Giant.
i oz. Radish, White-tipped.
I " Scarlet Turnip.
I " Scarlet Globe.
I " Chinese Winter.
2 ozs. Salsify, Mammoth Sandwich
Island.
½ lb. Spinach, Viroflay.
4 10. Spinach, Virollay.
I oz. Squash, E'y Bush Cr'kneck.
i pa. ilubbaid.
I oz. "Boston Marrow.
I pa. Tomato, Early June Pink.
I " Stone.
I oz. Turnip, Thorburn Rutabaga.
I " " Snowball.
I " " Golden Ball
I pa. each Herbs, Five Varieties.
i pa. each rieros, rive varieties.

COLLECTION OF VEGETABLE SEEDS-Continued

COLLECTION NO. 4, \$19 (Including free delivery by express)

If your needs require quite a quantity of fresh vegetables, and you have around three acres that you wish made into a garden, you could not do better than to buy this collection. There are quite a number of private estates and farms that are now doing away with the trouble of going through lengthy lists of vegetables suitable to their needs, and are leaving the matter to our judgment. This collection represents our recommendation as to just what should be used, with the exact quantities for planting approximately three acres, and getting the most out of the land.

omee deres, and getting the most e	at or the land.	
I qt. Beans, Refugee Green-Pod. I " Early Valentine. I pt. " Stringless Green-Pod. I " Challenger Lima. 4 oz. Beet, Eclipse. 4 " Egyptian. 4 " Globe. 4 " Half-Long. I " Savoy, Early. Thorburn Private Stock Flat Dutch. 4 " Carrot, Early French Forcing. 4 " Long Orange. 4 " Long Orange. I pa. " Thor. Snowball. I oz. Celery, Fin de Siecle. I " White Plume. I qt. Corn, Early Bantam. I " Cory.	2 qts. Corn, Country Gentleman. 2 " " Metropolitan. 2 " " Stowell's Evergreen. I oz. Cucumber, Imp. Long Green 2 " " Imp. White Spine ½ " Eggplant, Imp. N. Y. Purple. I " Endive, Green Curled. I " Broad-leaved. I " Kohlrabi, Early White Vienna I " Leek, Best Flag. I " Lettuce, Big Boston. I " " Cos or Romaine.	6 qts. Peas, Three Best Wrinkled. Our Selection. 1/2 oz. Pepper, Chinese Giant. 1/4 lb. Pumpkin, White Cushaw, or Jonathan. 4 ozs. Radish, White-tipped. 4 " " Scarlet Turnip. 4 " " Scarlet Globe. 4 " Salsify, Mammoth Sandwich Island. 1/2 lb. Spinach, New Zeal. Summer. 1/2 " " Viroflay. 1 oz. Squash, E'y Bush Crookneck. 1 " " Boston Marrow. 1 " " Boston Marrow. 1 " " Stone. 1 pa. " Beauty. 2 ozs. Turnip, Snowball. 2 " " Golden Ball. 2 " " Torburn Rutabaga 1 pa. each Herbs, Five varieties.

i " Cory.	i qt. Peas, Thor. ExE'y Market.	I pa. each Herbs , Five varieties.
CHOICE COL	LECTIONS OF FLO	WER SEEDS
	(FREE BY MAIL)	
Collection of 12 varieties of Dwa	rf Annuals, 1 packet each, as follow	7S93000 50 cts.
Asters, Mixed Candytuft, Mixed Convolvulus, Dwarf, Mixed Eschscholtzia, Mixed	Larkspur, Dwarf Rocket, Mixed Marigold, Dwarf French, Mixed Mignonette Naturtium, Dwarf, Mixed	Phlox Drummondii, Mixed Portulaca, Single, Mixed Sweet Alyssum Zinnia, Dwarf, Mixed
Collection of 12 varieties of Tall	Annuals, 1 packet each, as follows.	93020 50 cts.
Centaurea cyanus, Mixed Clarkia, Mixed Collinsia, Mixed Cosmos, Mixed	Larkspur, Tall Rocket, Mixed Lupinus, Mixed Marigold, African, Mixed Malope, Mixed	Poppy, Mixed Scabiosa, Tall, Mixed Sunflower Zinnia, Tall, Mixed
Collection of 24 varieties of Ann	uals, 1 packet each, all carefully sel	ected in pictorial pkts93050 \$1
Collection of 12 varieties of Dwa	rf Perennials, 1 packet each, as foll	ows 93080 \$1
Alsine pinifolia Alyssum saxatile compactum Arabis alpina Campanula grand. Mariesii	Candytuft gibraltarica Daisy, Double, Mixed Gypsophila Leontopodium (Edelweiss)	Lychnis Haageana Hybrids Pinks, Mixed Primrose, Yellow Snapdragon, Dwarf, Mixed
Collection of 12 varieties of Tall	Perennials, 1 packet each, as follow	vs93120 85 cts.
Aquilegia, Mixed Centaurea candidissima Coreopsis Delphinium, Mixed	Foxglove Gaillardia Galega Lupinus polyphyllus	Phlox decussata Poppy, orientale Scabiosa caucasica Sweet William
Collection of 12 varieties of Ever	lastings, 1 packet each	93140 50 cts.
	enhouse Seeds, 1 packet each, as fol	
Asparagus plumosus nanus	Coleus, Fine Hybrids Cyclamen giganteum, Mixed Heliotrope Primula obconica grandiflora hy- brida, Mixed	Musk Plant Primula chinensis fimbriata, Extra- fine Mixed

Vegetable Seeds

Please notice that we pay postage or express charges on all garden seeds ordered by the packet, ounce and quarter-pound. If larger quantities are ordered to be sent by mail, add postage at zone rates.

See pages 11 and 12 of this Catalogue for COMPLETE COLLECTIONS OF VEGETABLE SEEDS of approved and choice sorts for from \$1 to \$19, and page 12 for CHOICE COLLECTIONS OF FLOWER SEEDS.

ARTICHOKE

ARTICHAUT

Colossal Asparagus

Alcachofa

Artischocke

CULTURE.—Deep, rich, sandy loam with plenty of well-rotted manure. Sow seeds in April or May, and when plants are large enough, transplant into rows 3 to 4 feet apart and 2 feet in the rows. They reach maturity the second year. When cold weather sets in, bank the earth to the top, first cutting off and tying up the leaves so that they will occupy less space, and in the spring fork in a dressing of manure. Artichoke may also be treated as an annual by sowing the seed in hotbeds during February and transplanting in May. The heads should be cut off and used as they get ready. If left to ripen on the plant, they will exhaust it, and no more will be produced that season. Heads are unfit for culinary purposes after the flowers expand.

FRENCH GLOBE ARTICHOKE ROOTS. (Ready in April.) Extra large, strong roots, from selected plants,—not seedling plants, which rarely come true. 25 cts. each, \$2.50 per doz.

ASPARAGUS

ASPERGES

Esparrago

Spargel

10

25

75

Culture.—Sow the seed thinly in rows 1 foot apart in April or May (4 or 5 lbs. to the acre), and keep down all weeds. To secure strong, healthy plants, thin the seedlings to 3 or 4 inches in the rows, saving only the strongest. The one-year-old plants should be set out in spring in rich, sandy loam, dug 18 inches deep, into which has been worked plenty of well-rotted manure. If a stiff clay soil is all that can be had, add plenty of sand and sifted coal-ashes to loosen it up, and also see that it is well underdrained. In planting for private use, set out in beds 5 feet wide, three rows in a bed, the outer being each 1 foot from the edge, and allow 18 inches between the rows; set the plants from 4 to 6 inches below the surface. If set out in autumn, top-dress with 6 inches of manure. For market, on a large scale, set out 4 by 1½ feet. Every fall apply a good dressing of coarse manure, after the tops have been cut, and in spring fork in. Never cut too closely. The roots need the benefit of some foliage during the year, else they will weaken and die. Slugs are easily destroyed by applying air-slaked lime or paris green. Asparagus from seed does not always come true to name.

All 5 cts. per packet.

Giant Argenteuil. Popular variety in France, similar to Colossal, but larger stalks 210

ASPARAGUS ROOTS

Plant either in spring or fall	50	100	1000
Colossal. 2-year-old roots	\$0 60	\$1 00	\$8 00
3-year-old roots	1 - 00	1 50	
4-year-old foots. For forcing	1 25	2 00	
Columbian Mammoth. 2-year-old roots	60	1 00	8 00
Barr's Mammoth. 2-year-old roots	60	1 00	8 00
Giant Argenteuil. 2-year-old roots	60	1 00	8 00
Palmetto. 2-year-old roots	60	1 00	8 00

In France a business is now made of growing small, green, delicate shoots of Asparagus during the winter. Strong roots may be forced in hotbeds out-of-doors. They should be packed closely into the frames, and by making a new bed every five or six weeks these tiny shoots may be had all winter and are valuable served with omelets, green peas, etc.

BEANS

As a farinaceous food for man, the Bean is considered far superior to any other legume, and next in importance to wheat. The modern varieties leave little to be desired; the great care given to their improvement

has resulted in superior sorts, greatly extending the season of use, as well as varying the flavor.

Culture.—About the first of May, if the ground is perfectly warm, select a warm, dry, sheltered spot, dig and manure slightly; make drills 2 inches deep and 18 inches to 2 feet apart; drop the Beans 3 inches apart in the drills, and cover not more than 2 inches deep. Hoe well in dry weather to keep down the weeds. Sow every two weeks for a succession. One quart to 100 feet of drill; one bushel to the acre, in drills.

DWARF GREEN-PODDED SNAP BEANS

HARICOTS NAINS

Frijoles

Rrup=Bohnen

We supply packets of all Green-podded Snap Beans at 10 cts. each, postpaid, except where quoted otherwise; other quantities NOT prepaid; add postage at zone rate 1 lb. per pint, 2 lbs. per quart



We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

DWARF GREEN-PODDED SNAP BEANS-Continued

		Pt.	Qt.	1/2	pk.
Refugee, Stringless. Stringless at all stages of development	170	\$0 35	\$0 60	\$2	00
Six-Weeks, Long Yellow. Early; full, flat pods	180	35	60	2	00
Six-Weeks, Round Yellow. Full, green, roundish pods; early and productive;					
fine flavor.	185	35	60	2	00
Stringless Green-Pod. Extra early; stringless; prolific; round pods4	190	35	60	2	25
Stringless Green-Pod Giant. Improved long-podded strain of above5	600	35	60	2	25
Masterpiece (Suttons) a superior green round-podded variety, very prolific, long, straight, stringless pods; very early, fine forcer. (See also Novelties)					
straight, stringless pods; very early, fine forcer. (See also Novelties)	510	50	85	3	25
Valentine, Extra-Early. Round, thick, solid pods; tender; fine flavor5	20	30	50	1	75
Valentine, Black. Resembles the Valentine, but with black seed; long, round,					
solid pods; very tender and of good flavor; very early	40	30	50	1	75

ENGLISH DWARF BEANS

FEVE DE MARIAS

Große Bohnen

CULTURE.—Sow in drills 2 feet apart, as early in the spring as the ground can be worked (these are as hardy as peas), in order to get them into pod before the heat of summer. When in pod, break off the top of the plant to check the growth. Plant and hoe the same as for Dwarf Beans. A strong soil suits them

Properly cooked, these Beans form one of the most delicious vegetables. To each half gallon of water allow one heaped tablespoonful of salt. The Beans should be young and freshly gathered. After shelling, put them into boiling water, salted as above. Boil rapidly for fifteen or twenty minutes, then serve with a sauce of parsley and butter. Boiled bacon is often served with the Beans.

Pt. Qt. ½ pk Broad Windsor. Largest and best of the class 650 \$0 25 \$0 40 \$1 50 Mazagan. Earliest of the class 660 25 35 1 50 Sword Long Pod. A size smaller than Windsor.....670 40 1 50

DWARF WAX BEANS

We supply packets of all Dwarf Wax Beans at 10 cts. each, postpaid; other quantities NOT prepaid; add postage at zone rate 1 lb. per pint, 2 lbs. per quart

Black Wax, Improved Pro-	Pt.	Qt.	½ pk.
lific. Very early and			
prolific. The pods are			
round, full, stringless and			
of fine quality750	\$0 35	\$0 60	\$2 00
Black Wax, Currie's Rust-			
proof. Flat pods; early;			
productive	35	60	2 00
Black Wax, Pencil-Pod.			
Slender, long, round pods. 780	35	60	2 00
Davis Kidney Wax. Long,			
handsome, waxy white,			
flat pods	40	70	$2 \ 25$
Detroit Wax. Very much			
like Golden Wax; flat			
pods	35	60	2 00
Golden Wax, Improved.			
Very early; flat pods;			
stringless; prolific800	35	60	2 00
Golden-eyed Wax. Hardy			
and prolific; flat, yellow			
pods; early and free			
from rust820	30	50	1 75
Hodson Wax. Very large,			
brittle and tender wax			
pods; enormously pro-			
ductive; late830	30	50	1 75



Stringless Green Pod



Improved Golden Wax Bean-See page 15

DWARF WAX BEANS-Contin	nued		
Horticultural Dwarf Wax.	Pt.	Qt.	1/2 Pk.
On same style as the			/
green podded varieties			
of the same name but			
with wax pods834	Crop	faila	4
-	Crop	lane	u
Kidney Wax. (Burpee.) On			
the style of Wardwell's			
Kidney Wax, but with			
longer pods, a more			
handsome appearance			
and stringless840 \$0	40 \$0	70	\$2 25
Refugee Wax, Thorburn's			
Stringless. A perfect			
Refugee, with brittle,			
wax pods; for early or			
late sowing; immense			
yielder; late850	40	70	2 25
Round Pod Kidney Wax.			
(Brittle Wax) similar to			
Wardwell's Kidney, but			
with round pods860	35	60	2 00
	00	00	2 00
Sure-Crop Stringless Wax.			
Stringless, long, flat	0.5	00	0.00
pods; abundant cropper870	35	60	2 00
Valentine Wax, Thor-			
burn's. Round pod;			
prolific	35	60	2 00
Wardwell's Kidney Wax.			
Early; long, flat, purely			
wax pods; stringless890	35	60	2 00
nan pous, samgrood i root	-00	30	_ 00

DWARF LIMA AND DWARF WHITE BEANS

CULTURE.—Plant as soon as warm weather has fairly set in; soil should be light and rich; drills 2 feet apart; covering about 2 inches.

We supply packets of these Beans at 10 cts. each, postpaid; other quantities, NOT prepaid; add postage at zone rate 1 lb. per pint, 2 lbs. per quart

Thorburn's Dwarf Lima.
(The True Kumerle

Pt.

Qt. ½ pk.

Chair The Rumene				
Strain.) The dwarf form				
Improved Golden Wax Bean—See page 15 of our famous Chal-				
lenger Lima—the finest				
of all Limas. It pos-				
sesses the flavor of the genuine Challenger Lima. The Beans are extra large,				
and are a pure creamy white, very tender. They cook very mealy and form	20 00 20	PO FO	01 75	
an excellent dish	00 90 30	DO DO	91 19	
Burpee's Bush Lima. A bush form of the large, flat Pole Lima, growing only 18 to				
20 inches high. The Beans are borne very profusely	0 30	50	1 75	
Burpee's Improved Bush Lima. An improved strain of Burpee's Bush Lima,				
having much larger pods and Beans	0 30	50	1 75	
	3 00	50		
Fordhook Bush Lima. Immense pods and Beans; a strong grower and very	• ••	=0		
prolific	0 30	50	1 75	
Henderson Bush Lima, or Dwarf Sieva. Productive; Beans somewhat smaller				
than the others but of fine quality	0 25	45	1 50	
Jackson Wonder, or Calico. Speckled	1 5 25	45	1 50	
New Wonder Bush Lima. Early and productive; similar to Burpee's Bush				
Lima	0 30	50	1 75	
Wood's Prolific Bush Lima. The Early Sieva, or Butter Bean of the South. Very				
productive	0 25	45	1 50	
White Kidney. Excellent either green or ripe, as a shell Bean	0 25	45		
" Marrow. Good either as a string or shell Bean	30 25	45	1 50	



Carpinteria Pole Lima Beans

POLE, or RUNNING BEANS

HARICOTS A RAMES Frijoles de Bejuco Stangen=Bohnen

We supply packets of Pole Beans at 10 cts. each, postpaid; other quantities NOT prepaid; add postage at zone rate 1 lb. per pint, 2 lbs. per quart.

CULTURE.—Sow as the soil becomes warm and dry, from the first part of May (for all except Limas) to the latter part of May, in hills 4 feet apart each way. Limas should not be planted until warm weather has fairly set in. One quart of Limas will plant about 100 hills, allowing four or five Beans to a hill and of the smaller sorts, about 200 hills. Poles 8 to 10 feet long should be firmly set in the hills before planting seed.

	in one initial below planting edeal	Pt.	Qt.	½ pk.
	LIMA THORBURN'S CHALLENGER. Thick and productive; best of all1200			
	Carpinteria Pole. Large; thicker than ordinary Pole Limas; vigorous grower. Very large	0.5	4 =	1 70
	flat beans	25 25	45	1 50
	Ideal Pole. Large, tender and of fine flavor; productive; like Large White Lima1210	25		1 50
	Early Jersey. Very early; Beans large and tender and average three to a pod	25	45	1 50
lubar)	King of the Garden. Large in pod and Bean, late1230 Leviathan. Early, very	25	45	1 50
That	prolific and of excel- lent quality1235 Siebert's Early. Very early; immense yield-	25	45	1 50
Carpinteria Pole Lima Beans	er; large-sized Beans, finest quality 1240 Small Sieva or Carolina.	25	45	1 50
outpited to the Line Beans	Early1250	25	45	1 50
Black German Wax. Yellow pods	1260	30	50	1 75
Dutch Case-Knife. Pods long, green and flat; car	be either snapped or shelled 1270	25	45	1 50
Golden Cluster Improved Wax. Long, golden y	rellow pods in clusters1300	30	50	1 75
Kentucky Wonder (Old Homestead). Pods gr	een; very long and flat; ex-			
ceedingly prolific		30	50	1 75
		30	50	1 75
		30	50	1 75
Scarlet Runner. The popular English Pole Bean ornamental.	, good for string Beans and	30	50 50	1 75
Southern Creaseback. Long, round, stringless pe	ods; fleshy, tender and of good			1 70
flavor		25	45	1 50

We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

......Per lb. 75 cts. 1390



Crimson Globe Beet

BEET

Betterave Remolacha Salatrübe

CULTURE.—Sow as early in the spring as the ground can be worked (one ounce to 50 feet of drill, five or six pounds to the acre), and every two weeks after for a succession up to the first week of July. For general crop, sow about the middle of May. The soil should be light, sandy loam, well enriched with stable manure and plowed and harrowed until very fine. Sow in drills 1 foot to 15 inches apart, and when well up, thin to from 4 to 6 inches. The young Beets with their tops, pulled out of the row, are excellent used as a spinach. For this purpose, sow frequently and use when of the size of a hickory nut.

To this purpose, so in requestly and use when or the size of a menory had	Oz.	1/4 lb.	Lb.
Bassano. Early; light color; good sort		\$0 30 \$	1 00
Crimson Globe. Globular shape; flesh rich, deep crimson; tender and sweet1520	15	40	1 25
Detroit Dark Red Turnip. Round; skin dark blood-red; flesh bright red1540	15	40	1 25
Dewing Early. Of fine form and flavor; good for market	10	30	1 00
Early Blood Turnip. Dark red; fine flavor; good for winter	10	30	1 00
Eclipse. Early; round; bright red	10	30	1 00
Edmand Blood Turnip. A market-gardeners' strain; regular in shape and of			
best quality	10	30	1 00
Egyptian. Extra early; flat	10	30	1 00
Egyptian, Crosby's. Extra early; round; dark blood-color	15	40	1 25
Half-Long Blood. Fine dark strain for winter	10	30	1 00
Long Smooth Blood. (Out of ground.) A good late variety for winter1620	10	30	1 00
Model Red Globe. Early and smooth; very dark red; splendid sort1635	15	40	1 25
Trevise (Columbia). Red; early; flat; tender. Fine sort for table1644	15	40	1 25
Witham Fireball. Brilliant red flesh, solid, sweet and crisp; fine quality; globe-			
shaped; very early	15	40	1 25
Swiss Chard, or Silver Beet. To be used same as spinach (see page 44)1690	15	40	1 25
Swiss Chard, or Silver Beet, Lucullus, Large leaves: tender and of fine flavor.			
dark green; pure white ribs (see page 44)	15	50	1 5 0
All 5 cents per packet.			

MANGEL-WURZEL AND SUGAR BEET Runtelvüben

Culture.—As all Mangels require a deep soil in order to grow well, plow and subsoil at least 1 foot to 18 inches and apply plenty of rich stable or Thorburn's Complete Manure. Sow in May or June, in rows 18 inches to 2 feet apart, and thin to 8 inches in the rows. Young plants may be transplanted to fill up vacancies. Sow in addition, when the plants are 3 to 4 inches high, at the rate of 200 pounds of Complete Manure, 200 pounds of bone meal and 400 pounds of salt to the acre. As soon as frost occurs, dig the crop. In order to be well preserved for gradual consumption during the winter, the Roots should be heaped to a height of perhaps 6 feet, on a dry, sloping situation; cover at first with a piece of canvas, and as the cold increases, this should be replaced by about 6 inches of either salt hay, straw, seaweed or cornstalks, with a light layer of earth on top. 'As soon as this surface soil becomes frozen, about 6 to 8 inches more of earth should be placed over it. By following up this gradual process of covering, all danger of heating will be obviated, and the roots will keep in perfect order. Sow from five to eight pounds to the acre.

MANGEL-WURZEL

Giant Half-Sugar Red-skinned.	Longish ovoid red skin; white flesh; crisp	Oz.	1/4 lb. L	b.
and fine		\$0 10 \$0	25 \$0	60
	large			60
-	Golden Tankard Mangel-Wurzel.			
	Large: bright vellow skin: hand-			



SUGAR BEET

We recommend five to ten pounds to the acre.

White, I	Rose-Top	2020	\$0	10	\$0	15	\$0	40
White, G	Green-Top	.2030		10		15		40
Lane's I	mperial	2040		10		15		40

BORAGE BOURRACHE Borraja Borretsch

The young leaves of this annual, which smell somewhat like a cucumber, are used as a salad, or boiled like spinach. Should be sown at intervals, as the leaves are palatable only when young. Sow in the spring, in light soil; transplant in shallow drills, a foot apart, when of six weeks growth. 240. Pkt. 5c., oz. 15c., 1/4 lb. 40c., lb. \$1.50.

BROCCOLI Broccoli Spargelfohl

CULTURE—Sow early sorts as soon as the ground can be worked in the spring, in shallow drills, drawn 3 or 4 inches apart. Plant out 2 feet apart each way when the plants are about 4 inches high. Cultivate the same as cabbage, in rich soil, and use the same remedies for insect attacks. The following are sorts best adapted to this climate; they are excellent and deserve much wider culture than is usual in this country.

carrain man in analy in the country i		Uz.	1/4 ID.	LD.
Early White	2100	\$0 30	\$0 85	\$3 00
Mammoth White	2110	30	85	3 00
Purple Cape Early	2120	30	85	3 00
Veitch's Self Protecting	2130	30	85	3 00

10 cents per packet

BRUSSELS SPROUTS CHOU DE BRUXELLES Berza de Brusels Rosentost

Culture.—Sow in May, in the same manner as cauliflower, and transplant in July 1 foot apart in the rows which should be $1\frac{1}{2}$ feet apart. The Brussels Sprout is, without exception, the very best winter vegetable that can be grown. Not the least valuable point connected with it is that it is as hardy as the common, curled greens. The real Sprout is not much larger than a marble, and as firm and hard almost as the stalk itself. Strip off the outer covering, cook them whole, and serve them in that fashion. When cooked through and no more, such Sprouts melt in the mouth like the tenderest cauliflower, and are equally good.

 Dalkeith.
 Of dwarf growth, producing large, solid sprouts
 Oz.
 ½ lb.
 Lb.

 Lb.
 2190
 \$0
 35
 \$1
 00
 \$3
 50

We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

Brussels Sprouts



Thorburn's Gilt-Edge Cauliflower

CAULIFLOWER

Coliflor

Blumenkohl

CHOU-FLEUR

CULTURE.—The same as for cabbage except that extra manure and plenty of water will pay upon Cauliflower. If the soil be dry, water frequently, and, if the plants have a heavy mulch of hay or straw, it will keep the soil moist, and they will not suffer from drought. The early kinds should be strong enough to plant out not later than the middle of April; the late kinds may be planted out the same time as cabbage.

Thorburn's Extra Early Dwarf Erfurt. The best and earliest for forcing; Oz. 1/2 lb. Lb. very dwarf and compact, with short stem and small leaves. The curd is

pkt. 25c 2280 2 25 8 00 30 00

Thorburn's Large Early Snowball. A large strain of the above...pkt. 25c 2290 2 25 8 00 30 00

Danish Giant, or Dry Weather. Later than Early Erfurt, pure white and of fine quality said to be less affected by drought than any other variety.pkt. 25c 2295 1 50


Denmark. On the style of Large Erfurt; very fine...pkt. 25c 2300 2 00 7 50 28 00

Lenormand Short-Stem. Has very large heads; white and firm...pkt. 10c 2320 75 2 25 8 00

Large Algiers. Market-gardeners popular late sort for the South...pkt. 10c 2330 75 2 25 8 00

Thorburn's Nonpareil. A first-class standard sort...pkt. 10c 2340 60 2 00 7 00

Early London. Large and hardy...pkt. 10c 2360 45 1 35 4 50



Thorburn's Early Jersey Wakefield Cabbage

CABBAGE

Снои Rahl Berza de repollo

CULTURE.—Soil for Cabbage should be rich and heavy loam, with good drainage. On such a soil, with an abundance of stable or Thorburn's Complete Manure, excellent crops are sure to be grown. For early spring, sow in fall not too early, for the plants are liable to bolt in the spring, instead of heading. In a month the plants will be fit to transplant to coldframes, where they are wintered, taking care in planting to set the young plants down to the first leaves. Transplant in spring as soon as the ground can be worked, setting the plants 2 feet apart one way and from 12 to 18 inches the other, according to the variety. If it is desirable to economize space, lettuce, or radish may be sown between the rows, as they will be out of the way before the Cabbage needs the room. For late or winter crop, the seed is sown in May, and the plants set out in July. In this case, they are set in rows 2 by 3 feet, so as to work them with a horse and cultivator. To destroy the green worm, an experienced grower says: "Take one ounce of saltpeter and dissolve it in twelve quarts of water; then take a short-handled whisk-broom dip it in the solution and sprinkle the plants well. One application is sufficient unless the stuff is washed off by heavy rains. The liquid being perfectly clear, never colors the cauliflower or Cabbage heads." To prevent the turnip flea attacking the young plants, sift fine air-slaked lime or tobacco dust over them as soon as they appear above ground the young plants, sift fine air-slaked lime or tobacco dust over them as soon as they appear above ground

	Oz.	1/4 lb.	Lb.
Autumn King. Large flat heads, fine quality and good keeper for winter 2380	80 30	\$0 85 \$3	00
Early Etampes. A fine, extra early, small, French sort with pointed heads 2405	20	60 2	00
Early Spring. Flat, extra-early; medium size	20	60 2	
Early York. The standard English sort. Splendidpkt. 5c 2420	15	35 1	25
Large Early York. Larger than the above. Splendidpkt. 5c 2430	15	35 1	. 25
EARLY JERSEY WAKEFIELD, THORBURN'S. The most popular early			
variety; heads very solid, pyramidal shape. See Novelties	30	85 3	00
Charleston Wakefield. Large strain of the above	25	75 2	
Enkhuizen Glory. Large, early, white, solid, ball-shaped heads	25	75 2	50
Early Flat Dutch. For forcing or for general crop	25	75 2	50
Early Winnigstadt. A standard second-early variety; very hard heads. A			
valuable market Cabbagepkt. 10c 2484	25	75 2	50
Early Summer. Second-early; produces large, solid heads of finest quality and			
of fine flavor	20	60 2	00

All 10 cents per packet except where quoted otherwise

CABBAGE—Continued

Fottler's Brunswick. Of dwarf, compact growth; hard and solid heads. Good for both intermediate and winter use	Oz. \$0 25	¼ lь. \$0 75 \$	Lb. \$2 50
popular second crop	30	85	3 00
Large Late Flat Dutch. A valuable sort for market. One of the best-known			
winter Cabbages	20	60	2 00
Thorburn Market-Gardener's Private Stock Flat Dutch. Fine strain of the			
immense winter Cabbage grown on Long Island for market. Of the finest			
quality and flavor	30	85	3 00
Danish Ballhead Winter, Short Stem. Very round, solid winter sort,			
largely grown in Denmark for the London market. A fine shipper	25	65	2 25
Red Dutch. Popular pickling variety; large heads of finest quality	25	75	2 50
Red Zenith. Very fine, dark red, solid head, medium early, finest of all2620	30	85	3 00
Savoy, Early Ulm. Medium size, round, deep green head; very early2640	30	85	3 00
" Late Drumhead. Large, late, finely curled	20	60	2 00
Chinese (Pe-Tsai) Expected	30	85	3 00

All 10 cents per packet except where quoted otherwise

CARDOON

CARDOON

Cardo

Carbon

CULTURE.—Sow early in spring, in rows where the plants are to stand, and thin them to 2 feet apart. When full size, bind them together with bast or raffia, and earth up like celery to blanch. The stems of the leaves are used for salads, soups and stews. The stems should be wintered in a cellar away from frost.

Large Solid. Smooth; grows about 4 feet high; leaves nearly free from spines Oz. 1/4 lb. Lb. pkt. 10c 2770 \$0 25 \$0 60 \$2 00



Chantenay Carrot

CARROT

CAROTTE

Zanahoria

Möhren

CULTURE.—Sow No. 2890 as early as the ground can be worked; or, for late crop, until the latter part of July, or early in August for a winter crop. This is the finest and most tender for table use. For main crop sow other sorts from middle of May to the first of July. Thin out early crop to 5 inches in the row, main crop, 6 to 7 inches, the rows 10 inches apart for early crop, 14 for main crop. Hoe often and deeply between the rows. Soil should be light and loamy, richly manured and deeply dug. Sow at the rate of two to three pounds to the acre; one ounce to 100 feet to drill. Carrot-tops cut from fairly young plants may be used for pretty indoor greenery. Put one cutting into each thumb-pot, or three or four into a larger pot around the sides. Fairly good and sandy soil should be used, syringing frequently until growth is well forward. About 1 inch of Carrot should be left to put in soil, but this should be surrounded with soil or moss to hide it. When fully grown it is very pretty, the long fronds hanging over gracefully.

Parisian Forcing, Early. Tender and sweet; fine for early and late crops and	Oz.	1/4 lb Lb.
for frames	\$0 25	\$0 75 \$2 50
Oxheart Half-Short (Guerande). Very thick and short	15	
Scarlet Horn, Early. Very thick roots; fine for frames	15	50 1 50
Half-Long, Stump-rooted, Nantes Strain. One of the most popular sorts 2970	20	50 1 75
Chantenay, Half-Long, Stump-rooted. Style of Nantes, broader shoulder2990	15	50 1 50
Danvers Half-Long. Large; of good quality; productive	15	50 1 50
St. Valery. A thick, intermediate long red	15	50 1 50
Long Orange. Best for stock-feeding. 3040	15	50 1 50
Long White Belgian. Very large; one of the best varieties for stock3070	10	25 75


All 5 cents per packet except where quoted otherwise

CELERY

CELERI A pios Sellerie


CULTURE.—Sow the seed in a light, rich, dry border as early as the ground can be worked, in drills 8 to 10 inches apart, and cover the seeds about a quarter of an inch deep, rolling or treading them in if the ground be dry. When fairly out of the

the ground be dry. When fairly out of the seed-leaf, they may be transplanted to another bed, or they may be thinned out to 6 or 8 inches apart, and let grow until wanted to plant out in beds or trenches. The beds should be kept well weeded, and an occasional soaking with water in dry weather will do the plants good. Early in July in the North, a month or six weeks later in the southern states is the proper time to set the plants out in beds or trenches. Press the soil firmly against the roots. In the garden the better way is to set the plants in shallow trenches. We say shallow for it is obviously a bad plan to remove all the good soil (as must be done in a deep trench) and put the plants in that which is poor. The plants must be set in a single row in a narrow trench; or the trench may be made into a bed wide enough to hold two, three or four rows, I foot apart, and the plants about 8 inches apart in the rows, and in this case the plants are in a com-pact form to be covered for the winter where they grow. This will save much labor where there is no root-cellar for storage, as often happens to be the case. The bed should be made very rich with thoroughly decomposed manure. The plants will need to be earthed up two or three times, and, in doing this, care should be taken not to let the earth get into the heart of the plant. In field culture, the plants are set on the surface in rows 4 feet apart when the Celery is to be earthed up in the field for early use, and 2 feet apart when the plants are to be taken up and blanched in the cellar for winter use. The plants are set 6 inches apart in rows. If not grown in beds, the best way to store is to dig trenches in a well-drained spot in the open ground, 1 foot wide, and at a depth of a few inches less than the height of the Celery. The plants are then lifted and set close together. When severe cold weather comes on, cover gradually with leaves, hay or straw, and place boards on top. The turnip-rooted Celery (Celeriac) needs no earthing up, and may be planted in rows 1 foot apart. Early spraying with bordeaux mixture is extremely efficacious in case of Celery blight or rust.



Golden Self-Blanching Celery, Thorburn's Gilt-Edge

Thorburn's Fin de Siecle. We consider this the largest, hardest, solidest, crispest	Oz.	1/4 1	b.	Lb	b.
best-keeping and best shipping winter Celery we know of		\$0	75	\$2	50
Improved White Plume. Naturally white or light foliage; requires but little bank-					
ing up to blanch; very early and extensively grown for market	25		60	2	00
GOLDEN SELF-BLANCHING, THORBURN'S GILT-EDGE. Our finest strain.					
Perfection Heartwell. One of the finest and largest of winter varieties, either for	1 00	3	50	12	00
Perfection Heartwell. One of the finest and largest of winter varieties, either for				_	
family or market-garden. The heart is golden yellow	25			2	
Thorburn's Schumacher. Solid and crisp; firm, golden yellow heart3270	25			2	
Giant Pascal. An easily blanched and fine-keeping, large, late sort3300	25			1	
Dwarf Golden Heart. Large, solid, crisp and tender, blanching white, hardy 3305	25			2	
New Rose. Fine flavor; handsome variety	25			2	
Winter Queen. Very large, solid, green, winter sort; blanches well	25		60	2	00
Celeriac, Giant Prague. Very large roots, for soups and stews; when cooked and					
sliced makes fine winter salad			25	_	-
Celeriac, Erfurt. For soups and stews	40	1	25	4	00
Celeriac may be stored like beets, and will keep all winter					
All 10 cents per packet except where quoted otherwise					



Golden Bantam Sweet Corn

CORN, SWEET or SUGAR

CULTURE.—Plant in hills 3 feet apart each way, and five or six kernels in a hill. Hoe often and draw soil up to the stem; break off side-shoots. Make the ground rich with well-rotted manure. If sown thinly in drills, a greater yield from a given surface will be obtained.

We supply packets of Corn at 10cts. each, postpaid; for other quantities, NOT PREPAID, add postage at the zone rate of 1 lb. per pint and 2 lbs. per quart.


Most varieties can be furnished on ears at 5cts. each, transportation extra

EXTRA EARLY

THORBURN'S NORDHEIM EXTRA-EARLY. Earliest and finest of all. The stalks grow 6 to 7 feet high, each bearing three or four nearly perfect ears of excellent quality. The grains are large, white and very sweet	Pt.	Qt.	½ pk. \$0 85	Pk. \$1.50	Bus.	
Early Mayflower. Extra early; large ears; sweet and tender3705	20	35			6 00	
Early Red-Cob Cory. A very early variety with good-sized ears. Very sweet, tender and of fine flavor	20	30	85	1 50	5 00	
White Cory. Resembles the ordinary Cory, but with white cob3720	20	30	85	1 50	5 00	
Mammoth White Cory. Ears double the size of the old Cory, and better in flavor	20	30	85	1 50	5 00	
Metropolitan. Large, handsome ears of fine quality; very early. A splendid market variety	20	30	85	1 50	5 00	
Golden Bantam. Extra early; yellow; very sweet and tender3760	25	40	1 25	2 25	8 00	
Seymour's Sweet Orange. A vigorous grower, attaining a height of 6						
to 7 feet, and producing generally two good-sized ears to a stalk. It matures about a week later than Golden Bantam and is fully equal to it in the deliciousness of its flavor	20	30	85	1 50	5 00	
Peep-o'-Day. Very early, sweet and of delicate flavor3780	20	30	85	1 50	5 00	
Minnesota. Nearly as early as Cory, but with larger ears3790	15	25	75	1 30	4 50	
Perry Hybrid. Early and large; valuable for market3800	15	25	75	1 30	4 50	
Kendel's Giant. Very early for so large-eared a variety; sweet and tender	20	30	85	1 50	5 00	
Extra-Early Adams. Not a Sugar Corn but grown for early use. Tender and sweet; fine for the table	15	25	75	1 25	4 00	
We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound						

SECOND-EARLY, or INTERMEDIATE

SECOND-LANDI, OF INTERMED	SECOND-LARDI, OF INTERMEDIATE					
Thorburn's Early White Perfection. A valuable second-early sort, producing good-sized ears. The cob is small and the grain is almost						
white. It is a heavy yielder, very sweet and an almost perfect type	Pt.		½ pk.	Pk.	Bus.	
without flint or glaze	50 20 50 15	25	\$0 85 75	1 30	\$5 00 4 50	
Early Mammoth. Large ears; fine quality; not very late3930	15	$\frac{25}{25}$	75	1 30	4 50	
Crosby. Matures after Minnesota; fair sized ears of good quality. 3940	15	25	75	1 30	4 50	
Howling Mob. An early corn of large size, white and sweet3944	20	35	1 00	1 75	6 50	
Long Island Beauty. Very early; large size; valuable market sort.				1 00		
3945	15	25	75	1 30	4 50	
Potter Excelsior. Good-sized ears of fine quality	15 15	$\frac{25}{25}$	75 75	1 30 1 30	$\begin{array}{ccc} 4 & 50 \\ 4 & 50 \end{array}$	
Moore Concord. Of strong growth; ears large and well filled3960 Early Evergreen. A week earlier than Stowell Evergreen3970	20	25 35	1 00	1 75	6 50	
Early Adams. Grown extensively for market	20	30	85	1 50	5 00	
GENERAL CROP						
Hickox Improved. Handsome ears; very white and of rich flavor.						
4020	15	25	75	1 30	4 50	
Stowell Evergreen. One of the most popular varieties4040	25		1 50	2 50	9 00	
White Evergreen. Late; very sweet, round grains	30 25	50 40	$\frac{1}{1} \frac{65}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	7 00	
white Evergreen. Strain of Evergreen with pure white grains4000	20	40	1 20	2 00	7 00	
LATE SWEET CORN						
Black Mexican. Very sweet, of superior flavor; grains black4100	20	35	1 00	1 75	6 00	
Late Mammoth. Rank in growth; large ears, rich and sweet4120	20	35	1 00	1 75	6 00	
Country Gentleman. A large selection of the Ne Plus Ultra, intro-	00	~~				
duced by us in 1888	$\frac{30}{25}$	50 40	$\begin{array}{ccc} 1 & 75 \\ 1 & 25 \end{array}$	3 00	7 00	
Ne Plus Ultra. Small, but one of the sweetest sorts	20	40	75	$\begin{array}{ccc} 2 & 00 \\ 1 & 25 \end{array}$	4 00	
FOR FIELD CORN AND POP CORN, SEE	DACE	62	13	1 20	4 00	
FOR FIELD CORN AND POP CORN, SEE	FAGE	0.0				



Seymour's Sweet Orange Corn—See page 24



Witloof Chicory

CHERVIL

Perifollo CERFEUIL Bensenlauch

CULTURE.—Cultivate and use the curled variety of chervil like parsley. Sow at any time in the spring in shallow drills, 1 foot apart, in well-prepared ground.

Curled. Leaves used 1/4 lb. Lb. for flavoring soups and stews and for garnish-

ing...pkt. 5c. **4240** \$0 15 \$0 40 \$1 25 **Plain**. Like above,

but 'not curled. Pkt. 5c. 4250 15 40 1 25

CHICORY

Witloof. Known Pkt. 1/4 lb. in restaurants as French Endive. Sown in May and June in drills. Transplant or thin to 6 ins.; treat as endive, except that in late summer fall it should

15

50 1 25

be gradually banked up like celery. The stalks when blanched, make a delicious salad. It is also used by the French as a boiled vegetable . 4310 Witloof Striped. Leaves large and fleshy, striped red, rose and yellow . 4315 WITLOOF ROOTS. For forcing and blanching. Largely used for salad, and also as a cooked vegetable. The roots may be forced in a dark dry cellar on a mild hotbed made with fresh horse-manure; when this becomes but cover with a large of rich light soil to a doubth of one feet. hot cover with a layer of rich, light soil to a depth of one foot. As soon as the soil becomes warm plant the roots close together in rows, all crowns at same level, each row 6 inches apart. Cover with 8 inches of very light soil. There are also systems of hot water pipes used in place of manure for forcing this vegetable. Per 100 \$3.50, per 50 \$2.00, per 20 \$1.00.

SEE ALSO, ENDIVE, THE CHICORY OF THE FRENCH, PAGE 28

COLLARDS

CORN SALAD, or FETTICUS

Macha o Valerianilla Stechfalat

CULTURE.—Sow during August or early in September, in drills one-fourth of an inch deep and 6 inches apart. If the weather is dry when the seed is sown, tread it lightly to insure germination. Keep weeds

 down with hoe. Just before the winter cover thinly with straw or leaves.
 Oz. ½ lb. Lb.

 Large-seeded.
 4430 \$0 10 \$0 25 \$0 70

 Green Cabbaging.
 4450 10 30 80

CRESS

Bara o Mastuerzo

CULTURE.—Sow No. 4520 thickly in shallow drills, every two or three weeks. It should be cut often and it will continue to grow. It is useful not only for salad, but for the breakfast table and for garnishing. Nos. 4550 and 4570 should be sown in damp soil; or, if a stream of water can be utilized, they will be much finer. They will also thrive well in damp hotbeds. Rightly managed, their culture is very profitable. To obtain early salad, it is a good plan to sow with Water Cress seed a strip 4 inches wide on the outer margin of a hotbed, inside the frame, where it is always cool.

Oz. 150. 10. 50. 20. 50. 50.

All on this page 5 cents per packet except where quoted otherwise



Thorburn's Noroton Selected White Spine Cucumber

CUCUMBER

CONCOMBRE

Petino

Gurfe

CULTURE.—For very early, sow in hotbeds upon pieces of sod, or in small pots. They can be readily transplanted with a gain of about six weeks over those sown in the open ground. Plant out in rich soil when danger of frost is over, or protect by hand-glasses, or by paper held down at the corners with a handful of earth. For general crop, sow in the open ground as soon as the weather is settled and warm, and every two weeks for a succession. For pickles, sow from middle of June to first week in July. Sod land, turned over in fall, is the best for them. Plant in hills 4 feet apart, putting a shovelful of well-rotted manure in each hill.

each niii.			
Davis Perfect. Fine for forcing or for outdoors. The fruit is long and straight, and	Oz.	¼ lb.	Lb.
being a comparatively shy seeder, is very valuable for slicing	\$0 10	\$0 20	\$0 75
Early Green Cluster. Fruit small and in clusters; very prolific4780	10	25	75
Early Russian. Very early, short; fine for pickles	10	25	75
Giant Pera. Very long; one of the best for table use	15	35	1 25
Fordhook Pickling. Very prolific; medium size; fine pickling strain	10	30	1 00
Thorburn Everbearing. Small-sized; very early and enormously productive;			
valuable as a green pickler	10	30	1 00
Cool and Crisp. Extra early and very prolific; long, straight, slender and very			
dark green; good either for pickling or slicing	10	25	85
Fordhook Famous. Long, straight and well formed; vigorous grower, very pro-			
ductive; does not turn yellow	10	30	1 00
New Orleans Market. For forcing or open ground; very productive4860	10	25	85
White Spine Extra-Early. An extra-early strain of the popular White Spine4864	10	30	1 00
" Improved. A very handsome and uniform early variety4870	10	30	1 00
" " Arlington. Fine either for forcing or for outdoors	10	30	1 00
" Klondyke. A desirable early dark green variety; very prolific4885	10	30	1 00
" " Hills Forcing	15	35	1 25
" "THORBURN'S NOROTON SELECTED. A selection of Improved			
White Spine. Earlier, more perfect in shape and more prolific;			
best slicing variety; splendid either for home garden or market.			
" " Fite I are Profession Advantage I leave the Profession Advantage I leave I leave the Profession Advantage I leave I le	15	35	1 25
Extra-Long, Perfected. A beautiful, large and well-shaped Cu-			
cumber	10	30	1 00
Evergreen. Very Early; prolinc	15	35	1 25
All 5 cents per packet, except where quoted otherwise			

CUCUMBER—Continued

	Oz.	1/4 lb. Lb.
Long Green, Improved. Long and Crisp; a popular variety for pickles 4920	\$0 15	\$0 30 \$1 00
" Turkey. Fruit very long and slimpkt. 5c.4930	15	30 1 00
Green Prolific Pickling. One of the best for pickling; dark green	15	30 1 00
Tailby Hybrid. Very long, and superior for table use	15	30 1 00
Japan Climbing. Good for frames or open ground	15	30 1 00
Small Gherkin. Very small bur; used for picklespkt. 10c. 4980	20	40 1 50
Lemon Cucumber, or Garden Lemon. Almost round, yellow and green mark-		
ings; tender and of sweet flavor. Like a lemon in appearancepkt. 10c. 4990	20	40 1 50

All 5 cents per packet, except where quoted otherwise

ENGLISH CUCUMBER FOR FRAMES (Anglaises pour couches)
Culture.—Sow seeds in October, November or December, according to the time they are wanted, in small pots, in fibrous loam, lightened and enriched with old manure; give plenty of air and water. Plunge the pots in a frame near the glass, where there is a little bottom heat, and keep them covered with brown paper until the seeds germinate. Afterward uncover and ventilate to insure sturdiness of habit. Only strong plants should be employed. It is necessary to fertilize the pistulate flowers with the staminate to render the vines productive as, owing to the absence of flies or bees, they will not produce a crop under glass as in open ground.

Pkt.

Pkt. Hurst's Monarch. Splendid sort....5096 \$0 25
Lockie's Perfection. Fine Color....5100 25
Marvel. (Hurst's.) Heavy cropper....5110 25


Pkt. Rochford's Market. Fine variety....5120 \$0 25
Telegraph. Free-bearing; handsome..5130 25
Veitch's Sensation. Fine dark variety 5160 25

ENDIVE, or CHICORY CHICOREE Escarola o Endivia Enblish

CULTURE.—Sow in June, July and August; cover lightly; when up, thin out to 8 inches apart and water well, if dry. When the leaves are 6 to 8 inches long, blanch by tying together near the top with yarn or raffia. (They must be quite dry, or they will rot.) At the approach of winter, take up carefully, with a ball of earth to each plant, and place close together in frame or cellar. They must be kept dry and have plenty of air.

Oz. 1/4 lb. Lb.

Green Curled Winter. Standard sort for fall and winter crop....pkt. 5c. ...5210 \$0 10 \$0 35 \$1 25 Large Green Curled (de Ruffec). Broad ribs; fine for fall and winterpkt. 5c. ...5220 10 35 1 25 "Curled (Pancalier). Fine, very large....pkt. 5c. ...5227 10 35 1 25 Giant Fringed or Oyster. New, has a large white heart...pkt. 5c. ...5227 10 35 1 25 White Curled. For early use.....pkt. 5c. ...5240 10 35 1 25 Broad-leaved (Escarolle). A sweet variety; fall and winter...pkt. 5c. ...5230 15 35 1 25 SEE ALSO WITLOOF (FRENCH ENDIVE) UNDER CHICORY, PAGE 26



Improved New York Spineless Eggplant

EGGPLANT

Aubergine Berengena Gierpflanze

CULTURE.—Sow in hotbeds very early in spring and transplant when 2 inches high into a second bed or into small pots. If this is not done, thin to 4 inches apart. Do not plant out until weather is perfectly settled and warm. Cool nights or wet weather will check them. Keep some back in frames for a second planting, in case of weather changing unexpectedly. Set out plants 3 feet by 2.

Improved New York Spine- less. The standard; largest and best; oval; deep purple; early and productive. 5310	Oz.	1/4 lb. Lb.
BLACK BEAUTY. As large as the NewYork Improved but about ten daysearlier; very rich purplish black5320	50	
Early Dwarf Purple. Dwarf; very early; small, ovoid fruit	30	85 3 00

riorida nigh bush. ruipie,
though not so deep as the
New York Spineless, which
it resembles in shape. Pro-
ductive, vigorous and can
stand more cold than that
variety
variety

Long Purple. Of distinct shape and fine quality5350 35 1 00 3 50

35 1 00 3 50

All 10 cts. per packet

FENNEL, FLORENCE or NAPLES

FENOUIL DE FLORENCE Finocchio di Napoli

CULTURE.—Sow in spring, in rows 16 to 20 inches apart. Thin out so as to have the seedlings 5 or 6 inches apart and water as plentifully as possible. The plant is usually eaten boiled. In flavor it resembles celery, but has

SEE ALSO HERBS

KALE or BORECOLE

CHOU VERT FRISE

CULTURE.—Nos. 5600 and 5610 are cultivated and grown exactly like cabbage. Sow No. 5600 in August and September for early greens. Sow 5700 early in the spring in hotbed and when 1 or 2 inches high transplant into a bed or border that has been highly manured and deeply dug.

Curled Dwarf Green Scotch. spreading; best strain; largely Very dwarf Oz. 1/4 lb. grown in the South, being sown in August and 5600 \$0 10 \$0 30 \$1 00

5610 10 30 1 00 Curled Siberian Thorburn Improved. Green, 5630 10 20 65

curled; hardy Emerald Isle. Very fine.... 5635 15 50 10 20

1 50 Thousand-headed. For cattle 5640 65 Jersey Winter Kale, or Cow Cabbage. For feeding cattle; very hardy......5650 \$0 10 \$0 20 \$0 65

KOHLRABI CHOU-RAVE



Early White Vienna Kohlrabi

Rohlrabi

CULTURE.—Sow in spring, in rows 18 inches apart, afterward thinning the plants to 8 to 10 inches. If the weather is suitable the thinnings may be planted, but it is considered difficult to transplant. Keep the weather is suitable to the contract of the c the weeds down, and when the thickened stems above ground are 2 or 3 inches through they are fit to eat, and should be used at once, being tough when old. Cook same as turnips.

Early White. Handsome; very delicate in flavor; whiteball 5800 \$0 25 \$0 75 \$2 50 Early White Vienna. Fine every way. For frames...pkt. 10c..

Colinabo


5810 85 3 00

LEEK

OIREAU Puerro Porre, ober Laudy Culture.—Sow very early in spring in drills 6 POIREAU inches apart and 1 inch deep. One ounce to 100 feet of drill. Thin out to 1 inch. When about 7 inches When about 7 inches high, transplant in rows 12 inches apart, as deep as possible, but do not cover the young center leaves. Water thoroughly if dry when planted out. Draw earth up to them as they grow; rich soil is required. Take up and store in earth in a cool cellar before winter weather. The seeds may also be sown in September, and the young plants transplanted in spring to

where they are to remain.
THORBURN'S BEST LARGE FLAG. Hardy and productive.. 5910 \$0 15 \$0 50 \$1 50 Large Carentan. Distinct and dark-colored leaves; stout in habit and hardy 5940 15 1 50 Musselburgh. Similar to above..... Prizetaker. Very large... 5950 15 50 5960 20 All 5 cents per packet except where quoted

otherwise



Thorburn's Best Large Flag Leek



Grand Rapids Forcing Lettuce

LETTUCE LAITUE Lechuga Salat

CULTURE.—Sow 6030, 6120, 6230, 6340 and 6350 in hotbeds in March, and these as well as all the other varieties, in the open ground as soon as it can be worked, and transplant to rows 8 inches apart. Sow in two weeks' time again for a succession; also Cos sorts. Latter part of August, sow any of the varieties. In October some of these may be planted in frames, to head in winter and early spring. Always sow thinly and thin out well, or the plants will not be strong. The last spring sowing had better be grown where sown, being thinned out to 6 to 8 inches apart. Cos Lettuce may be sown in a hotbed early in the year, and transplanted to a coldframe, so as to have good plants to set out at the opening of the ground. Lettuce requires good ground, enriched with thoroughly rotted manure, and well pulverized. The after culture should be close and careful, to secure the best results. Lettuce seldom, if ever, heads well in hot weather.

w. s. stands for white-seeded b. s. stands for black-seeded	Oz.	1/4 lb.	Lb.
American Gathering. Twisted and curled leaves, fine early or late. w. s6020	\$0 10	\$0 25	\$0 80
THORBURN'S BIG BOSTON IMPROVED. Fine for forcing in coldframes or			
for open ground. See Novelties w. s	15	35	1 25
Buttercup. Yellow, solid, small heads; for forcing or outdoors. w. s	15	35	1 25
California Cream Butter. Very large, solid heads inside very white. b. s6050	15	30	1 00
Crisp as Ice. Very large and solid, dark red Lettuce, crisp and tender; resists			
heat well	15	35	1 25
Deacon. Large solid Summer Cabbage variety	15	35	1 25
Denver Market. Very curly heads; good for forcing or outdoors. w. s6080	15	30	1 00
Giant Crystal Head. A splendid cabbage Lettuce; large, solid; outside leaves			
bright green, inside crystal-white; yellow heart; crisp, tender. w. s	15	30	1 00
Giant Glacier. Immense heads of finest quality crisp and tender	15	35	1 25
Grand Rapids Forcing. Large, tender; one of the best for forcing, b. s6120	15	30	1 00
Hanson Improved. Very large and solid; tender and of fine quality; withstands			
the hot sun well. w. s	15	30	1 00
Hubbard Market. A large cabbage variety, with crisp, tender leaves; for forcing			
or open ground. w. s	15	35	1 25
Iceberg. Large, solid, curled heads; yellow heart, crisp and tender	15	35	1 25
All 5 cents per packet except where quoted otherwise			

LETTUCE—Continued

Mammoth Black-seeded Butter, Thorburn. A selected strain; large, solid, yellow heads. Favorite variety of New York market-gardeners6200		¼ lb. \$0, 35	
,	Ψ0 10	\$0.00	\$1 10
Market-Gardener's Private Stock, Thorburn. A selected strain; solid, large heads, resisting the sun for a long time before shooting. b. s	15	35	1 25
Maximum, Thorburn. The largest and best; solid; crisp; leaves tender and			
particularly fine in flavor. b. s	15	40	1 50
May King. Large, round, solid heads. w. s	15	35	1 25
Mignonette. Distinct russet colored; very solid and compact. b. s6240	15	35	1 25
The Morse. A large non-heading variety, leaves crisp and of fine flavor 6245	15	35	1 25
New York Cabbage. Large, solid heads; inside very white. w. s	15	35	1 25
	10	00	1 20
New Orchid. The famous Orchid Salad, used in many of the highest-class restau-			
rants; should be cut as the orchid center develops; that is, when the plants have	15	35	1 25
attained about one-quarter of their full growth, w. s			
Oak Leaf. A curled-leaf variety of bright green color. w. s	15	35	1 25
Passion. A medium-sized cabbage variety, with tender, crisp and fine-flavored leaves			
popular in the South. b. s	15	35	1 25
Philadelphia Dutch Speckled Butter. Small, compact heads good for frames or			
open ground	15	35	1 25
Salamander Improved. Fine, compact heads; tender; quality of the best; resists			
summer heat. b. s	15	35	1 25
Shotwell Brownhead. Large, handsome, tender heads, crisp, and of fine flavor;			
very hardy. b. s	15	40	1 50
Simpson Early Curled. A leading early sort; very tender. w. s	15	35	1 25
	10	00	1 20
Simpson Black Seed. A superior variety; large, and of light color, tender and	15	95	1 25
crisp. b. s	15	33	1 23
Tennisball White Seed. (Boston Market). A well-known forcer; larger heads;		0.0	4 0 #
crisp and tender. w.s	15	35	1 25
All 5 cents per packet except where quoted otherwise			



Thorburn's Big Boston Improved Lettuce

LETTUCE—Continued			
Tennisball Black Seed. Forms close, hard heads, leaves very crisp and tender; for	Oz.	(lb.	Lb.
forcing. b. s	\$0 15 \$	0 35	\$1 25
Trocadero. Hardy; for spring or summer; green, tinged russet; very tender, crisp			
and fine-flavored. w.s	15	40	1 50
Wayahead. Handsome large heads of finest quality. Fine for all seasons frames or			
open	15	40	1 50
White Summer Cabbage. Close heads of good size; fine for summer. w.s 6390	15	35	1 25
Yellow Seeded Butter. Large heads of fine quality, crisp, tender leaves6410	15	35	1 25
DOMANIE GOG LEMMINE			
ROMAINE, or COS LETTUCE			
Bath Cos., Black-seeded. Pale green leaves, slightly tinged with brown. Early			
and productive and of fine flavor. b, s	15	40	1 50
White Paris Cos. Of upright growth; fine. w. s	15	40	1 50
Giant White Cos	15	40	1 50
Trianon Cos. Resists heat well. w. s	15	40	1 50
Balloon Cos. Fine sort. b. s	15	40	1 50
RED COS. Splendid French sort. Outer leaves red-brown; very attractive6500	15	40	1 50
All 5 cents per packet			



MUSHROOM SPAWN BLANC DE CHAMPIGNON Seta Champignonbrut

Culture.—Mushrooms may be grown in cellars, under benches of greenhouses, or in sheds, wherever the temperature of 50 degrees can be kept up through the winter. The beds should be made from November to February, according to the time the Mushrooms are wanted, and it requires about two months for them to begin bearing. Secure fresh horse manure, free from straw and litter, and mix an equal bulk of loam from an old pasture with it. Keep this under cover, taking care to turn it every day to prevent heating, until the pile is large enough to make a bed the required size. Three to 4 feet wide, 8 inches deep and any length desired are the proper porportions for a bed, but these may be varied. Prepare the mixture of loam and manure, making the bed in layers, and pounding down each with the back of the spade. Leave this to heat through for a few days, and as soon as the heat subsides to 90 degrees, make holes in the bed about a foot apart each way, and about one inch deep, into which put pieces of the spawn 2 or 3 inches in diameter; fill up the holes with the compost, and at the expiration of a week or ten days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to the depth of 2 inches and cover with 3 or 4 inches of hay, straw or litter. Examine the bed often to see that it does not get dry. Take special care, however, when water is given, that it be at a temperature of about 100 degrees.

Take special care, however, when water is given, that it be at a temperature of about 100 degrees.

From our experience with English, French and American Spawn, we find there is an important difference between them. If the manure in the bed is in proper condition, the French Spawn will take hold and grow fully as well as the other two; but, if the bed is not in the right state, it will often rot. The American and English Spawns, on the contrary, after starting a little, will remain in a comparatively dormant state for a long time without losing their vitality. It is well to keep these points in mind in ordering Spawn.

If by mail, add postage; bricks weigh about 1 lb. each
We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

MUSKMELON

(Cantaloup)

MELON MUSCADE

Melon Muscatel Cantaloup

CULTURE.—Select a light, rich, sandy soil, and, after all danger of frosts is over and the ground has become warm and dry, plant in hills 4 to 6 feet apart each way, six to twelve seeds to a hill. When up and all danger of insects has passed, pull out all but three plants. Cultivate until the vines cover the ground, and pinch the ends of the growing shoots to induce early fruiting. Ashes, lime, or even dry roaddust, are excellent to sift over young plants when the dew is on, to prevent the attacks of insects. A few hills for early use may be had by sowing in hotbeds, on pieces of sod or in pots. The seed may also be started out-of-doors under hand-frames or glasses. It is quite important that proper soil be selected for growing Muskmelons.



Eden Gem Muskmelon

Banquet. Beautifully netted, medium size; rich salmon flesh; fine quality6790 80 Brockway's Sport. Slightly oblong, averaging 6 inches in diameter; flesh light red; very sweet; lightly ribbed and netted	15 15 15 15 15 15 15 15 15 15	30 30 30 30 30 30 30 30 30 30 30 30	\$1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	00 00 00 00 00 00 00 00
	15	35	1 2	5 ,
GREEN-FLESHED MUSKMELONS	Oz.	1/ 1h	Th	
Baltimore Market. Oblong; green flesh of fine quality; intermediate				
thick. Splendid for warm climates	10	25		75
Eden Gem. The popular shipping melon at Rocky Ford. Flesh deep green, very	15	30	1 0	U
solid and firm. Skin heavily netted	15	30	1 0	0
Egyptian Deity (Persian Delight). Round, flesh whitish green and surpassingly				
luscious in flavor, very juicy; rind thin and smooth, excellent for warm climates 6915 Gold-Lined Rocky Ford. Delicious, flesh thick, fine-grained and sweet; color	20	60	2 0	0
green, with a gold margin next the seed-cavity; slightly oval and heavily netted	15	50	1 5	60

All 5 cents per packet except where quoted otherwise

We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

SALMON AND YELLOW-FLESHED VARIETIES

MUSKMELON—Continued Hackensack. Large, round and of good quality; a popular variety; early6920 Hackensack Extra-Early. Ripens ten days earlier than the Hackensack6930	Oz. \$0 10 15	\$0 25	\$0 75 1 00
Honey Dew. New large, round, light-colored Melon, delicious, rich, green flesh	10		
pkt. 15c6935 Jenny Lind. Old favorite. Small; green-fleshed; very early; good quality6940	40 15	30	1 00
Long Island Beauty. On style of Hackensack. The earliest and finest in quality,	10	00	1 00
and the most beautiful of all Muskmelons	15	30	1 00
Montreal Green. Large, round, netted; flesh thick and light green; late 6970	10	25	75
Netted Gem, Round. Very early; small and of fine flavor; green flesh6980	15	30	1 00
Netted Gem, Oblong. Same as above, save in shape	15	30	1 00
Nutmeg. Sweet, green flesh; very early; named from its shape	10	25	75
Rocky Ford. Improved Netted Gem; very sweet and fine-flavored; oblong7010	15	30	1 00
Skillman's Netted Gem. Oval-shape; early; sweet and highly perfumed7030 Winter Pineapple. An extraordinary melon; can be kept in splendid condition	15	30	1 00
for months after being pulled. For the South only	20	50	1 50
MISCELLANEOUS MUSKMELONS			
Banana Citron. Cucumber-shaped; highly perfumed; latepkt. 5c7110 Mango Melon, Vine Orange. Size, shape and color of an orange; fine for preserving	15	35	1 25
or for picklingpkt. 5c7120	15	35	1 25
Pomegranite. Ornamental for perfume; latepkt. 5c7130	15	35	1 25
Vine Peach. Color of a peach, fine for preserving or for pickling	15	50	1 50
IMPORTED FRAME SORTS			
IMI OKIED TRAME SORTS			

For growing under glass, in packets only, 25 cts. each.



Tom Watson and Cuban Queen Watermelons

WATERMELON MELON D'EAU Zandia Bassermelone

CULTURE.—Treat the same as Muskmelons, except that they should be planted	8 to 10 f	eet ap	àrt,
according to variety. Light soil is best.		4 Ib.	
Alabama Sweet. Dark green; tender red flesh; long. Fine shipper7410	\$0 10 \$0	25 \$6	70
Black Diamond. Dark green, tough skin; large size. Round	10	25	70
Black Spanish. Roundish; nearly black; dark red flesh; early	10	25	70
Boss. Oblong; dark green; flesh deep scarlet; rind thin, intermediate7450	10	25	70
Blue Gem, or Iceberg. Bright red flesh; very sweet; fine shipper. Oval7460	10	25	70
Bradford. Long and of dark color, red flesh, sweet and tender	10	25	70
Cole's Early. Medium size; red flesh; green skin. Oval	10	25	70
Cuban Queen. Solid and heavy; skin marked regularly; excellent, early. Oval.			
7500	10	25	70
Dixie. Excellent quality; very large and solid; red flesh; intermediate. Long7510	10	25	70
Early Fordhook. Extra early; good size; green skin; red flesh. Oval7530	10	25	70
Florida Favorite. A superior strain; oblong; red flesh; intermediate	10	25	70
Torica Lavorte. A superior strain, oblong, red nesh, intermediate	10	_0	••

All 5 cents per packet
We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

WATERMELON—Continued			
Halbert Honey. Dark, glossy green skin; flesh crimson, luscious and sweet. Strong vigorous grower and free fruiter. Long. Fine for northern states	Oz. \$0 15	1/4 lb. \$0 25	Lb. \$0 80
Hungarian Honey. A very early sort; fine for northern latitudes; perfectly round; brilliant red flesh	15	25	80
Ice Cream, White Seed (Peerless). Very early; red flesh. Oval	15	25	80
early: nearly round	10	25 25	70 70
Icing, Light. Round; pink flesh of fine quality	10 10	25 25	70
Jumbo. Deep red flesh of excellent flavor. Very large, almost globular in shape;	10		***
striped light and dark green	10	25	70
rind; flesh scarlet, solid, and firm. Long	10	25	75
Kolb Gem. Large; good shipper; bright red flesh; intermediate. Oval7620 Mammoth Ironclad. Long; very large; late; red flesh; good shipper7630	10 10	$\frac{25}{25}$	70 70
McIver's Sugar. Oblong, handsome and very sweet	10	25	70
Mountain Sweet. Red flesh; late dark green; long, tapers to stem end7650 Pride of Georgia. Round; large; crisp; bright red flesh; intermediate7670	10 10	$\frac{25}{25}$	70 70
Rattlesnake. Southern. Oblong; dark and striped; bright red flesh; late7680	10	25	70
Seminole. Very large; quality first-rate; red flesh; intermediate. Oblong7690	10 10	$\frac{25}{25}$	70 70
Sugar Stick. Light green; oblong; luscious rich red flesh. Strong grower7700 Tom Watson. Produces melons 16 to 22 inches long and 8 to 10 inches in diameter.	10	20	10
The dark green rind is thin but tough; stands shipping well. The flesh is deep	10	25	70
red, crisp and melting and of finest flavor. Long	10	20	65
Citron, Red Seed. Round and handsome; for preserving	10	20	65
MUSTARD			
MOUTARDE Mostaza Se			_
CULTURE.—Sow thickly during early spring in shallow drills, and press the ear fall salad, sow in September, or in frames or boxes during winter.			
Tall salad, sow in September, of in frames of boxes during winter.	Oz.	1/4 lb.	Lb.

CULTURE.—Sow thickly during early spring in shallow drills, and press the eart	h well	down.	For
fall salad, sow in September, or in frames or boxes during winter.	Oz.	1/4 lb.	Lb.
Black. These seeds form the mustard of commerce	\$0 05	\$0 10	\$0 25
Chinese Broad Leaved. Leaves of agreeable flavor when cooked like spinach7803	05	10	25
Elephant's Ear. Immense, light green leaves	05	10	25
Fordhook Fancy. Very ornamental; plants of vigorous growth; leaves dark green,			
curved outwardly. If used as a vegetable, cook like spinach	05	15	30
Giant Southern Curled. Very large leaves	05	15	30
Ostrich-Plume. Leaves curled and frilled like an ostrich-plume	05	10	25
White London. Leaves used for salads while young; grows very rapidly7825	05	15	30

NASTURTIUM Maraneula

CULTURE.—Sow as soon as all danger of frost is past, in drills about an inch deep. The tall kinds require fences or poles on which to climb. The seeds are used in flavoring pickles, or as a substitute for capers.

		Oz. 1	4 lb.		Lb.
Tall Crimson.	7900 \$0	15 \$0	25	\$0	75
Tall Yellow.	7910	15	25		75
Tall Mixed					
Dwarf Mixed					

All 5 cents per packet

OKRA, or GUMBO

GOMBAUD

CAPUCINE

Quimbombo

Safran

Masturtium

CULTURE.—Sow late in the spring, after the ground has become warm, in drills 3 feet apart, where the plants are to remain. Thin out to from 9 to 12 inches. They should be well manured. They may also be raised in pots or a hotbed, and transplanted. For keeping, they should be picked while small and tender.


Long Green.	Tall; very productive; moderately long green pods8020	\$0 05	\$0 10	\$0 20	\$0 50	
White Velvet.	Tender, long, white pods; smooth and velvety in appearance. 8030		10	20	50	

	8030	UO	10	20	50
Dwarf Green Prolific.	Short, thick pods	05	10	20	50
Perkins' Mammoth.	Fine strain; very long pods8050	05	10	20	50

ORACH, or FRENCH SPINACH

ARROCHE

Armuella



White Bermuda Onion

CULTURE.—Sow in rich, sandy soil, in drills 1 foot apart, as soon as the ground can be worked in spring

ONION OIGNON

Cebolla

Bwiebel

-at the rate of 4 to 5 lbs. to the acre. Thin to 3 to 4 inches, using the rake and hoe frequently to keep down the weeds. The finest Onions are produced by the new method of sowing the seed in hotbed in February and March and transplanting the seedlings to the open ground. Oz. 1/4 Ib. White Early Barletta. A small white Italian sort; very early.....pkt. 10c. .8320 \$0 35 \$1 00 \$3 25 Queen. Pure white; small, flat; extra early; fine for pickling pkt. 10c. 8330 35 1 00 " Very White Pearl. Extra-early; round; very white; fine flavor pkt. 10c...8334 1 00 3 25 Large Portugal. The standard large flat sort of the New York markets, 1 00 3 50 pkt. 10c. .8360 Large Globe. (Southport Strain.) Very large and handsome...pkt. 10c. .8370 40 1 25 4 00 Paris Silverskin......pkt. 10c. .8390 35 1 10 3 75 Bermuda.....pkt. 10c.. 8400 " 30 90 3 00 Bermuda. (True Crystal Wax.) 40 1 25pkt. 10c. .8410 4 50 Marvel of Pompeii. Small Italian sort, two weeks earlier than Barletta.8440 1 00 3 50 44 Vaugirard Winter. For pickling. Sow in September for early spring Onions pkt. 10c. **8450** 35 1 00 3 25 Welsh. The leaves are used for salad early in spring. Sow in fall... 90 3 00 pkt. 10c. .8520 30 20 65 2 25 20 2 25 Large Globe. (Southport Strain.) The finest large yellow...pkt. 10c. .8560 30 90 3 00 66 20 65 2 25 44 Prizetaker. Immense size; globe shaped......pkt. 10c. .8570 65 2 00 20 75 Strasburg, or Dutch. Fine keeper; flat; yellow skin; white flesh....8580 20 60 2 00 Ailsa Craig Mammoth. A splendid yellow globe variety; grown largely for exhibition purposes. Great forcer......pkt. 10c. 8600 40 1 25 4 00 We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound



Yellow Globe Danvers Onions (See Page 36)

ONIONS—Continued					
	Oz.	1/41b.	Lb.		
Red Australian Brown. Medium size; hard; solid; very early8700	\$0 20	\$0 60	\$2 00		
" Bermuda (Teneriffe-grown.)pkt. 5c. 8710		75	2 50		
" Large Wethersfield." Half-early, and a good keeper; large size pkt. 5c 8720		60	2 25		
" Large Globe. (Southport strain.) The finest large red sortpkt. 10c. 8730	20	60	2 25		
" Early Flat	20	65	2 25		
" " Red Globe	20	65	2 25		
All 5 cents per packet except where quoted otherwise					
ANUAL 6776					

ONION SETS

	s apart and 4 inches in the rows. Gi				
Yellow Onion Sets	These are the prices ruling in January;	(\$0 25	\$0 75	\$1 25
White Onion Sets		{	30	90	1 50
Red Onion Sets	later on they may be higher	(30	85	1 40

PARSLEY

Persil	Perijil	Peterfilie

CULTURE.—Soak the seeds a few hours in luke warm water, and sow early in spring and until the middle of July, in drills 1 foot apart. Have the soil thoroughly pulverized, and, after sowing the seed, pat it down lightly with the spade. Thin out the plants to 4 inches. To preserve in winter, transplant to a light cellar or coldframe. No. 8870 should be thinned out while young, and managed in after cultivation the same as carrots and parsnips. The roots are edible either raw or cooked.

Oz. 34 lb. Lb.

carroes and parships. The roots are edible either raw or cooked.	Oz.	74 ID.	LD.
Thorburn Extra Curled. Superior			
Thorburn Champion Moss Curled. Pretty	5 10	25	75
Plain. The ordinary form	5 10	20	60
Hamburg, Thick-rooted887	10	25	75

All 5 cents per packet

PARSNIP

PANAIS	Cnirijia	Haltinate
CULTURE.—Sow as early in	the spring as the ground can	be worked, in rich

CULTURE.—Sow as early in the spring as the ground can be worked, in rich soil, in drills 18 inches apart. The ground should be well and deeply dug. Thin to 6 or 8 inches in the rows. Hoe and cultivate often to keep down weeds.

Thorburn Hollow Crown. A market-gardener's strain.

Pkt. 5 cts. 8895

Pkt. 5 cts. 8895

Pkt. 5 cts. 8895


Pkt. 5 cts. 8895

PEAS

Pois Chicharos o Guisanthes Erbsen

CULTURE.—A week may be gained in earliness by sowing a quantity in moist sand placed in a box in the cellar, and planting outside when well sprouted. Light, dry soil, not over rich, suits the Pea. Sow as early as the ground can be worked, and again every ten days for succession. Peas may be sown in this vicinity as late as the 20th of August. Medium and Late Peas must be planted early; Extra-Earlies may be planted again in August. Sow in single or double rows, from 4 to 6 feet apart according to the different heights, about an inch apart in the row (except such sorts as we note to sow thinly), and 4 inches deep; one quart to 100 feet of drill. In this climate, the O'Rourke Pea, if planted from the 10th to the last of August, will produce a fair crop for fall picking, when Peas will be most acceptable. Hoe often and keep the ground clean and fine. The tall sorts can be made to bear more freely by pinching in. The dwarf varieties may be grown in beds like bush beans with rows about the same distance apart. The holes which are sometimes found in Peas are caused by the Pea weevil (Bruchus pisi). The beetles lay their eggs on the young pods, and the larvae as soon as hatched, make their way through the pods and into the nearest Peas. If the new aphide attacks the Peas, spray the vines every day with clear water of the same temperature as the atmosphere.

Those marked with a star (*) are wrinkled marrows, and, unless otherwise stated, should be sown thicker than the round Peas and not



Gradus

until the ground has become warm, as they are more liable to rot. They are the finest flavored of all Peas. Those marked thus (†) are large-podded sorts.

We supply packets of Peas at 10 cts. each, postpaid, except where quoted otherwise; other quantities NOT prepaid. Add postage at the zone rate of 1 lb. per pint, 2 lbs. per quart.


EXTRA-EARLY PEAS	Height	Per	Per quart	Per	Per pk.
Thorburn Extra-Early Market. Our standard market-garden extra-		p	4.4	/2 [P
early Pea; productive and profitable to grow	21/2 8	\$0 20	\$0 35	\$1 25	\$2 00
Daniel O'Rourke, Improved. Extra early; favorite sort8910		20		1 25	
First-of-All. First-class selected strain of extra-earlies		20	35	1 25	2 00
The Leader. "Round seeded Gradus." Long pods		25	45	1 50	2 50
Alaska. One of the very earliest blue Peas; quite productive8930		20	35	1 25	2 00
*†Thomas Laxton. A cross between Gradus and one of the extra-early					
sorts. Ripens within a day or two of the earliest round varieties; very					
productive. The pods are large and contain seven or eight large, wrinkled					
Peas of the finest flavor8940	3	25	45	1 50	2 50
*†Gradus, also called Prosperity. One of the finest extra-early Peas.					
Ready to pick about four days after 8900. Pods very large, filled with					
large, wrinkled Peas of finest quality8950	3	25	40	1 35	2 25
Ameer (Claudit). Finest quality exceedingly productive8970		20	30	1 25	2 00
*American Wonder. Early and productive; fine quality8980	1	20	35	1 25	2 00
*English Wonder. Very proiific and early8986	$1\frac{1}{2}$	20	35	1 25	2 00
*Sherwood. Pods large deep green color	1	25	40	1 35	2 25
*Sutton's Excelsior. As early as American Wonder, with much broader					
pods, filled with large Peas of finest flavor; very prolific8990	1	25			2 25
*Nott's Excelsior. Splendid early wrinkled sort; very prolific9000		20		1 25	
Premium Gem. Early, straight pods, well filled9010	1	20		1 25	
*Little Gem. Early; straight pods9020	$1\frac{1}{2}$	20	35	1 25	2 00
*Little Marvel. A few days earlier than English Wonder and with larger					
pods. This variety is an improvement on English Wonder and in habit					
is very similar. Remarkably prolific9030	2	25	40	1 35	2 25
*†Laxtonian. Very large, dark green, curved pods and Peas of finest					
flavor; great yielder; very earlypkt. 15c9040		25		1 50	
*Richard Seddon. The best dwarf extra-earlypkt. 15c9045	$1\frac{1}{2}$	25	45	1 50	
TIV- t t t					

PEAS-Continued

EARLY AND MEDIUM PEAS Height in feet	Per pint	Per quart	Per ½ pl					
*Advancer. A fine standard sort of excellent quality9130 2½ \$0	20	\$0 35	\$1 2	5 \$2	00			
*Abundance. Long, round, well-filled pods. Sow thinly9160 1½	20 20	35 35	$\begin{array}{ccc} 1 & 2 \\ 1 & 2 \end{array}$		00			
*Horsford's Market-Garden. On the style of Advancer; prolific9170 2½ †Pride of the Market. Very large pods; green Peas. Sow thinly9190 2	20	35	1 2		00			
*Champion of England. A well-known standard sort. Sow thickly 9200 5	20	35	1 2	5 2	00			
*Dwarf Champion (Juno). A dwarf form of the popular Champion of	00	0.5	1.0	۳ ۵	00			
England, with large pods; very productive; finest quality9210 2 *†Duke of Albany (American Champion). Immense pods on style of	20	35	1 2	5 2	UU			
Telephone; very superior	25	45	1 5	0 2	50			
*Senator. Handsome round pods well filled, good flavor, productive. 9275 3	25		1 5		0.0			
Yorkshire Hero. A spreading variety, productive. Sow thinly9300 2½	20	35	1 2	5 2	00			
MAIN- AND LATE-CROP PEAS								
*†Admiral Dewey. Enormous pods; large wrinkled Peas of fine flavor;								
	25	45	1 5	0 2	50			
very productive. 9400 3½ *{Stratagem. Very large pods; Peas of finest quality. 9420 1½	25	45	1 5					
Potlatch. A large podded Pea; fine	25 20	45 35	$\frac{1}{1}\frac{5}{2}$					
*†Telephone. Enormous pods and Peas of best quality9450 4	25	45	1 5					
Boston Unrivalled. Large pod prolific suitable for light soil9455 4½	25	45	1 5	0 2	50			
Quite Content. The largest podded variety yet introduced. The pods								
mostly grow in pairs and well filled with large Peas of excellent flavor.								
It is exceedingly prolific; a stout, robust grower; height about 5 feet.	00	=0	1 77	~ 0	00			
has been pronounced by growers to be the finest second early Pea9456 5 Late White Marrowfat. Very hardy and prolific	30 20	50 35	$\begin{array}{ccc} 1 & 7 \\ 1 & 2 \end{array}$					
Late Black Eyed Marrowfat. Very hardy and prolific9470 3	20		1 2					
CLICAD DEAC (FRIDER DODG)								
SUGAR PEAS (EDIBLE PODS)								
Sugar Peas have edible pods which are eaten when young. Mammoth Podded Sugar. Immense pods	30	45	1 50) 2	50			
Mammoth Melting Sugar	30	50	1 00	, ,	00			
Luscious Sugar9564 4	30	50		5 3 (00			
We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound								







Telephone

50

5 00

4 00

PEPPER

PIMENT

Pfeffer.

CULTURE.—Sow in hotbeds in March and, when the soil has become warm, set in rows 2 feet apart and 18 inches in the rows. Hoe frequently.

plants may also be forwarded in sma	II pots.	
	1/4 lb.	Lb
red; largely used for pick-		
ling. It is of such mild		
flavor that it may be eaten		
as a vegetable 9650 \$0 3	5 \$1 00	\$3 \
CHINESE GIANT. Very		
large; flesh very mild and		
thick; bright scarlet color.		

9660 1 50 5 00 Cayenne Long Red. Slender pods, 3 in.; pungent.9670 1 25 4 00 Crimson Giant. Brilliant color; not sweet.....9685

1 50 Golden Dawn. Sweet; very handsome and distinct; of mild flavor; small ... 9690 40 1 25

Monstrous, Sweet. Very Very



Chinese Giant Pepper

large and of find havor;	op	Por		
for use when green9710 Expected		0-	1/ 1b	Lb.
Neapolitan. Early and productive. Large and sweet.	9720	\$0 40	\$1 2	\$4 00
Pimiento dulce (Perfection Sweet Pepper). A very sweet pepper, piquant	favor	ψ0 10	W. 2 0	, 41 00
not fiery, medium size, thick skinned and of brilliant scarlet	9725	50	1 50	5 00
Red Chili. Productive; small; red and very pungent	9750	40	1 2	
Red Cluster. A new type of Chili, with upright, bright red fruits	.9760	40	1 2	_
RUBY GIANT. Large; desirable shape for stuffing. Mild and delicate	9764	50		
Ruby King. Bright red; 4 to 6 inches long; mild; best for stuffing	9770	40	1 2	
Squash, Large. Productive; for pickles	9780	50	1 50	
Sweet Mountain. Large size; regular; mild flavor	.9790	45	1 35	4 50
Sweet Spanish. Large, mild; used for salad	.9800			
Tabasco. True. Bush 3 feet high; small, long, bright red fruit in clusters; ver	v hot:			
best for pepper-sauce and picklingpkt. 15c.	. 9810	60	1 78	6 00
THORBURN UPRIGHT SWEET SALAD. Finest of all. Handsome, prod				
and of finest quality; bright scarlet; flesh thick, mild and very sweet.				
Peppers are as large as Ruby King, and are all borne upright, clear of the gr				
The flesh is so thick and the skin so tender that it may be fried like a beef				
and so sweet that it may be eaten like an applepkt. 15c.	.9840	60	1 78	6 00

All 10 cts. per packet, except where quoted otherwise.

PUMPKIN

POTIRON .

Calabaza


Große Rurbig

10

50

CULTURE.—May be planted middle of spring, among the Indian corn or in the field or garden, in hills 8 to 10 feet apart each way, four seeds in a hill. In other respects is cultivated in same manner as melons and cucumbers. Avoid planting near other vines. Large Cheese. Flat; one of the best varieties for family use. 10150 \$0 10 \$0 20 \$0 60 Early Sugar. Fine-grained, sweet and prolific; small; yellow. 10170 10 20 55 20 10 60 10 20 60 Cushaw White, or Jonathan. A white crookneck variety of excellent quality; fine 10 20 60 Tennessee Sweet Potato. Bell-shaped; thick, white flesh; fine for pies......10230 Calhoun. Very superior quality. Yellow flesh. Fine for pies........10240 10 20 60 20 10 60 25 75 10 10 30 00 10 25 75

All 5 cts. per packet



Sir Walter Raleigh Potatoes

POTATOES, Grown Expressly for Seed BARRELS)

Pomme de Terre Palatas Rattoffelix

Culture.—Three to four barrels to the acre. In order to have the best success in growing Potatoes, it is necessary to plant as early as the ground can be made ready. Select a rich soil, and plant in rows 3 feet apart, and the sets 1 foot in the rows. If wood-ashes and plaster can be procured, sow a good dressing over the field after the Potatoes are up. If a very early crop is desired, it will be necessary to sprout the Potatoes before planting. Cut the Potatoes into pieces of any size desirable, and place in a warm, light room for four to six weeks before required for planting in the open ground. During this time shoots will start out strong and vigorous, so that, as soon as planted, they will send out roots and grow much more rapidly than those treated in the ordinary way. Another method is to place the sets in a hotbed two weeks before they are wanted and then lift carefully and set out on fresh horse dung, so that the heat will cause them to start at once. If the Colorado Potato beetle makes its appearance the vines must be dusted with paris green mixed with about 80 parts of plaster; or what is better, mix the paris green in water, one small tablespoonful to a pailful, and apply with a small brush or broom. Take care to stir the mixture often, or else the paris green will settle to the bottom. Two or three applications during the season will usually suffice to clean off all the beetles.

NOROTON BEAUTY. The finest and most productive extra early

1/2 pk. Pk. 1/2 bus. Bus.

Вы.

Potato grown. Handsomer in appearance and more uniform in shape									
than any other sort. Its table quality is superb. Original stock									
10400	\$0 9	0 \$	1 50	\$2	25	\$4	00	10	00
Thorburn's Beauty of Hebron. Slightly flesh-colored skin, with pure	-								
white flesh. Early, very productive and of the finest quality. 10420	9	30	1 25	9	nn	2	50	Q	00
Thick Cabbles Fire white princetors grown 10420			$\frac{1}{1} \frac{20}{00}$		75		25		
Irish Cobbler. Fine white; vigorous grower	•	U	1 00	' I	10	ာ	23	- 1	50
Early Rose. Popular market sort; very early; fine quality; very		_						_	
productive	(60	90	1	60	3	00	7	00
INTERMEDIATE AND LATE DOT		O	-						
INTERMEDIATE AND LATE POT	AI	U	25						
Gold Coin. A splendid main-crop variety of remarkable productiveness									
and finest table quality; slightly oblong form, light golden skin;									
		60	90	1	60	9	00	7	00
flesh pure white, fine-grained; cooks very dry	,)U	90	, 1	UU	၁	UU	- 6	UU
Carman No. 1. This most valuable Potato was introduced by us in 1894,									
and it is a recognized high-class standard sort the world over. The									
finest second-early Potato ever offered	(30	90	1	60	3	00	7	00
Sir Walter Raleigh. Very productive; white flesh of best quality. 10560		70	1 00	1	75	3	25	7	50
Rural New Yorker. An old standard Potato. Very few and shallow						_			
eyes; fine, pure white skin and flesh; immense yielder; fine table									
cycl, fine, place write skin and fiesh, fillinense yielder, fine table	,	70	1 00	. 4		0	0.5	7	70
quality, cooking very mealy		U	1 00	' 1	15	3	25	- 1	90
Green Mountain. Oval shape, white skin and flesh; excellent; heavy									
yielder10590	7	0	1 00	1	75	3	25	7	50
These are prices ruling in January; later on they may be higher. We ship Pot	atnes	enti	rely	at ci	ston	er's	risl	ε.	
			•						
We pay postage or express charges on all garden seeds bought by the pa	cket,	oun	ce or	qui	artei	-po	und		

RADISH

RADIS ET RAVE Rabanos y Rabanitos Radies und Rettig

Culture.—Sow as soon as the ground is dry in the spring in rows 8 to 12 inches apart, every week or ten days for a succession up to the middle of June after which they are but little used unless a cool northern spot can be had, where the ground is shaded during a part of the day. They should be sown in light rich soil, as a crisp Radish cannot be produced in heavy soils. Sow also in early fall for late crops and winter use. Sow 8 to 10 lbs. to the acre. Radishes should be eaten when quite small; it is a mistake to let them grow too long and too large. This applies particularly to the French Breakfast and small turnip-shaped sorts. Varieties marked with an asterisk (*) are best suited for market gardeners.

Oz. 44 lb. Lb.

				Oz.	⅓ lb.	Lb.
*Tu	rnin	. Early	Scarlet. Very early. The French favorite	\$0 10	\$0 20	\$0 65
	11	,	" Forcing. Crisp; very early	10	20	65
*	4.6	64	" White-tipped. Very early; for frames or outdoors. 10710	10	25	75
	44	44	Deep Scarlet. Very early; crisp	10	20	65
	44	4.6	Scarlet Gem White-tipped Forcing. 10765	10	20	60
*	44	44		10	20	00
**			SCARLET GLOBE-SHAPED. Fine for forcing or open			
			ground. The Radishes are almost round, of a beautiful	10	0.5	
	66		rich scarlet, very tender and crisp	10	25	75
*		••	Non Plus Ultra. Extra-early scarlet forcing	10	30	90
	64	**	Round White Forcing10850	10	30	90
	44	44	Yellow. Extra early	10	30	1 00
*Fr	ench	Break	fast. Pink and white; early	10	25	75
*Oli	ive-sl	haped	White Forcing (White Rocket). A forcing strain of above11060	10	25	75
Oliv	e-sh	aped S	Scarlet	10	25	75
Oliv	e-Sh	aped S	Scarlet White Tipped (Rocket)11110	10	25	75
Hal	f-Lor	ng Dee	ep Scarlet (Paris Beauty). Flesh bright and crisp11140	10	25	75
			icacy. Half-long, smooth, snow-white; fine forcer11150	10	25	75
			ite Forcing. Splendid pure white; fine forcer	10	25	75
			Short Top. Very long, crisp; for frames or out-doors11180	10	20	60
			t Scarlet or Cardinal White-tipped	10	20	60
Lon	~ W/I	site N	aples, or Shepher d. Slender; for summer use	10	20	60
			Vienna, or Lady Finger. Crisp and tender in summer. 11220	10	25	75
			Pure white, of fine flavor; suitable for forcing	10	25	75
					20	60
			Chartier. Tipped white splendid summer variety	10		
			Frame. Long, red, crisp and good forcer	10	25	75
Kou	ind 3	scarlet	China. Fine for winter or summer. Matures in 6 to 8 weeks. 11290	10	20	60
			*White Strasburg			
			Saymana o W Vorus			



Scarlet Globe Shaped Turnip Radish

Summer. Very large; the German's favorite 11320 10 20 60 *Winter Scarlet Chinese. Oblong. Very handsome and distinct and keeps well 11380 10 20 60 Winter Long Black Spanish. The popular winter sort. 11390 10 20 65 Winter Half - Long or Grey Black Spanish. Very fine strain......11400 75 10 25 Winter Round Coal-Black Spanish. Fine for winter 11420 10 30 1 00 (Mam-Sakurajima moth Japan). The largest sort in cultivation. Sow early in rich soil. In Japan it grows as much as 21 inches long and 43 inches in circum-ference. Thin well ference. Thin well to allow of proper development...11480 15 50 1 50 Mammoth "Tokyo."

11490

All 5 cents per packet

15

1 50

RAMPION

RAIPONCE

Reponche

Rapunzel Rübe

CULTURE.—Sow in the open ground early in May, either broadcast or in drills 10 inches apart. As the seed is very fine, it merely requires to be pressed firmly into the soil. Thin out the seedlings if they come up too quickly, and water frequently during hot weather. The roots may be gathered for use from October onward throughout the winter. The roots and leaves are excellent as salad. 11550. Pkt. 10 cts., oz. 30 cts.

ROQUETTE

CULTURE.—Sow early in spring, in rows, and thin out to 8 to 10 inches. If kept well scuffled and watered the tart flavor of the leaves is greatly diminished. This flavor is not pronounced in the small leaves, which are used for salad. The flowers, appearing from May to June, have very much the odor of orange-blossoms. 11590. Pkt. 5 cts., oz. 25 cts., ½ lb. 75 cts., lb. \$2.50.

RHUBARB

CULTURE.—Sow seed in a coldframe, in a fine, rich, sandy loam, about the first of March, in drills 4 inches apart. Keep the frames covered during nights and cold days, so that the soil will not freeze, and in six to eight weeks the plants will be large enough to set in the open ground. Transplant to a rich soil, and set in rows 12 inches apart and 12 inches in the row. The following spring transplant again to a permanent location, setting 4 to 5 feet apart each way. In good soil, Rhubarb is ready to use the second year from seed. When roots are set out plant them 4 to 5 feet apart each way, and keep weeds down. If roots are used, a crop may be had after one season, which is much better than sowing seed where only a few plants for family use are needed. In the fall, the bed should have a thick dressing of coarse manure, to be spaded under in

ROOTS, of Victoria only.

Transportation charges extra.

SCOLYMUS

The roots resemble a small parsnip, and will keep through the winter like a turnip. It is cultivated exactly like the carrot, except that it should be grown in rows 3 feet apart and 18 inches in the rows. It is eaten boiled like salsify. 11740. Pkt. 10 cts., oz. 20 cts., ½ 1b. 60 cts., lb. \$2.00.

SCORZONERA

CORZONERE Escorzonera Schwarzwurzel

CULTURE.—Cultivate the same as salsify. It is cooked in the same manner, but, on account of being somewhat more difficult to raise, is seldom seen in cultivation. Considered by many superior to salsify. It is also called Black Salsify. 11780. Pkt. 10 cts., oz. 30 cts., ½ lb. \$1.00, lb. \$3.00.

SALSIFY, or VEGETABLE OYSTER


SALSIFIS

Ostion Vegetal

Haferwurzel

CULTURE.—Sow as early as the ground can be worked in the spring, in drills 12 inches apart, 1 inch deep, and thin out to 6 inches in the row. Keep the plants free from weeds. Cultivate the same as carrots and parsnips. A part of the crop may be left in the ground till spring, when it will be found fresh and plump. The roots are cut into pieces ½ inch long, boiled until tender, and then served with drawn butter, in which way it is a delicious vegetable. They are also mashed and baked like parsnips, and have a sweet and agreeable flavor. Mashed and fried, the flavor is much like that of the oyster. Sow eight to ten pounds to the acre.

Mammoth Sandwich Island. Large. 11850. Pkt. 10 cts., oz. 25 cts., ¼ lb. 75 cts., lb. \$2.50.



Mammoth Sandwich Island Salsify

SORREL

OSEILLE

Acedera

Sauerampfer

CULTURE.—Sow in spring in drills 18 inches apart, in a rich soil, and keep the flower-stems cut off as they appear. It remains in the ground year after year, and needs to be taken up and divided only once in four or five years. To be cut and cooked precisely like spinach; or it is excellent cooked with it, one-third Sorrel to two-thirds spinach. It is also used for soups. Very nice to be eaten after it has become cool. Inasmuch as the hot sun tends to increase its acidity, a northern exposure is preferable.

		Oz.	1/4 lb.	Lb.	
Garden,	Large French	\$0 20	\$0 60	\$2 00	
	Belleville			2 00	
44	Mammoth Lyons. Extra-large improved strain	30	75	2 50	
	Golden-leaved Lyons		75	2 50	
	Chambourcy. A new, large-leaved desirable sort		60	2 00	

All 5 cents per packet



Giant Lucullus Swiss Chard

SWISS CHARD, or SILVER BEET

Silver Leaf. This is a Beet producing leaves only, of a quality superior to those of the ordinary Beet, and excellent as greens. Cultivate about the same as spinach, by sowing the seed in early spring in drills about a foot apart. As it grows, thin out for use, and keep clear of weeds if success is desired. Good cultivation will increase the delicacy and tenderness of the leaves. 1690. Pkt. 5 cts., oz. 15 cts., 1/4 lb. 40 cts. lb. \$1.25.

Giant Lucullus. Large, crinkled leaves; tender and of fine flavor; dark green; pure white ribs. 1700. Pkt. 5 cts., oz. 15 cts., ½ lb. 50 cts., lb. \$1.50.

SPINACH

EPINARD

Espinaca

Spinat

Culture.—Sow in early spring, in drills a foot apart (10 to 12 lbs. to the acre), every two weeks for a succession, and, as it grows, thin out for use. For fall use, sow in August, and for winter crop in September. Cover that which is left out over winter with straw or leaves after the weather becomes quite cold. Keep clear of weeds. Sow the seeds of New Zealand in hills 2 feet apart each way, three or four seeds in a hill. Round Viroflay (Thick-leaved). Has very large, thick, dark green leaves; the favorite market-gardeners' sort for fall or spring sowing. 12000 \$0 10 \$0 30 \$1 00

sort except New Zealand	10	30	1 00
Round-leaved Flanders. A standard sort. 12020	10	30	1 00
Lettuce-leaved. Popular French sort. 12040	10	30	1 00
Curled-leaved Savoy, or Bloomsdale. Large curled and wrinkled leaves; tender			
and of finest flavor	10	30	1 00
Long-standing (Round Thick-leaved). Dark green; leaves large and thick;			
very long-standing. Best for spring growing	10	30	1 00
Round Broad-Leaved. Grows quickly, hardy leaves, large and broad 12065	10	30	1 00
Victoria. Extra-dark, black-green color. Two or three weeks later than the			
ordinary "Long-standing." A fine variety for spring sowing	10	30	1 00
Eskimo Giant. Dark green, large leaves	10		1 00
Triumph. An improved long-standing sort	10		1 00
Prickly, or Winter. Vigorous and hardy; recommended for fall sowing	10	30	1 00
New Zealand Summer. Not a Spinach, but used as such. Grows 1½ feet			
high and is very prolific; does well in hot summer weather; valuable for hot			
climates. Soak the seed in hot water before sowing	15	50	1 50

All 5 cents per packet

30

90



Various Squashes

SQUASH

Courge Calabaza Speise Kürbiß

CULTURE.—Sow in hills in the same manner and at the same time as cucumbers and melons, the bush varieties 3 to 4 feet apart, the running kinds from 6 to 9 feet apart.

BUSH VARIETIES	0-	⅓ lb.	T h
Early Golden Bush. Fine for summer; not so early as the White Bush12200			
Golden Custard. Mammoth strain of the Golden Bush. A valuable variety;	10	0.5	77
golden yellow flesh; fine quality	10 10	$\frac{25}{25}$	75 75
Mammoth White Scallop Bush (Silver Custard). Not so early as the former	10	20	10
but it produces larger fruits	10	25	75
Fordhook, White Bush. Oblong fruits, smooth, thin yellow skin	10	25	75
Summer Crookneck. Yellow fruit; distinct, best for summer	10 10	$\frac{25}{25}$	85 85
Cocozell Bush. (True Italian Vegetable Marrow.) A fine variety; oblong shape;	10	20	00
skin smooth, dark green, marbled yellow or pale green	10	30	90
DINNING HADIERIES			
RUNNING VARIETIES			
Bay State. Hard, blue shell; for fall or winter	10	25	85
Boston Marrow. Oval; bright orange; flesh yellow and fine12410	10	25	75
Cocoanut. A beautiful little Winter-Squash, the size of a cocoanut, cream-	10	25	85
colored; fine quality; prolific	10	20	00
early, solid and a good keeper; flesh dry and of fine quality	10	25	75
Delicious. Green skin; orange flesh, fine-grained, sweet and dry12450	10	25	85
Essex Hybrid. A good fall and winter sort; fine-grained; rich flavor; very pro-	10	20	1 00
Hubbard. Well known and liked for late use; an excellent sort for pies	10 10	30 30	1 00
"Golden or Red. Same as above, but with orange-red skin12510	15	30	1 00
" Mammoth Warted. Immense size, covered with warts12530	10	30	1 00
Mammoth Chili. Rich orange flesh; grows to an enormous size	10	30	1 00
"Whale. Enormous size; solid; bright orange flesh of fine quality. 12550	15	50	1 50
Marblehead. Gray skin; very productive; fine keeper	10	30	1 00
able for fall and winter	10	30	1 00
Warren. Superior quality. A type of the Essex Hybrid	10	30	1 00
All 5 cents per packet			
VEGETABLE MARROW			
Italian (Cocozelle di Napoli). Grows about 20 inches long, with a diameter of 3 or			
4 inches. Skin smooth, dark green, marbled yellow or pale green. In Italy it is	10	20	00

We pay postage or express charges on all garden seeds bought by the packet, ounce or quarter-pound

eaten when quite young......pkt. 5 cts.12700



TOMATO

Томато

Tomate

Liebesapfel

CULTURE.—Sow in a hotbed in early spring, or the seed may be sown in shallow boxes and placed in a window when one does not wish to have the trouble of making a hotbed. Transplant to the open ground when all danger of frost is past, setting the plants 3 to 4 feet apart each way. Fruit may be had several weeks earlier by sowing seed quite early and transplanting to small pots. Tomatoes that have not ripened at the end of the season may be taken from the vines and placed in empty coldframes, or wrapped in tissue paper, and carefully packed in flat boxes—where a large proportion of them will ripen from time to time. frequently until Christmas.

variation marked * are best for foreing

The varieties marked are best for forcing.			
	Oz.	1/4 lb.	Lb.
Acme. Medium size; smooth and good; crimson	\$0 25	\$0 75	\$2 50
*Atlantic Prize. Extra early; smooth; medium scarlet; good size	25	75	2 50
Beauty. Large, smooth, dark crimson; thick flesh; regular form12770	25	75	2 50
Bonny Best. Very early; scarlet; medium to full market size; even, smooth and			
regular; valuable for home garden or market	25	75	2 50
Buckeye State. Very large and productive; crimson; smooth, uniform, good quality			
12780	25	75	2.50
*Carter's Sunrise. Early and productive; medium-sized, bright scarlet fruits;			
smooth and solid. For forcing or for outdoorspkt. 10c.12794	35	1 00	3 50
Chalk's Early Jewel. Fine, large, solid, smooth, scarlet; similar to Stone; early			
12800	25	75	2 50
All 5 cents per packet except where quoted otherwise			

TOMATOES-Continued

10mm10Db Continued	
Coreless, Livingston's. Almost round; bright red; very productive. Ripens all Oz. 1/2 lb. Lb.	
over at once and being almost free from green core it is an exceptionally fine slicing	
sort)
Crimson Cushion. Extra large; handsome; bright crimsonpkt. 10c.12830 35 1 00 3 50	
CLUSTED THORPHIANC IMPROVED (C. N. INC.)	

CLUSTER,	THORBURN'S	IMPROVED	(See Novelties)
Pkt. 15	cts. Oz. 40 cts.	1/4 lb. \$1 25	Lb. \$4 00

74 15 42 25			
Dwarf Champion. Quite distinct; early; fruit like the Acme; crimson; of medium			
size; good quality	30	85 3 00	0
Dwarf Giant. Largest-fruited of all dwarf sorts; crimson; firm flesh of delicious			
flavor. Compact and vigorous growerpkt. 10c.12844	35	85 3 50	
*Earliana. Extra early; cardinal-scarlet; smooth	25	75 2 50	
Favorite. Large, smooth, productive and good shipper	25	75 2 50	0
Fordhook First. Smooth; solid; crimson; medium size; early; very profuse.			
bearer	25	75 2 50	J
*Frogmore Selected. Medium size; bright, deep red; smooth; very solid and fine-		0	
flavored. An excellent sort for forcing under glasspkt. 10c.12920	30	85 3 00	
Freedom. Early; regular and uniform; bright scarlet	25	75 2 50	J
Globe, Livingston's. Very early; crimson; smooth and of large size; very produc-	00	0 0 00	_
tive and a good keeper. A standard variety which retains its popularity12940	30	85 3 00	J
Golden Queen. Smooth; golden yellow; about size and form of Beauty; of good	0.5	77 0 76	0
flavor and solid	25	75 2 50	J
Time Dinte A very confurmerist Oz 1/1h Lb			

June Pink. A very early market Oz. 14 lb. Lb. sort; crimson; smooth; medium size.....pkt. 10c. 12980 \$0 30 \$0 85 \$3 00

King of the Earlies. One of the very first to ripen; large; scarlet; fine for hot climates. pkt. 10c. 12985

Lemon Queen, Thorburn's.
Most desirable of the yellow
Tomatoes. Skin and flesh lemon
with a faint rose blush....12990

Lorillard. Bright glossy red; smooth: of fine flavor and very early. Very productive and satisfactory....pkt. 10c. 13000 Mansfield Tree. Crimson fruit

Mansfield Tree. Crimson fruit somewhat larger but on the same order as Mikado; adapted for training up trellis. Per pkt., 10c. 13024

Paragon. Cardinal-scarlet; round; very productive............13060

Perfection. Early, regular and

productive; scarlet.....13070

Ponderosa. The largest variety in cultivation; crimson......

pkt. 10c. 13080

RED ROCK. An improvement on the well-known Stone. Exceedingly firm-fleshed; very large size, and ripens evenly without cracking. The vine is a strong, vigorous grower and produces its fruit in great profusion...13084

30 85 3 00

30 85 3 00

30 85 3 00

40 1 25 4 00

25 75 2 50

25 75 2 50 25 75 2 50

25 75 2 50

25 75 2 50


60 2 00

20 60 2 00

20

40 1 25 4 00

25 75 2 50



Thorburn's Improved Cluster Tomato



THE NEW HONEY DEW MUSK MELON

A large, round, light colored melon, thin rind with thick, rich green flesh, delicious honey-like flavor, considered best of all melons.

Price per pkt. 15c. per oz. 40c.

See also page 34

TOMATOES—Continued

*NOROT	ON	FORC	CING	(See	Novelties)
Pkt. 15 cts.	Oz.	40 cts.	1/4 lb. \$1	25	Lb. \$4 00

	Oz.	1/4 lb.	Lb.
Ruby Early. Very early; large size; color bright scarlet	\$0 25	\$0 75	\$2 50
*Station Upright, Dwarf. Forms a compact bush, about 18 inches high; good			
forcer for pots and under glass; prolific; fruit scarlet; very ornamental and useful	40		
plant	40	1 25	4 00
*Stirling Castle. Small size; solid; finest flavor; scarlet; good for forcing under	40		
glass	40	1 25	4 00
Stone, Thorburn's. Very large; perfectly smooth; fine dark scarlet13130	25	75	2 50
Stone Dwarf. In fruit resembling Dwarf Champion, but with much larger fruit. Color	0."		
bright scarlet, perfect shape, very solid; of the best quality	25	75	2 50
Success. Large; bright scarlet; smooth and solid; productive. Plant strong and	0.5		0 =0
thrifty in growth	25	75	2 50
Terra-Cotta, Thorburn's Improved. Distinct in color and flesh; pure terra-cotta	30	0.5	2 00
pkt. 10c. 13180 Thorburn's Long-Keeper. Bright red; early and productive; fine keeper13194	. 25	85 75	3 00 2 50
Trophy. Very solid; standard late; fine canner; dark scarlet. A particularly vigorous	. 23	70	2 30
and thrifty grower	25	75	2 50
Trucker's Favorite. Crimson, large, smooth and very regular in form; solid. 13210	25	75	2 50
All 5 cents per packet except where quoted otherwise.	20	10	2 00
SMALL-FRUITED TOMATOES			
For pickling and preserving. Also invaluable for garnishing			
Red Cherry. Small fruits, used for pickles; very handsome	30	85	3 00
"Currant. Resembles the currant. Useful for preserves, pickles and exhibition	90	00	5 00
purposes	45	1 25	4 50
" Peach. Resembling a peach; for preserves, pickles and exhibition 13320	30	85	3 00
" Pear. Fruit handsome and solid; fine for preserves	30	85	3 00
" Plum. Bright red; round; regular for pickles;	30	85	3 00
Strawberry (Winter Cherry or Husk Tomato). Yellow. Makes fine sauce 13350	30	85	3 00
Yellow Cherry. For pickles and preserves	30	85	3 00
" Peach. Beautiful clear yellow; perfectly resembles a peach13370	30	85	3 00
" Pear. Handsome, yellow, pear-shaped fruits	30	85	3 00
" Plum. Round and regular; bright yellow; used for pickles 13390	30	85	3 00
All 5 cents per packet, except where quoted otherwise			

NAVET CULTURE. - For early Turnips, sow as soon as the ground opens in spring. Nos. 13845 to 13930 should be sown from any time in July to first of August; but the other kinds, for winter use, may be sown from the middle of July to the end of August. Turnips are generally sown broadcast, but much larger crops are obtained (particularly of the Rutabagas) by cultivating in drills 18 inches apart, and thinning to 6 inches in the drill. Sow in drills, one pound to the acre; broadcast, two to three pounds to the acre.

WHITE VARIETIES

Cow Horn. Long, white, in shape resembling a cow's horn, 13500, oz. 10c., ¼ lb. 20c., lb. 65c.


Early Snowball. Small, and of rapid growth; pure white, 13510, oz. 10c., ¼ lb. 20c. lb. 65e.

20c., lb. 65c. German Teltow. Smallest of all; early; distinct flavor; best for pickling, 13520, oz. 10c., ½ lb. 20c., lb. 75.



Early Snowball Turnip

Globe-shaped Red-top. A standard sort in the New York market. 13530 Globe Pomeranian White. Good either for table or stock. 13540 Jersey Lily (White Model). Snow-white; globular. 13570 Kashmyr Scarlet. Bright, handsome color; small; flat; extra early; pure white flesh of finest quality. 13580 Milan, Early Purple-Crown. Earliest of all; white, with purple top. Flesh of fine quality and tender. 13590 Milan, Early Pure White. Very handsome; pure white; crisp and tender; as early as above. 13600 Strap-Leaf, White. A good early, white, flat sort. 13640 Strap-Leaf Red-Top. The popular fall flat sort. 13650 White Egg. Oval; handsome and sweet. 13680 All 5 cents per packet		30 20 20 20 20 20 20 20 20 20 20 20 20 20	Lb. \$0 50 50 60 55 1 00 1 00 50 50 50
YELLOW VARIETIES Aberdeen Yellow. Hardy, productive and a good keeper	10 10	15 20	40 50
RUTABAGA Bangholm. Extra selected. Small neck; yellow flesh; dark purple top. 13845 Thorburn's Family. For family use. 13850 Thorburn's Purple Top, Improved. (L. I. grown.) 13860 White-fleshed, English Neckless 13885 Yellow-fleshed English Neckless 13895 Yellow Perfection. Extra fine 13930	10 10 10 10 10	20 20 25 20 20 20	50 50 75 50 60 50



Peppermint

Lavender

Sweet Fennel

Sage

Summer Savory

Seeds of Pot, Sweet and Medicinal Herbs

Angelica, Garden. For flavoring wine and cakes Archangelica officinalis	Pkt.	Oz.	Lb.
Anise. Seeds aromatic and carminative	05	15	
Balm. For culinary purposes. Melissa officinalis 14040	10	25	
Basil, Sweet. Culinary herb used for flavoring	10	20	
soups, etc	05	20	
Basil, Dwarf or Bush. Culinary herbOcimum minimum14060	05	25	
Borage. Leaves used as a salad	05	15	1 50
Caraway. For sowing. Used in flavoring liquors and		10	1 00
bread	05	10	75
Coriander. Seeds aromatic. For sowing	05	10	50
" For flavoring			30
Dill. For sowing. Seeds used for flavoring vinegar Anethum graveolens 14150	05	15	1 00
Elecampane. Has tonic and expectorant qualities. Inula Helenium14160	10	30	
Fennel, Sweet. Seeds aromatic; for flavoring Anethum Fæniculum 14170	05	10	90
" Florence. In flavor resembling celery Anethum Fæniculum 14180	05	10	1 00
Foxglove, Purple. Has medicinal qualitiesDigitalis purpurea14190	05	30	
Horehound. Has medicinal qualities	05	30	
Hyssop. Has medicinal qualities	05	30	
Lavender. True. For oil and distilled waterLavandula vera	15	60	
" Possessing qualities as above in a lesser			
degree	10	30	
Marjoram, Sweet. Is used in seasoningOriganum Majorana14290	10	40	
Mint, Curled			
" Peppermint. Crop Failed			
" Spearmint. Mentha viridis			
Pennyroyal. Has medicinal qualities	15	1 00	
Rosemary. Yields an aromatic oil and water Rosmarinus officinalis14330	10	50	
Rue. Said to have medicinal qualities	10	40	
Sage, Broad-Leaf. A culinary herb; also used in			
medicine	05	25	2 50
" Red. Used as a culinary herb; also in medicine. Salvia Horminum14370	10	20	1 50
" Purple. Used as a culinary herb: also in medi-			
cine	10	20	1 25
Savory, Summer. Is used as a culinary herbSatureja hortensis14390		p failed	ł
" Winter. Is used as a culinary herbSatureja montana14400	10	50	
Tansy. Generally used in bitters	10	40	
Tarragon. True. Does not produce seed. Roots in			
fall and spring. 35c. each, \$3.50 per doz	10	40	4 00
Thyme, German Winter. Is used as a seasoning Thymus vulgaris	10	40	4 00
" English. Broad Leaved	10	50	+ 00
rench	10	30	3 00
Wormwood. Has medicinal qualities	10		3 00
		. 1	

To	ha	CCO	Seed	1
10	ua	LLU	JUCUL	I.

	Oz.	Lb.
Climax. A cross between Burley and Sterling; fine bright variety14610	\$0 30	\$3 00
Connecticut Seed Leaf. The popular sort, used for cigar wrappers	30	3 00
Conqueror. Superb bright yellow	30	-3 00
Gold Finder. A cross between Yellow Oronoka and White Burley	30	3 00
Gooch, Long-Leaf, Improved. Fine for sandy soils	30	3 00
Havana. Seed gathered for us from the celebrated plantations of the "Vuelto de Abajo.".14630	45	4 50
Hester Improved. Yellow; fine for cigars. Adapted to a greater variety of soils and		
to a wider range of latitude than most other yellow sorts	30	3 00
Kentucky Yellow. Leaf of large size, handsome shape, excellent quality and of surprisingly		
fine texture, taking size into consideration	30	3 00
Oronoka White-Stem. Plants are large, with long, medium-broad leaves of handsome		
shape, fine texture and good body14662	30	3 00
"Yellow. A reliable old yellow variety	30	3 00
" Sweet. Plants of medium size; leaf is long and somewhat narrow, fine-grained		
and of sweet flavor	25	
Pennsylvania Seed Leaf. A first-class standard cigar variety	25	
Persian Rose. Fine, may be relied upon to make fine cigars	30	3 00
Pryor, Blue. The genuine James River favorite	25	2 50
"Yellow. Preferred by many for brights; succeeds where the other yellow sorts fail.		
14700	30	
Safrano. Rich saffron-yellow color; soft silky texture and fine flavor	25	
Sterling. The newest and brightest of the yellow type, and the earliest to ripen14720	30	
Sumatra. Home-grown; well-known sort; needs no description	80	
Turkish. Home-grown. Needs no description	60	6 00
" Lataki. Imported seed	60	6 00
Virginia Oak Hill Yellow. Resembles White Burley in color and Oronoka in shape and		
habit. Unsurpassed in delicacy of fiber	30	
White Burley, Improved. Leaf is large and broad, with yellowish white stem and ribs. 14756	30	
Yellow Mammoth. Large yielder	30	3 00
All 10 cents per packet. Not less than 10 cents' worth sold		

BIRD SEED, ETC.

Prices of Bird Seed fluctuate considerably throughout the year. The prices now quoted are those ruling as we go to press, and may be higher or lower as the season advances. Bags and transportation charges extra.

Canary Seed, Plain. Best grade	Lb. \$0 25	Millet, Golden	ь. \$0 12
Canary Seed, Mixed. Best grade	25	Rape, English	15
HempSorghum Mixed (Kaffir Corn). For pigeons,	15	" German	15
etc25 lbs. \$2.50, 50 lbs. \$4.50	12	Gravel for Cagesper qt., 6 cts	
Lettuce Seed		Cuttlefish Bone	
Maw, Blue Poppy	50	Sunflower Seed for Parrots	12

VEGETABLE PLANTS

We shall have some of the standard sorts at their proper seasons

ESCULENT PLANTS AND ROOTS

Artichoke Roots, Jerusalemper qt., 25c. Doz.	100	1000
" Globe. Large, extra-strong roots		
Asparagus Roots. Plant either in fall or spring.		
Colossal. Two years old; in bundles of 50	\$1 00	\$8 00
" Three years old	1 50	
" Four years old; for forcing	2 00	
Giant Argenteuil. Two years old		8 00
Palmetto. Two years old; in bundles of 50	1 00	8 00
Columbian Mammoth. Two years old		. 8 00
Barr's Mammoth. Two years old	1 00	8 00
Chicory (Witloof-French Endive.) Fine strong roots for forcing. See page 24	3 50	
Chive Plants. Plant early in springper bunch, 25 cts.		
Horse-Radish Roots. Cut in pieces. Plant in spring	75	
" "Maliner Kren." In bundles of 5050 for 60 cts		7 00
Rhubarb Roots. Strongeach, 25 cts\$2 50		
Tarragon Plants. (Estragon)each, 35 cts 3 50		

DAHLIA ROOTS

A fine assortment of all kinds. **Canna Roots.** See page 135

See pages 133-134.

JAPAN IRIS See page 139

HORTICULTURAL BOOKS

ALL CAREFULLY SELECTED STANDARD WORKS

Kindly Order by Number

	Alfalfa. Illustrated. By. F. D. Coburn. \$0 50	115 Flower-Garden, How to Make a. By many experts. 200 illustrations\$2 00
	Asparagus. By Dr. F. M. Hexamer 50 Bees, How to Keep. By A. B. Com-	119 Flowerless Plants. By E. H. Hale.
	stock 1 20	Illus
	Botany. The Story of Plant-Life. By Julia McNair Wright	By Thomas Shaw. Practical. Illus. 287 pages 1 00
17	Cabbage, Cauliflower and Allied Vegetables. By C. L. Allen. Cloth. Illustrated	127 Forcing Book, The. By L. H. Bailey. How to grow vegetables under glass. Cloth
19	Carnations and Pinks. By J. H. Cook, James Douglas and J. F. McLeod. 8 colored plates. 65	129 Fruit-Garden, How to make a. By S. W. Fletcher. 182 illustrations 2 00
21	Celery-Culture. By Prof. W. R. Beattie	131 Fumigation methods. By Willis G. Johnson. A practical treatise 1 00 135 Garden Profits. By E. L. D. Seymour
25	Children's Gardens, for Pleasure, Health and Education. By H. G. Parsons	B. S. A. An efficient help to the amateur gardener 1 00
	Chrysanthemums. By Thomas Stevenson. 8 colored plates	147 Garden-making. By L. H. Bailey. All the information wanted by everyone who buys a single packet of seeds or grows one plant. Illus
29	Clovers and How to Grow Them. By Thomas Shaw. Cloth. Illus. 337 pages. 1 00	153 Hardy Plants, A Plea for. By. J. W.
33	Corn, The Book of. By Herbert Myrick	Elliott. 50 illustrations
	Daffodils. By Rev. Joseph Jacob. 8 colored plates	Live Fences. By E. P. Powell. The planting, growth and management of hedge plants
44	Dahlias. By George Gordon. 8 colored plates	168 Home Vegetable Garden. By A. Kruhm. A practical guide for the
	Daffodils—Narcissus and How to Grow Them. By A. M. Kirby	beginner and small home gardener as well as the commercial gardener 1 00
	Farm Animals. By E. V. Wilcox 2 00	171 House Plants. By Parker Thayer Barnes. Cloth. Illus
55	Farm-Book, The New American. Allen	175 How Crops Grow. By Prof. S. W.
61	Farm Grasses of the United States. By Prof. W. J. Spillman. A practical treatise	Johnson 1 50 177 How to Grow Vegetables. By Allen French. Practical from the ground up.
67	Farm and Garden Rule Book. By L. H. Bailey. A manual of ready rules	Cloth. 12 mo. 304 pages. 150 illustrations
71	and references. Cloth 587 pages 2 00 Farm Management. By F. W. Card.	179 How to Plan the Home Grounds. By Samuel Parsons, Jr. Cloth. 56 Illus. 1 00
	Accounts, business, marketing, etc. Illus	185 How to Know the Wild Flowers. By Mrs. William Starr Dana. Illus 2 00
77	Farming, The First Book of. By C. L. Goodrich. A practical handbook 1 25	189 Insects and Insecticides. By. Prof. C. M. Weed
83	Ferns and How to Grow Them. By G. A. Woolson. Cloth. Illus 1 25	191 Iris. By C. S. Harrison. A manual. Description, classification, propagation and cultivation
	Fertilizers. By Prof. E. B. Voorhees. 1 50	193 Landscape Gardening. By S. Parsons,
95	Fertility of the Land, The. By Prof. I. P. Roberts, Cornell University 1 50	Jr., late superintendent of Parks, N. Y. City
101	Flowers, How to Grow Them. Rexford	197 Lawns and How to make Them. By Leonard Barron
105	Flower-Garden, The. By Ida D. Bennett	205 Lessons and Manual in Botany. By Prof. Asa Gray. Illus. 800 pages 2 50

HORTICULTURAL BOOKS—Continued

Kindly Order by Number

211	Lilies. By A. Grove. 8 colored plates. \$0 65	265 Roses and How to Grow Them. By
209	Mushrooms, How to Grow. Falconer1 00	many experts. Deals with American practice, outdoors and under glass. Cloth. Illus
213	Manual of Gardening. By L. H. Bailey. A practical guide to the making of home grounds and the growing	271 School Garden, How to make a. By H. D. Hemenway. 26 illustrations 1 25
	of flowers, fruits, and vegetables for home use, preparing the ground, handling the land, enriching the land,	277 Small-Fruit Culturist. By A. S. Fuller 1 00
	pruning, tree surgery, insecticide spray- ing formulas, treatment for insects, plant diseases, perennials, bulbs and	283 Soiling Crops and the Silo. By Shaw. Cultivating and harvesting. How to
	tubers	build and use a silo. Cloth. Illus. 364 pages 1 50
	Nursery Book, The. By L. H. Bailey. Budding, grafting, seed-sowing, etc. 1 50	289 Soils, How to Handle and Improve. By Fletcher. Crash-cloth. 100 photographs
	Onion Culture, The New. By T. Greiner	295 Spraying of Plants, The. By E. C. Lodeman
	Orchard and Fruit-Garden. By E. P. Powell	307 Survival of the Unlike, The. By L. H. Bailey. A collection of evolution essays 2 00
	Orchids. By James O'Brien. 8 colored plates	311 Sweet Peas and their Culture. By C. H. Curtis, Secretary National Sweet
	Ornamental Gardening for Americans. By Elias H. Long	Pea Society of Great Britain
230	Pæony. A manual on propagation and cultivation. By C. S. Harrison 25	8 colored plates
231	Plant Breeding. By L. H. Bailey. Treats of crossing, hybridizing, pollination, etc	tails
232	Pansies and Violets. By William Cuthbertson. 8 colored plates	ers. Manual of North American trees. Cloth. Illus. 16 color plates and nearly 350 photos
2 33	Phlox. A manual. How to grow them. By C. S. Harrison 25	325 Tree Shrubs and Herbaceous Perennials. By Kirkegaard. It contains just such information as one requires
237	Potato, The. By Fraser. Cloth. 200 pages	in making the best selection of varieties and to care properly for trees and other
241	Practical Potato-Culture. A valuable book, recommended by the Penn. De- partment of Agriculture. The author	plants, and for lawns and gardens. The many plants that are worth while are authoritatively described. Flowering season of each plant is given, its ulti-
	touches upon everything pertaining to the potato growing, whether it be little or big, the marketing, storing, and dis-	mate height, color of bloom, etc., etc. Helpful articles on insects, spraying,
	eases, including hints on raising veg- etables for the home garden. A	pruning, trimming, cultivating and the preparation of soils. Contains lists of Trees, Shrubs, Vines and Flowers
	practical guide for the potato grower. By E. A. Rogers	adapted for various special purposes. Illustrated. An every-day reference book for every lover of plants. Post-
243	Practical Garden Book, The. Directions for growing the commonest plants. 1 00	paid
249	Principles of American Forestry. By Samuel B. Green	331 Truck-Farming at the South. Oemler
255	Principles of Plant-Culture. By Prof. E. S. Groff. A first-class instruction	339 Vegetable-Garden, The. By Ida D. Bennett
259	book in horticulture	343 Vegetable Garden, How to make a. By E. I. Fullerton. 250 illustrations 2 00
	A manual of pruning and training. Cloth. 540 pages	355 Water-Lilies and How to Grow Them. By H. Hus and H. S. Conard
263	Rhododendrons and Azaleas. By William Watson	365 Woman's Hardy Garden, A. By Helena Rutherfurd Ely 1 75



Lawns like this can be produced by sowing Thorburn's Lawn Grass Seed

About Lawns and Lawn Grass Seed

FORMATION OF LAWNS FROM SEED

There is nothing more attractive than a well-kept lawn.

Many things are to be considered in connection with the making and proper care of lawns. A good

Many things are to be considered in connection with the making and proper care of lawns. A good lawn cannot be made in one season, success coming only through intelligent care for a period of years. The ground should be thoroughly drained and well prepared. The soil ought not to be too rich, as a rapid growth is not wanted in the grasses of a lawn; but the surface should be as much alike in quality as possible and thoroughly pulverized. After sowing, the ground should be rolled and cross-rolled in order to press the seed firmly into the soil, and ten days or so thereafter a light application of Thorburn's Lawn Fertilizer, mixed with an equal quantity of good loam or sand, will serve to stimulate the growth of the young grasses. The proper time to sow grass seed depends, of course, upon the latitude. In the central and eastern states from March 15 to the middle of May is the best time; but in favorable seasons the sowing may be done up to July 1. Seed may also be sown in the Fall, from the latter part of August to the end of September. The sowing should be done when the ground is moist, or before an expected rain, and a subsequent tember. The sowing should be done when the ground is moist, or before an expected rain, and a subsequent rolling is always advisable. As to weeds in newly-made lawns, it may not be generally known that many weed seeds actually lie dormant in the ground for six or seven years and will germinate and make their appearance when the soil is turned up. The annual wild grasses, such as crab grass or Summer grass, must be pulled up by the roots before they ripen their seed in the Fall.

Rolling.—As soon as the frost is out of the ground in the Spring, the land should be gone over with a heavy roller. Winter frosts loosen the soil, and rolling is necessary to compress it again. Roll frequently. Mowing.—All turf-forming grasses are improved, both in vigor of root-growth and in fineness of texture, by frequent mowings. It is impossible to say just how often the grass should be mown, as that depends upon the rate at which it grows. Too close cutting should be guarded against, however, especially during the hot Summer months, when the roots require some top-growth to protect them from the burning sun. A good top growth is also necessary to protect the roots from severe Winter frosts.

To Grass a Bank or a Terrace—For each square rod, take a pound of Terrace Lawn Grass Seed and

To Grass a Bank or a Terrace.—For each square rod, take a pound of Terrace Lawn Grass Seed and mix it thoroughly with 6 cubic feet of good, dry garden loam; place in a tub, and add liquid manure, diluted with about two-thirds of water, so as to bring the whole to the consistency of mortar. The slope must be made perfectly smooth, and then well watered, after which the paste should be applied, making it as even and thin as possible.

It is a good plan to sow on good land, in any out-of-the-way place, strips for sod to be used for patching poor parts of the lawn, or for grass borders, etc. The best mixture of seed for this purpose is Cynosurus

cristatus (Crested Dog's-tail), Kentucky Blue Grass and Fancy Red Top.



This Lawn was sown with Thorburn's Lawn Grass Seed Mixture for Shady Spots

Lawn Grass Seed Mixtures

Prices of all Lawn Grasses include free delivery in the United States by mail, express, or freight, at our option

THE THORBURN LAWN GRASS SEED

Many of the finest lawns in America were produced from this mixture. It is composed exclusively of permanent grasses that make a finer and thicker turf the older they become, and yet give a rich greensward in three or four weeks from the time of sowing. Sow at the rate of four bushels to the acre (per bushel of 20 lbs.) One quart of our Lawn Grass Seed will sow a plot 15x20 feet, or 300 square feet.

Pt\$0	20	2 qts	\$0 60	Pk\$1	75
Qt	35	½ pk	1 00	Bus 6	00

Thorburn's Lawn Grass Seed for the South

A mixture of grasses that stand extremes of heat and drought well, will grow and thrive vigorously under these conditions and are therefore peculiarly adapted for Southern lawns.

Qt\$0	40	$\frac{1}{2}$ pk	25
2 Qts	70	Pk 2	00
Bushel of 20 pounds.			50

Thorburn's Lawn-Restoring Grass Seed

A mixture of grasses peculiarly suited to take firm hold and grow quickly on hard, worn-out or burned spots. The best time to re-sow such places is very early in the Spring; but seed may also be sown with good results in the Fall from the first of September to the first of October. Some Lawn-restoring Grass Seed should also be sown before every Summer rain on thin places.

Qt\$0 4	10 1	2 pk.	 	 .\$1	25
2 qts 7	70 F	٩k	 	 . 2	00
Bushel of 20 pounds			 	 . 7	00

Thorburn's Grass Mixture for Under Trees and Shady Spots on Lawns

A mixture of grasses that thrive in shaded situations, under trees or close to walls.

tions, under tices or				
Qt\$0	40	½ pk	 \$1	25
2 ats	75	Pk	 2	15
Bushel of 22 pounds.			 8	00

Thorburn's Lawn Grass Mixture for the Seashore

A mixture of fine grasses peculiarly suited to seaside lawns.

Qt\$0 3	5	½ pk	 .\$1	00
2 ats 6	50	Pk	 . 1	75
Bushel of 18 pounds			 . 6	00

Terrace Lawn Grass Seed

A mixture of fine, stoloniferous grasses peculiarly adapted to terraces.

maniprod to torraccos.		
Qt\$0	40 ½ pk	25
2 qts	70 Pk 2	00
Bushel of 20 pounds		00



Photo of 7th Green Mountain Ridge Golf Course made from seed supplied by us

Permanent Grass Seed for Golf-Links, Tennis-Courts, Polo-Grounds, etc.

We have devoted much attention to the seeding and preservation of golf-links, tennis-courts and polo-grounds, and offer the following mixtures, which have been used on many of the finest links, etc., in the country, with very satisfactory results.

Polo-Grounds Mixture

A mixture of fine-leaved and deep-rooting grasses forming a strong and lasting turf that will stand hard usage. Per bushel of 20 pounds, \$5.00.

Tennis-Court Mixture

A mixture of extra-fine grasses peculiarly adapted to tennis-courts. This mixture will make a firm, green and lasting turf of the finest texture, that will improve with the trampling it receives.

Qt\$0 2 qts	40	½ pk	 . \$1	25
2 qts	70	Pk	 . 2	00
Bushel of 20 pounds.			 . 7	00

Fair-Green Mixture

For the grounds in general. Per bushel of 20 pounds, \$5.00.

Putting-Green Mixture

Our own special formula as furnished all the leading golf clubs in America. A mixture of extra-fine highest-grade grasses, that will make a close, firm, green and lasting turf, which will improve with trampling.

Ot\$0 40	1/2 pk\$1	25
$\widetilde{2}$ qts	Pk 2	15
Bushel of 24 pounds	8	00

Grass Mixture for Railroad Banks, etc.

A mixture of grasses with long, interlacing, matting roots that will bind steep embankments, gravelly or sandy slopes, etc., preventing washouts by rainstorms and covering with permanently green turf.

Qt\$0	35	½ pk\$0 85
2 qts	60	Pk
Bushel of 18 pounds		5 50

Grass Seed Mixtures for Meadows and Pastures

It is a well-ascertained fact that a thicker and more prolonged growth is produced by a mixture of many sorts of grasses than by only one or two. For every different kind and condition of soil there are grasses that are especially suitable. Some sorts do best on high ground and in dry weather; others prefer plenty of moisture. Some mature so early and others so late that from the beginning of Spring until Winter sets in there is no time when one species or another is not at its best. Grass seed may be sown either early in Spring or in Fall from the first of September to the middle of October; in this latitude the best time to sow meadow grass seed is during the late Summer and early Fall, that being the natural seeding time for grass. This will, of course, not give very much of a crop the following year; the grass will be fine and thick, but rather short, and not a heavy yield. The best meadows are seeded alone, without any "nurse" crop, while if seeded with Rye, that crop being the stronger and quicker grower will monopolize the ground so that it will be another year before much of a crop of grass can be had.

For over a hundred years our house has made a specialty of grasses. We were probably the first to introduce to this country, for commercial distribution, the many valuable natural and cultivated foreign species that now take such an important part in our agricultural economy. The formation of permanent pastures and meadows has, for many years, been a subject of careful study with us, and the following formulæ for seeding grass-lands have received universal recognition. The quantities given are the minimum, and may often be increased to advantage.

MEADOW MIXTURES FOR ONE ACRE

No. 1. On Good Land, neither Too Dry nor Too Wet.

8 lbs. Fancy Red-Top.

1/2 " Perennial Sweet Vernal.

2 Sheep's Fescue.

10 Perennial Rye Grass.

17 Timothy.

" Red Clover.

" Alsike Clover.

40 lbs. \$9.00.

Sow 40 lbs. to the acre.

No. 2. On High and Dry Land.

8 lbs. Fancy Red-Top.

1 " Tall Meadow Oat Grass.

6 " Crested Dog's-tail.

2 " Orchard Grass.

4 " Sheep's Fescue.

13 " Timothy.

2 " Red Clover.

4 " Kentucky Blue Grass.

40 lbs. \$12.00.

Sow 40 lbs. to the acre.

No. 3. On Wet Late Land.

12 lbs. Fancy Red-Top.

6 " Orchard Grass.

2 " Meadow Fescue.

Tall Fescue.

1 Kentucky Blue Grass.

12 " Perennial Rye Grass.

" Timothy. 5

1 " Red Clover.

1/2 " Alsike Clover.

40 lbs. \$9.00.

Sow 40 lbs. to the acre.

PASTURE MIXTURES FOR ONE ACRE

No. 4. On Good Land, neither Too Dry nor Too Wet.

7 lbs. Fancy Red-Top.

9 " Orchard Grass.

12 " Perennial Rye Grass.

" Kentucky Blue Grass. 7

3 " Timothy.

" Red Clover.

40 lbs. \$9.00.

Sow 40 lbs. to the acre.

No. 5. On Dry Land.

5 lbs. Fancy Red-Top.

8 " Orchard Grass.

10 " Timothy.

40 lbs. \$8.50.

10 " Perennial Rye Grass.

2 " Red Clover.

4 " Kentucky Blue Grass.

No. 6. On Wet Land.

10 lbs. Fancy Red-Top.

10 " Orchard Grass.

1 " Tall Fescue.

1 " Red Clover

12 " Perennial Rye Grass.

2 " Timothy.

3 " Kentucky Blue Grass.

1 " Alsike Clover.

40 lbs. \$9.50.

Sow 40 lbs. to the acre.

Sow 40 lbs. to the acre.

The various Grasses used in the above mixtures are fully described on the following pages.

We are always glad to make up Special Mixtures, and are pleased to answer inquiries as to the best grasses for different purposes and for sowing on various soils under varying climatic conditions.

Grass Seeds

We desire to call particular attention to the fact that Grass Seeds are sold in the trade by sample, and each sort is divided into three or four grades of quality, according to purity, germination and weight. The price of the best grade is often double that of the ordinary. The Grass Seeds here offered by us are in every case the VERY HIGHEST GRADE.

Not less than one pound of any one sort sold

Prices subject to market fluctuations during the season

The weight per bushel is average actual weight

AGROSTIS CANINA (Rhode Island Bent Grass). Resembles Red-Top (A. vulgaris, described below), but is of dwarfer habit, with shorter and narrower leaves. It makes a beautiful, close, fine turf, and is one of the very best grasses for lawns in mixture with other sorts. It adapts itself to almost any soil, rich and moist, or dry, sandy and sterile. 60 lbs. of seed to the acre is recommended for lawns. (16 lbs. to the bushel.)

Bent, or South German Fiorin). The only true Creeping Bent Grass. The distinctive feature of this species is, as the name implies, its compact, creeping, rooting stems. It is of rapid growth and spreading habit, and the stoloniferous roots which it sends down into the soil form a strong, enduring turf that is positively improved by constant trampling. The other varieties of Agrostis are distinguished from this sort by their flattened, parallel surface roots. Being of fine texture, it is most valuable for lawns and putting-greens. If sown alone, 60 lbs. to the acre should be used. Doubtful if obtainable owing to conditions in Europe at present. Will give prices on application if practicable.

AGROSTIS VULGARIS (Red-Top; Herd's Grass). A very hardy, native perennial grass, succeeding best on moist land. It accommodates itself to a variety of soils, however, even to dry situations and stands our hot climate admirably. It is, perhaps, the most permanent grass we have, and it enters largely into the composition of our best natural pastures. It remains green for the greater part of the year, and its long, trailing stems form a very close, matting turf that is not affected by trampling. The seed, as usually sold, weighs 15 to 18 lbs. to the bushel, in its natural condition. Sow 4 bushels to the acre.

RED-TOP GRASS, FANCY HEAVY. Absolutely clean and free from chaff. About 36 lbs. to the acre. (36 lbs. to the bushel.)

Lb.....\$0 30 | 25 lbs....\$6 00 10 lbs....2 75 | 100 lbs....22 00

ALOPECURUS PRATENSIS (Meadow Foxtail).
One of the best permanent pasture grasses for rich, moist soil. Its chief characteristics are its earliness and its faculty of standing high Summer heats without burning. It prefers moist, low

ALOPECURUS PRATENSIS—Continued

grounds, but it accepts drier situations, and makes an earlier Spring verdure than any other variety. Sow only in connection with other grasses, 3 to 4 lbs. to the acre; if sown alone, 25 lbs. to the acre.

Lb.....\$0 75 | 25 lbs....\$16 00 10 lbs.....7 00 | 100 lbs.....60 00

ANTHOXANTHUM ODORATUM (True Perennial Sweet Vernal Grass). For a mixture with pasture grasses, it is valuable on account of its vernal growth, and also for continuing to throw up root foliage until late in the Autumn. For meadows, its chief merit is the fragrant odor which the leaves emit when partially dried, thus sweetening hay. It is a vegetable condiment, rather than a grass of much nutritive value. From 2 to 3 lbs. to the acre when mixed with other grasses.

Lb......\$0 90 | 10 lbs.....\$8 00

AVENA ELATIOR (Tall Meadow Oat Grass). Most valuable for pasture on account of its early and luxuriant growth; it produces an abundant supply of foliage, which is relished by cattle early and late. For hay it may be cut twice a year, and for green soiling it may be cut four or five times in favorable seasons. It is very hardy, and withstands extreme drought and heat and cold. It is very valuable for our Southern states, where it is extensively cultivated for Winter grazing and for hay. 50 lbs. to the acre.

Lb.....\$0 35 | 25 lbs....\$6 50 10 lbs....3 00 | 100 lbs....24 00

BERMUDA GRASS (Cynodon dactylon). A most valuable grass for our Southern states, both for pasture and lawns. It is of dwarf habit, with long, creeping stems rooting at the joints and covering the ground with a matting of fine turf, which no amount of trampling will impair. It is also useful for binding drifting sand and for steep embankments subject to wash. When established it is difficult to eradicate, and is therefore unsuitable for temporary pastures. It requires heat and moisture to start it. As it cannot endure frost, it is of no value north of Virginia. It thrives in the poorest and sandiest soil, and resists extreme drought and intense tropical heat. It should be sown at the rate of 15 lbs. to the acre.

Lb. . . . \$0 65 | 25 lbs. \$13 00 10 lbs. 5 50 | 100 lbs. 50 00

BLUE GRASS, Canada. See Poa compressa.

- " English. See Festuca pratensis.
- " Kentucky. See Poa pratensis.

GRASS SEEDS-Continued

BROMUS INERMIS (Awnless or Smooth Brome Grass). An erect perennial, 3 to 5 feet high; native of Hungary. The nutritive quality of its hay, however, is generally inferior to that of our standard native sorts, so that we should recommend it only for dry, arid soils where the better and more delicate grasses would not grow. It is strongly stoloniferous, its creeping rootstocks spreading rapidly under ground and giving out new plants. It is on this account undesirable for temporary meadows, being difficult to eradicate when once established. Sow 35 to 40 lbs. to the acre.

BROMUS PRATENSIS (Meadow Brome Grass). A hardy perennial, 2 to 3½ feet high, much used in mixtures for meadows, both for mowing and pasture. It is not recommended to be sown alone except in poor soil, on dry, stony hillsides, where better grasses will not grow. It withstands extreme cold and drought, and, if cut before flowering, it makes a good hay. If left to grow older, it becomes very tough. 30 lbs. to the acre.

 Lb.
 \$0 25 | 25 lbs.
 \$5 00

 10 lbs.
 2 25 | 100 lbs.
 18 00

CYNOSURUS CRISTATUS (Crested Dog's-tail). A stoloniferous perennial, forming a smooth, compact and lasting turf. It thrives best on rich, moist land, but it can accommodate itself to almost any soil. Its roots penetrate deeply into the ground, which enables it to stand severe droughts. It makes a good bottom grass and is therefore valuable in mixtures for lawns and putting-greens. It thrives well in the shade. The color is the same as that of the Kentucky Blue Grass, and it is, therefore, excellent in mixture with that sort. If sown alone, 30 pounds to the acre is none too much, but it is recommended only in mixture with other sorts.

Lb.\$0 40 | 25 lbs\$8 00 10 lbs\$3 50 | 100 lbs\$3 00

DACTYLIS GLOMERATA (Orchard Grass; Cocksfoot). One of the grasses most employed in permanent meadows, either for pasture or for mowing. It is very hardy and succeeds well anywhere in the United States. It is very productive and makes excellent hay. If cut before it flowers it is less hard and the pith of the stem is soft and sweet. It blossoms about the same time as Red Clover, and is therefore, desirable in mixture with that plant. Stock of all kinds are very fond of it, either dry or green, and it endures constant cropping better than any other grass. After being mown, it grows up quickly and yields a heavier aftermath than any other variety. It can stand considerable shade, and is recommended as a pasture grass for woodlands. Its tendency to grow in tussocks is diminished if it is sown with other grasses, and also by heavy rolling in the Spring; but it is quite unsuitable for lawns. (14 lbs. to bushel.) Sow 3 to 4 bushels to the acre. Lb.....\$0 40 25 lbs. \$8 00

DOG'S-TAIL, CRESTED. See Cynosurus cristatus.

100 lbs......30 00

10 lbs..... 3 50

FESTUCA DURIUSCULA (Hard Fescue). This is a variety of F. vvina, dwarfer and less vigorous in growth, but possessing all the other valuable characteristics of that variety. It is emphatically a grass for dry lands, doing well on sandy and shallow silicious soils. It is exceedingly hardy and withstands extremes of heat and cold, and also long periods of drought. For permanent pastures on poor lands, it is especially valuable; but it may also be used in meadow mixtures for well-manured clayey lands. In the latter case it has been known to yield a good crop of excellent hay and a very large aftermath. On account of its stooling habit, it is not recommended for lawns. Crop doubtful on account of the war in Europe—will give price on application, if practicable.

FESTUCA ELATIOR (*Tall Fescue*). This grass succeeds best in moist, alluvial and strong, clayey soils. It is very productive and of long duration, and is especially valuable for permanent pasture. Stock of all kinds eat it readily, and its nutritive value is very great. On rich, moist lands it yields a large amount of hay of excellent quality. It is not suitable for lawns. 40 lbs. to the acre.

Lb.....\$0 70 | 25 lbs.....\$15 50 10 lbs....6 50 | 100 lbs.....60 00

FESTUCA HETEROPHYLLA (Various-leaved Fescue). A very early, hardy perennial, 2 to 3 feet high, thriving best in cold, moist soils that are rich in humus and potash. In such soils it yields heavily, and is valuable in grass mixtures for permanent meadows either for mowing or grazing. Its great production of root-leaves makes it an excellent bottom grass. Its nutritive value is very high. It grows very well in the shade and is highly recommended for shaded lawns in mixture with other grasses. 40 lbs. to the acre. Crop doubtful on account of the war in Europe—will give price on application, if practicable.

FESTUCA OVINA (Sheep's Fescue). A native both of America and Europe. In our Northwestern states there are many varieties of it, some of which grow 2 to 3 feet high. It prefers dry uplands and thrives in poor, shallow, gravelly soils, where other grasses would fail. It is very hardy, resisting extreme heat and cold. Though of dwarf growth, it grows thickly, yielding a large amount of nutritious herbage. In grass mixtures, for pastures on high and dry lands, it is especially valuable. Though a "bunch grass," it may be included in lawn mixtures as well as in fair-green mixtures on account of its fine foliage and dwarf dense growth. 35 lbs. to the acre. Crop doubtful on account of the war in Europe—will give price on application, if practicable.

FESTUCA PRATENSIS (Meadow Fescue, or English Blue Grass). One of the grasses most used in permanent or temporary meadows for mowing or for pasture. It succeeds best in cold, moist, light soils, in well-drained meadows and in low valleys rich in organic matter. It should not be grown at all on warm, dry land. It does not reach its full development till the second or third years, when it far exceeds most other sorts in the

GRASS SEEDS-Continued

FESTUCA PRATENSIS—Continued

quantity of its produce and nutritive matter. After being mown, it grows again very quickly. The forage, either green or dried, is very nourishing and much relished by cattle, especially when cut young. 40 lbs. to the acre.

Lb.....\$0 30 | 25 lbs....\$5 50 10 lbs.....2 50 | 100 lbs.....20 00

FESTUCA RUBRA (Red or Creeping Fescue).

True. A creeping-rooted species forming a close and lasting turf, and especially adapted for dry, sandy soils. It resists extreme drought, and thrives on very inferior soils, gravelly banks and exposed hillsides. It is also valuable for shady places in lawns, as well as for golf-courses and for binding shifting sands on the seashore. (24 lbs. to bushel). 30 lbs. to the acre.

Lb.....\$0 50 | 25 lbs....\$10 50 10 lbs....4 50 | 100 lbs....40 00

FESTUCA TENUIFOLIA (Slender Fescue). This is really a variety of Festuca ovina, with much finer leaves. It will grow on very dry and inferior soils, and its dwarf habit of growth and fineness of leaf render it not unsuitable for dry slopes on lawns and golf-links. It stands grazing well, is very hardy, and lasts long, and may therefore be recommended for permanent pasture on high and dry situations. 30 lbs. to the acre. (22 lbs. to bushel.) Crop doubtful. Owing to the war in Europe—will give price on application, if practicable.

FOXTAIL. See Alopecurus pratensis.

HOLCUS LANATUS (Meadow Soft Grass; Velvet Grass). This grass is of fair agricultural value and it will thrive on poor soil, where better sorts will not grow. It is a perennial, very hardy and grows rapidly. As a forage plant its nutritive value is small, yet it makes a hay that is eaten readily by cattle, especially when it is sprinkled with salt. 35 lbs. to the acre. Crop doubtful. Owing to the war in Europe—will give price on application, if practicable.

HUNGARIAN GRASS. See Panicum germanicum.

JOHNSON GRASS. See Sorghum Halepense, p. 66.

LOLIUM PERENNE (Pacey's Perennial Rye Grass). Although called a perennial, it seldom lasts more than three or four years. It is the most valuable grass of Great Britain, both for pasture and for meadows, occupying there the same relative position of importance that Timothy holds here. The cool, moist climate of England seems to suit it best, yet it succeeds very well in our middle and eastern states, and adapts itself to a great diversity of soils. The seed is large and heavy, and produces a strong, verdant growth in four or five weeks after sowing. It cures into hay having a sweet flavor, and is much relished by cattle and horses. Its nutritive value, especially in mixture with Red Clover, is very great. It is excellent in mixtures for quick effects in lawns or golf-links. 60 lbs. to the acre. (28 lbs. to bushel.)

Lb\$0	20	25 lbs\$3	00
10 lbs 1	40	25 lbs	00

short-seeded, dwarf-growing strain, suitable for lawns. Makes a fine green turf in three weeks.

Lb. . . . \$0 20 | 25 lbs. . . . \$3 25 10 lbs 1 50 | 100 lbs 12 00

lasting two or three years, under very favorable circumstances, it is practically an annual. Like the Perennial Rye Grass, it is a remarkably rapid grower, and has, in addition, the advantage of standing extremes of temperature, remaining green throughout the Winter, and retaining its freshness in the hottest Summer months and during prolonged drought. When sown very thickly or in mixture with other sorts, it makes a good, dense turf, and it has been used with much satisfaction on lawns as far south as Jacksonville. On rich, moist soils, it is exceedingly productive and may be cut in four or five weeks after sowing, and every six weeks after that until frost. For temporary meadows, on good soils, it is a most valuable grass. 50 lbs. to the acre. (22 lbs. to bushel.)

OAT GRASS. See Avena elatior.

ORCHARD GRASS. See Dactylis glomerata.

PANICUM GERMANICUM (Hungarian Grass). One of the most valuable annual soiling plants. It grows on any ordinary soil; withstands drought well. As it is of very rapid growth, being ready for cutting within sixty days, it may be sown in this latitude as late as the middle of July for hay, or in the middle of August for green fodder. It should be cut just before blooming, when it makes a tender and nutritious hay. Sow 1 to 1½ bushels to the acre. (50 lbs. to bushel.) Doubtful if obtainable owing to the war in Europe—will give price on application, if practicable.

PASPALUM DILATATUM (Australian Water Grass). A somewhat leafy perennial, growing in clumps. Valuable as a pasture grass for the South, endures Summer heat and drought very well and is especially desirable for furnishing late Summer and Autumn feed, during which period it makes its principal growth. Sow lightly on the surface in warm weather. The seed should barely be covered with soil. Sow from 8 to 10 lbs. to the acre, with 5 lbs. of Hungarian Grass as a temporary protection.

Lb......\$0 50 | 25 lbs.....\$10 50 10 lbs.....4 50 | 100 lbs.....40 00

PHLEUM PRATENSE (Timothy). A native of Europe, but long ago naturalized in America, where it ranks as by far the most important of hay grasses. On moist, loamy or clayey soil it produces a larger hay crop than any other grass. It is not so well suited for light, sandy soils, though preferring a moist, temperate climate, it withstands drought and extreme heat and cold. Its hay is very nourishing and can be preserved for a long time. It should be cut when flowering, as if left later the hay becomes hard and coarse.

GRASS SEEDS-Continued

PHLEUM PRATENSE (Timothy)—Continued

It is often sown with Red-Top Grass and Red Clover, and the nutritive value of the hay is greatly increased by this mixture. If sown alone, at least 25 lbs. to the acre should be used; with Red-Top Grass and Red Clover, 15 lbs. of Timothy, 12 lbs. of Red-Top Grass (Fancy) and 3 lbs. of Red Clover; or with Red Clover only, 20 lbs. of Timothy and 5 lbs. of Clover. The seed weighs 45 lbs. to the bushel. Several grades are always on the market, differing in purity and vitality, but the seed we offer is of the very highest quality and extra clean. It is always most economical to buy the highest grade, known as "Fancy."

Lb\$0	20	25 lbs	50
10 lbs 1	50	100 lbs	00

POA COMPRESSA (Canada Blue Grass). Highest grade. A very hardy perennial grass, with creeping root-stocks. It grows on the poorest and driest soils, sandy, gravelly or clayey, standing extremes of wetness or drought, and keeping green until the severe frosts of Winter. It is especially valuable for dairy pastures, cows feeding on it yielding the richest milk and finest butter. It is distinguished from the Kentucky Blue Grass by its flattened, wiry stems and by its decidedly bluer color. 60 lbs. to the acre.

Lb\$0	20	25 lbs	\$4	00
10 lbs 1	75	25 lbs	15	00

POA NEMORALIS (Wood Meadow Grass). The chief characteristic of this grass is its special fitness for shaded positions in lawns and woodland parks, where other grasses will not grow. It is very permanent and hardy, resisting extremes of heat and cold, and is one of the first grasses to show a rich green growth in the Spring. The creeping roots are formed under ground, and make a good turf. Excellent for pasture. 30 lbs. to the acre. (19 lbs. to bushel.) Doubtful if obtainable owing to the war in Europe—will give price on application, if practicable.

POA PRATENSIS (Kentucky Blue Grass; June Grass). Highest grade. One of the most widely distributed and valuable native grasses. It combines more points of excellence than any other sort. It is a true perennial, lasting indefinitely and improving every year. Its densely creeping root-stocks, spreading habit and smooth, even

POA PRATENSIS (Kentucky Blue Grass)—Continued

growth, fine texture, and rich green color render it one of the very best grasses for lawns. It forms a close turf, starts, very early in the Spring, and lasts till frost. It succeeds in almost any soil—dry, rocky, sandy or gravelly—and stands long-continued dry weather and hot suns. It takes, however, two or three years to become well established, and should, therefore, be sown only in connection with other grasses. If the soil is especially suitable it will eventually crowd these out, and make the finest possible sward. It is one of our most valuable pasture grasses, very productive and nutritious. 50 lbs. to the acre.

Lb\$0	30	25 lbs	50
10 lbs 2	75	100 lbs24	00

POA TRIVIALIS (Rough-stalked Meadow Grass). A spreading, thickly matted, stoloniferous-rooted species, forming a fine turf, and adapted for shaded portions of lawns. It thrives on rich, moist soil and in sheltered situations, but not on dry land. Valuable for forming bottom grass in mixtures for permanent pastures. 20 lbs. to the acre. (26 lbs. to bushel.)

Lb	\$0 70	25 lbs\$16 100 lbs60	00
10 lbs	6 50	100 lbs 60	00

SUDAN GRASS. This recently introduced grass belongs to the Sorghum family, and, according to the reports of the U.S. Department of Agriculture, is a very valuable grass for hay, especially in sections subject to drought, making good yields nearly everywhere; it grows 4 to 9 ft. high according to cultivation, yielding 2 to 5 tons of excellent hay per acre, with as high as 9 tons under irrigation; should not be sown until the soil has become warm, about corn-planting time or a little earlier. Sow broadcast at the rate of 25 lbs. to the acre.

Lb......\$0 75 | 100 lbs.....\$60 00

RED-TOP. See Agrostis vulgaris.

RYE GRASS. See Lolium italicum and Lolium perenne.

RHODE ISLAND BENT GRASS. See Agrostis canina.

TIMOTHY. See Phleum pratense.

KENTUCKY BLUE GRASS. See Poa pratensis.

FOR CLOVERS, SEE NEXT PAGE

For Special Meadow and Pasture Mixtures, see page 57; and for Cereals and Field Corn, and Forage, Economical and Miscellaneous Seeds, see pages 64 to 66. Fertilizers are quoted on pages 147 and 148.

The books listed on pages 52 and 53 will be found invaluable helps to the Home or Commercial Gardener, the Farmer, Dairyman and the Stockman.

FARMOGERM. Nitro-gathering bacteria for Cowpeas, Soja Beans, Vetches, etc. Acre-bottle \$1.50; 5-acre bottle, \$5. See also, page 66.

Clovers

We quote present prices on Clovers as near as it is possible to offer them at, as we go to press. We shall be very glad to quote prevailing prices on all of them from time to time, and we solicit inquiries. It is understood, of course, that all are subject to market fluctuations.

ALFALFA, or LUCERNE (Medicago sativa). Requires deep, rich, well-drained soil. The taproot descends often to a depth of 10 to 15 feet in loose soil. It is consequently, capable of resisting great droughts. It should be sown alone (about same time as oats are sown in this section) in thoroughly prepared, deeply plowed soil, at the rate of 20 to 25 lbs. to the acre. It may also be sown as late as August and up to the middle of September in more southerly localities. The crop should be cut when the plant is coming into bloom. In suitable soil it is perennial, and several crops may be cut every year. American seed.

Lb.....\$0 30 | 25 lbs....\$6 50 10 lbs.....2 75 | 100 lbs.....25 00

ALSIKE, or HYBRID CLOVER (*Trifolium hybridum*). A perennial, 1 to 3 feet high, succeeding best in cold, stiff soils, and in marshy lands which are too wet for other species. It grows well in the far North and in high altitudes. A good honey plant for bees. 15 lbs. to the acre.

Lb. \$0 35 | 25 lbs \$7 50 10 lbs 3 25 | 100 lbs 28 00

BERSEEM, or EGYPTIAN CLOVER (Trifolium alexandrinum). Suitable for a rotating crop on irrigated lands. It is very succulent and much relished by stock. Its value as a soil-renovator is very high. Lb. 75 cts.

BOKHARA CLOVER (*Melilotus alba*). Valuable sort for soiling and for ensilage and bees. Grows from 3 to 5 feet high; sown in rich soil may be cut three times; lasts for years if cut before flowering. 15 lbs. to the acre.

Lb.....\$0 40 | 25 lbs.....\$8 00 10 lbs.....\$3 50 | 100 lbs......30 00 RED CLOVER, MEDIUM (Trifolium pratense).

One of the most valuable farm crops of the eastern states for pasture, hay, or for turning under for green manure. Sow in the Spring, 15 lbs. to the acre. Market price.

KIDNEY VETCH, or SAND CLOVER (Anthyllis vulneraria). A deep-rooted, herbaceous hardy perennial plant, valuable for dry, sandy and inferior soils, upon which Red Clover will not thrive. Eaten with avidity by sheep, cattle and horses; useful in mixture for dry soils. Sow 20 lbs. to the acre.

Lb......\$0 60 | 25 lbs.....\$12 00 10 lbs.....5 00 | 100 lbs.....45 00

CRIMSON, or SCARLET CLOVER (Trifolium incarnatum). Erect annual, 1 to 2 feet high, with bright scarlet flowers. A native of southern Europe; largely grown in our Southern states for improving the soil by turning under. Will not endure severe frost, and cannot be depended upon to stand the Winter north of New Jersey. It is a valuable crop for pasturage or green manure. For hay, cut when in full bloom. Sow 20 lbs. to the acre.

WHITE CLOVER (Trifolium repens). White Clover is of dwarf habit, spreads rapidly and is very hardy. It is valuable in permanent pastures, being sweet and nutritious. Sow in Spring, 8 to 10 lbs. to the acre.

Lb.....\$0 65

At the present time White Clover is extremely scarce and high—price for large quantities on application.

N.B.—All prices are subject to market fluctuations.

Books Invaluable to the Farmer, Dairyman, Stockman, etc. KINDLY ORDER BY NUMBER.

No. 3. Alfalfa. Its growth, uses and feeding value. By F. D. Coburn. 164 pp. Cloth.

Illustrated......\$0 50

No. 29. Clovers and How to Grow Them. By Thomas Shaw. Cloth. Illustrated. 337 pp.. 1 00

For other practical and useful publications see extensive list on pages 52, 53.

Cereals

Customers will please add cost of bags when ordering, as follows: ½ bushel 15 cts.; 1 bushel, 18 cts.; 2 bushels, 23 cts.

The prices of some varieties may change as the season advances. Prices are F. O. B. New York.

FIELD CORN (56 lbs. to the bushel.) All grown especially for seed

Ears of most sorts from 3 to 5 cts. each

Flint Varieties	Qt.	Pk.	Bus.	
Angel of Midnight. Yellow flint; 8-rowed; good sized	\$0 20	\$0 85	\$2 50	
Compton's Early Flint. Small grain; yellow; 12-rowed; large; white cob. Golden Dewdrop. Fine Flint variety. King Philip. Early; reddish yellow flint; 8-rowed. Large White Flint. Long, slim ears; pure white grain. Large Yellow Flint. Deep yellow grains; medium early. Longfellow (Yellow Flint). Small cob and large grain; popular 8-rowed variety. Sanford or Long White Flint. Large; 8-rowed; ears of unusual length.	$\frac{20}{20}$	85 85 85 85 85 85 85 85	2 50 2 50 2 50 2 50 2 50 2 50 2 50 2 50	
Dent Varieties				
Bloody Butcher. Red grain; great yielder; one of the very best; valuable for ensilage or field purposes. Champion White Pearl. Large grain; 14 to 18 rows; ripens in about 95 days Chester County Mammoth. Medium-sized, yellow grains; very large ears; late Golden Beauty. Large grain; small cob; long ears; medium early	20 20 20 20 20 15 15 20 20 20 20 20	\$0 80 80 80 85 80 80 85 80 85 80 85 80 85 80	2 25 2 25 2 25 2 25 2 25 2 25 2 25 2 25	
Fodder and Ensilage Varieties				
Cuban Giant Ensilage. Very prolific				
hill. Virginia Horse Tooth. For fodder and ensilage	20	95 85 80	$\begin{array}{c} 3 & 00 \\ 2 & 50 \\ 2 & 25 \end{array}$	
Pop Corn (Shelled)	Qt.	½ Pk.	Pk.	
Golden Queen. Red Beauty. Silver Lace. White Pearl. White Rice.	$ \begin{array}{r} 25 \\ 25 \\ 25 \end{array} $	\$0 80 80 80 80 80	\$1 25 1 25 1 25 1 25 1 25	
MISCELLANEOUS CEREALS All subject to change in	n price			
BARLEY. (48 lbs. to bus.) 2 bushels to the acre. Champion. Beardless \$2 25 BUCKWHEAT. (48 lbs. to bus.) 2 bushels to the acre. Canada Cluster		Qt. .\$0 15 . 15	Bus. \$1 50 2 50	
American Silver Hull. EarlyAbout 2 25 Japan. Productive; large grainsAbout 2 25 MILLET. (50 lbs. to the bus.) MILLET. (50 lbs. to the bus.)	cre ne strai	15 in,	2 00	
Golden, or German. Extra-large Lb. 100 lbs. seed-heads. 1½ bus. to the acre. \$0 10 \$6 50 Japan Barnyard (Panicum Crus- bus.) 1½ bus. to the acre. bus.) 1½ bus. to the acre.	r variet s. to th	ty 20	2 50	
galli). 30 to 40 lbs. to the acre. 18 14 00 Pearl. Southern fodder-plant. 20 16 00 Siberian. 10 7 50 White French. White grain. 25 20 00 Rupert's Giant. Bald; re Red Wave. Beardless Klondyke. White grain; I	ed grain		3 00 3 00 3 00 3 50	



Soja Beans

Forage, Economical and Miscellaneous Seeds

Except where noted, these seeds are not sold in packets. From 10 cts. to 25 cts. worth is the smallest quantity put up. All subject to change in price.

AUSTRALIAN SALT BUSH (Atriplex semibaccata). Thrives in soils on which nothing else will grow, and it is highly recommended for alkali soils and all regions subject to periodical drought. It is very nutritious, and good for all kinds of livestock. Two or three pounds of seed are sufficient for an acre. The seed may be sown in beds, and the seedlings planted out when 2 inches high, 3 feet apart. Grows strong and vigorously in the driest seasons. Oz. 15 cts., lb. \$1.

BEANS (60 lbs. to the bushel)-

Velvet Bean (Dolichos multiflorus). Used in the South as a forage plant, and as a fertilizer plant for turning under. Stock readily eat the vines and leaves, and the Beans, when ground with or without the pod, are used in place of oats or corn, or mixed with them. Plant in rows 4 feet apart and 1 foot in the row, 2 or 3 Beans in a place, as soon as danger of frost is past. The vines are strong and vigorous in growth, rapidly covering the ground, and bearing immense quantities of Beans. Qt. 25 cts., bus. \$5.

Soja Bean (Glycine hispida). Thrives well in hot and dry weather. Plant at the rate of ½ to ¾ bushel to the acre, in drills 2½ or 3 feet apart and cultivate same as field corn. It does not make good hay, but is good as ensilage or green fodder.

Soja Beans—Continued

Hollybrook Early. A vigorous, quick-growing variety. Pk. \$1.50, bus. \$5.

Mammoth Yellow. The largest-growing Soja Bean, valuable for green fodder and for improving the soil. Pk. \$1.25, bus. \$4.50.

BEGGAR-WEED (Florida or Giant Beggar-Weed; Desmodium tortuosum). An erect, leguminous annual, growing from 3 to 8 feet high, with abundant foliage, valuable as forage or for soil renovation in subtropical regions; it also makes hay of a fine quality. It should be sown at the rate of 10 lbs. to the acre, after the ground is warm and moist. The seed should be but very lightly covered. If for hay, it should be cut just as it begins to bloom. Lb. 40 cts., 100 lbs. \$35.

BERSEEM. See under Clover, page 62.

BROOM CORN (Sorghum vulgare). (12 quarts to the acre). Broom Corn succeeds in a good, deep soil, fresh but not damp, and it is very sensitive to cold.

Long-Brush Evergreen. Lb. 15 cts., 100 lbs. \$6.

Improved Dwarf. Lb. 15 cts., 100 lbs. \$6. California Golden Long-Brush. Grows from 12 to 14 feet high. Lb. 15 cts., 100 lbs.

FORAGE, ECONOMICAL AND MISCELLANEOUS SEEDS-Continued

CASTOR BEAN (*Ricinus*). The plant from which Castor-oil is made. Qt. 25 cts., bus. \$6.

CHICORY, Large-rooted (Cichorium Intybus). When the roots are dried, roasted and ground they become the Chicory of commerce, and are used in adulterating coffee. Oz. 10 cts., lb. 90 cts.

cowpeas (Vigna Catjang). Specially adapted to warm countries; extensively grown in our Southern states, also valuable in this latitude as a fodder-plant. The chief value of Cowpeas, however, is as a green crop to plow under. The seed should not be sown till the ground has become well warmed. Sow 1 bushel to the acre, in drills; 2 or 2½ bushels to the acre if sown broadcast.

Black. Standard variety; early and very prolific.

Pk. \$1.50, bus. \$5.

Clay. A little later than the Black; prolific in both peas and growth of vine. Pk. \$1.50, bus. \$5.

New Era. Upright-growing, quick to mature and very prolific of peas. Pk. \$1.50, bus. \$5.25 Whippoorwill. A favorite sort; makes a good

Whippoorwill. A favorite sort; makes a good growth of vine and very good for improving the land. Pk. \$1.50, bus. \$5.

EMMER. (Sometimes advertised as "Speltz," though this name is incorrect, the true Speltz being a different article.) It is grown quite extensively in the Northwest, having been brought by the Germans from Russia, where it is considered a valuable cereal on account of its hardiness and drought-resisting qualities. Lb. 15 cts., 100 lbs. \$7.

ESPARSETTE. See Onobrychis sativa.

FURZE (Ulex europaea). Also known as Whin and Gorse. A perennial leguminous shrub. The crushed sprigs of one year's growth of this shrub furnish an excellent green fodder in Winter. It grows well on barren hillsides and in sandy soil. Sheep are fond of it. 25 lbs. to the acre. Oz. 15 cts., lb. \$1.50.

JERSEY WINTER KALE, or Cow Cabbage. Excellent for feeding cattle; very hardy. Pkt. 5 cts., oz. 10 cts., ¼ lb. 20 cts., lb. 65 cts.

JUTE (Corchorus). Annual. Thrives in any good Corn ground. Sow in drills, about 8 inches apart, 4 lbs. to the acre. Requires no cultivation, as it will outstrip in growth all weeds. May be also sown broadcast, 6 or 7 lbs. to the acre. Oz. 15 cts., lb. 75 cts.

KAFFIR CORN. See Sorghum, page 66.

KIDNEY VETCH, or Sand Clover. See Clovers,

page 62.

LOTUS corniculatus (Bird's-foot Trefoil). Perennial; used in pastures. Cattle and sheep eat it readily, and it is said to be quite nutritious. It grows on the lightest and most sterile soils, and can withstand severe droughts. Is excellent for sowing in mixture for dry pastures. Lb. \$1. villosus, or major (Greater Bird's-foot Trefoil).

Lb. \$2.

LUPINE, Yellow. Succeeds well in the poorest soil, and is exceedingly valuable for plowing in to improve sandy soils. It makes good forage, either green or as hay. The seeds are very fattening when used with hay. Sow in the Spring when the ground has become thoroughly warm, at the rate of 90 lbs. to the acre. Lb. 15 cts. 100 lbs. \$8.00.

LUPINE—Continued

White (Large Flat Seed). One of the best plants known for green manure, as it gathers large quantities of nitrogen from the air. It may be sown from April to July, and plowed under when in flower. The seed, when burned, is excellent manure for orange and olive trees. Lb. 15 cts., 100 lbs. \$10.

Blue. Used for the same purpose as the White. Lb. 15 cts., 100 lbs. \$8.00.

MILLETS. See Miscellaneous Cereals, page 63.

ONOBRYCHIS sativa (French, Sainfoin; German, Esparsette). A perennial leguminous plant, belonging to the same family as Clover and Lucerne. It is a valuable plant for growing on poor land and barren hillsides. When once well established, it lasts for many years. If to be used for hay, cut just before the flowering period. Sow in Spring, covering the seeds quite deeply, at the rate of 80 lbs. to 100 lbs. to the acre. Lb. 25 cts., 100 lbs. \$15.

OSAGE ORANGE (Maclura aurantiaca). Useful for hedges. Lb. 75 cts., 25 lbs. and upwards at 60 cts. per lb.

PEARL MILLET (Penicillaria spicata). A valuable fodder-plant for the South; is enormously productive. Sow the seed in drills 18 inches apart and 8 to 10 lbs. to the acre. Lb. 20 cts., 100 lbs. \$16.

PEAS, Canadian Field. Valuable for northern climates, for cattle-feeding, especially for milch cows. This pea also makes fine ensilage and for plowing under as a green manure has no equal. It is sown broadcast in the Spring and harrowed in $2\frac{1}{2}$ to 3 bushels to the acre. If sown with oats, about $1\frac{1}{2}$ bushels to the acre. Qt. 25 cts. bus. \$4.50.

PENICILLARIA spicata. See Pearl Millet.

POPPY, Opium (Papaver somniferum). The seed furnishes an agreeable sweet oil, used for the table, also for painting and for illuminating. May be sown in Spring, either broadcast or in drills, covering thinly. Also cultivated for opium. Oz. 20 cts., lb. \$1.

RAPE, Dwarf Essex English (Brassica napus).

Largely grown in the northern United States, and in Canada. It is excellent for sheep-pasture and also for soiling. It may be sown in May, and will be ready for pasturing in July and August; or, it may be sown in June or July, and yet furnish a large amount of pasture or fodder. In drills, sow 5 lbs. to the acre; sown broadcast, 10 lbs. to the acre. Lb. 20 cts., 100 lbs. \$12.

REANA luxurians (Teosinte). (Short crop.) A valuable fodder-plant from Central America, in growth resembling Indian corn. Well adapted to our Southern states. Oz. 15 cts., lb. \$1.

SAINFOIN. See Onobrychis, above.

SALT BUSH. See Australian Salt Bush, page 64.

SORGHUM. Twenty-five pounds required to the acre if sown in drills. For dry fodder, 2 bushels should be sown to the acre.

Early Amber Sugar Cane. Ripens wherever Indian corn matures. Grows 10 to 12 feet high. Lb. 15 cts., 100 lbs. \$7.

Brown Dhoura. Lb. 15 cts., 100 lbs. \$7.

FORAGE, ECONOMICAL AND MISCELLANEOUS SEEDS-Continued

SORGHUM-Continued

Halepense (Johnson Grass). One of the most valuable Southern fodder plants. On rich soils it may be cut three or four times in a single season, and it is claimed that hay made from it is equal in value to Timothy. Sow in August and September, 35 to 40 lbs. to the acre. Lb. 20 cts., 100 lbs. \$12.

Holcus saccharatus (Sugar Millet). Rich in saccharine matter, and a large amount of nutritive fodder can be obtained from it. Lb. 20 cts., 100 lbs. \$12.

Jerusalem Corn (White Dhoura). Lb. 15 cts., 100 lbs. \$10.

Red Kaffir Corn, or Sorghum. Non-saccharine. The plant is low, stalky, perfectly erect. The whole stalk, as well as the blades, cures into excellent fodder, and in all stages it is available for green feed. Lb. 15 cts., 100 lbs. \$6.

White Kaffir Corn. Lb. 15 cts., 100 lbs. \$6.

Early Orange Sugar Cane. Ripens about ten days after Early Amber, and is said to produce a larger crop. Lb. 15 cts., 100 lbs. \$6.

Shallu. A non-saccharine Sorghum from India, also known as Egyptian wheat. Requires more room to develop than ordinary Sorghum, and consequently needs less seed to sow an acre. Lb. 15 cts., 100 lbs. \$7.

Yellow Branching (Yellow Millo Maize). Non-saccharine; useful for the large amount of foliage, green feed or cured fodder that it furnishes, and for its grain. Lb. 15 cts., 100 lbs. \$5.

SPURRY (Spergula arvensis). Annual. well on poor, dry, sandy soil; may be sown every month from March to August. Excellent pasture for cattle and sheep; also of much value as a fertilizer for light soil. 15 lbs. to the acre. Lb. 20 cts., 100 lbs. \$12. **Giant Spurry.** Lb. 20 cts., 100 lbs. \$12.

SUNFLOWER, Large Russian. Lb. 12 cts., 100

See Reana luxurians, page 65. TEOSINTE. TOBACCO SEED. See pages 50, 51.
ULEX europæa. See Furze, page 65.
VELVET BEAN. See page 64.



Vetch

VETCHES, Spring Tares (Vicia sativa). Sown broadcast at rate of 60 to 100 lbs. to the acre. like wheat or barley, and sometimes mixed with oats for soiling. Used in France and Canada as a substitute for Peas. Price variable. Present quotation, lb. 12 cts., 100 lbs. \$10.

Sand, Winter or Hairy Vetch (vicia villosa). Thrives on poor, arid, sandy soils. It may be sown either in Fall or in Spring, mixed with rye for a support. Grows 3 to 4 feet high, and can be cut as soon as the bloom appears and again for the seed. Perfectly hardy. Sow from 30 to 50 lbs. to the acre. Price variable. Present quotation: Lb. 25 cts. 100 lbs. \$22.



FARMOGERM

A preparation of high-bred, nitrogen-gathering bac-A preparation of ingli-bled, introgerl-gathering bacteria in sealed bottles, ready to use, with water added according to directions. Bottles contain enough Farmogerm to inoculate the seeds for one acre. Prepared for the following crops:

White Clover Red Clover Crimson Clover Alsike Clover Alfalfa Clover Garden Beans

Cowpeas Vetches Canada Field Peas Garden Peas Sweet Peas Soy Beans

Price per acre bottle, \$1.50; per five-acre bottle, \$5. State for what crop Farmogerm is wanted, when ordering.

Also in garden size, enough for 1,000 square feet or a 200-foot row, at 50 cts. per bottle, for Peas, Beans, Sweet Peas and White Clover, each crop requiring a different bottle. We secure cultures fresh from the laboratory, hence it takes two or three days to fill orders.

ALL CROP FARMOGERM

good for any Crop, Garden or Field. One acre size Can.....



Fraxinus Americana alba

Tree and Shrub Seeds

To preserve seeds of Conifers and other Evergreen Trees, it is best to keep them in perfectly dry sand until the time of sowing. For this latitude the seeds should be sown thinly, as early in the Spring as the ground can be worked, in beds of fine, sandy loam. Cover to the depth of about the thickness of the seed, and press the beds gently with the back of the spade to firm the earth around the seeds. Great care must be taken not to give too much water, as the young plants damp off very easily. Water with a very fine rose, but never so that the ground becomes soggy. Some shade must be used to protect the young plants from the hot sun and winds, and to keep the birds from destroying them. Seeds of the rarer sorts may be sown in coldframes or boxes; if in coldframes the sashes should be shaded and the frames raised at the corners 3 or 4 inches to allow the air to circulate freely. Keep the young plants well weeded, and allow them to remain one to two years before transplanting.

The propagation of Deciduous Trees from seed is less difficult than that of Evergreen species. Acorns, Hickorynuts, Chestnuts and Walnuts should be planted in Autumn, or kept during the Winter in earth or moss. They shrivel up by too long exposure to the air, and many of them lose their vitality. Those seeds with hard shells, like the Locust, Gymnocladus, etc., should be planted in Autumn or placed in boxes with sand, and exposed to frost before planting. They may not germinate till the second year after planting, and if they are received too late in the Spring to expose them to the action of the frost, they may be put into a vessel of hot water for an hour or so before planting. American Elm, Silver Maple and a few other sorts ripen their seeds early in Summer, and, if gathered and planted soon after they fall from the tree, will make fine plants the same season. The seeds of other Deciduous Trees and Shrubs should be planted from the middle of April to the middle of May, in drills about 2 feet apart, and covered about ½ inch in depth, according to size.

Some of the varieties here offered are on hand now; many are due from foreign countries, where they are being collected for us. Owing to the war in Europe, we are, of course, uncertain of getting all of them. As the season advances, many sorts become worthless from various causes, or are sold out, and cannot be replaced until the new crop is ready next season.

EVERGREEN TREE AND SHRUB SEEDS

We do not sell Tree or Shrub Seeds in quantities of less than an ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered.

	at over 20 cents pe	,	<i></i>	, 0	27700	e, 20 cent par
		Per	oz.	Per	1b.	Pinus
AŁ	oies amabilis (Silver Fir)		80	8	00	australis
(canadensis (Hemlock Spruce)		80	8	00	Pine).
	concolor (Calif. White Silver Fir)		45	4	50	contorta
1	firma (Japan Silver Fir)		35	3	50	densiflor
	Fraseri (Double Balsam Fir)		60	6	00	rubra (R
1	grandis (Great Silver Fir of Oregon).		50	5	00	inops (N
	magnifica (Superb Silver Fir)		50	5	00	Jeffreyar
	Mertensiana (Calif. Hemlock)	1	00		00	koraiens
	nobilis (Noble Fir)		75		50	Lambert
	Nordmanniana (Nordmann's Fir)		35	3	50	laricio (0
	Pattoniana (Pyramidal)	1	00			maritima
1	pectinata (European Silver Fir)		20	2	50	mitis (SI
Ar	borvitæ. See Thuja.					monticol
Ar	butus Menziesii (Madrona Tree)		30	3	00	ponderos
	ctostaphylos glauca (Great-berried			_		rigida (N
- Ai	Manzanita)		30	3	00	Sabinian
	tomentosa (Wooly-branched Straw-		90	0	00	Strobus
	berry Tree)		30	3	00	Torreya
Cr	yptomeria japonica (Japan Cedar).		35	_	50	Schinus n
	ipressus		00	0	00	Sciadopit
	horizontalis (Horizontal Cypress)		20	2	00	Pine o
	macrocarpa (Monterey Cypress)		30		00	Sequoia g
	pyramidalis		20		00	semperv
	r Tree. See Abies and Picea.			_	00	Spruce Tr
	niperus					Taxus bac
	virginiana (Red Cedar)		10	1	00	Yew).
	bocedrus decurrens (California		10	_	00	Thuja
LI	White Cedar		50	5	00	aurea (C
DI			20		00	gigantea
	notinia arbutifolia			_		orientali
	cea Douglasii (Douglas Spruce)		60		00	occident
	Engelmanni		70		00	Tsuga can
	flexilis (Graceful Pine)		50 60		00	Sieboldii
	heterophylla Edulis (American Nut Pine)		40		00	Yucca an
			60		00	Adam
	Menziesii (Menzie's Fir)		55		00	filament
	Ajanensis. From Japan		80		00	gloriosa.
	pungens (Colorado Blue Spruce)		80	0	00	gioriosa.

, 25-cent packets may be ordered.		
Pinus	Per oz.	Per. lb.
australis or palustris (Southern		
Pine)	30	3 00
contorta	60	6 00
densiflora (Japan Pine)	25	2 50
rubra (Red Spruce)inops (New Jersey Scrub Pine)	50	
inops (New Jersey Scrub Pine)	60	6 00
Jeffreyana (Jeffrey's Pine)	40	4 00
koraiensis. From Japan	30	3 00
Lambertiana (Sugar Pine)	30	3 00
laricio (Corsican Pine)	20	2 00
maritima (Seaside Pine)	15	1 25
mitis (Short-leaved Pine)	70 80	8 00
monticola (Mountain White Pine)	45	
ponderosa (Heavy Pine) rigida (Northern Pitch Pine)	45	4 50 4 50
Sabiniana (Sabine's Nut Pine)	25	2 50
Strobus (White Pine)	$\frac{25}{25}$	$\frac{2}{2} \frac{50}{50}$
Torreyana (Torrey's Pine)	30	3 00
Schinus molle (False Pepper)	15	1 50
Sciadopitys verticillatus (Umbrella	10	1 90
Ding of Innan)	40	4 00
Pine of Japan)	1 00	10 00
Sequoia gigantea	70	
sempervirens (California Redwood).	70	7 00
Spruce Tree. See Abies and Picea.		
Taxus baccata (English or European	0.0	
Yew)	30	3 00
Thuja	0.5	
aurea (Golden Arborvitæ)	25	F 00
gigantea (Giant Oregon Arborvitæ).	50	5 00
orientalis (Chinese Arborvitæ)	15	1 50
occidentalis (American Arborvitæ)	40	4 00
Tsuga canadensis	60	6 00
Sieboldii (Siebold's Japan Spruce)	60	6 00
Yucca angustifolia (Narrow-leaved		
Adam's Needle)	35	3 50
filamentosa (Adam's Needle)	50	5 00
gloriosa	75	

DECIDUOUS TREE AND SHRUB SEEDS

We do not sell Tree or Shrub Seeds in quantities of less than an ounce of any one variety, except those quoted at over 25 cents per ounce; of these, 25-cent packets may be ordered

Acer	Per oz.	Per 1h		Per oz.	Per 1b.
negundo (Box Maple)	10	75	innamomum Camphora (Car		0.00
platanoides (Norway Maple)	10	75	phor)		3 00
pseudo platanus (Sycamore Maple).	10	75	Citrus trifoliata (Hardy Japan C		9.00
rubrum (Swamp Maple)saccharum (Sugar Maple)	15 30		ange)		$\frac{2}{5} \frac{00}{00}$
Saccharinum	10		ladrastis lutea (Yellow-wood Tree		
Æsculus hippocastrum (Horse Chest-			lematis virginiana		
nut)		25	Clethra alnifolia (Sweet Pepper Bus		$\begin{array}{ccc} 1 & 50 \\ 1 & 50 \end{array}$
Ailanthus glandulosus (Tree of Heav-			acuminata		
en)	15	1 50	Cornus alternifolia florida (Flowering Dogwood)		75
Amorpha Montana	15	1 50	mascula (Cornelian Cherry)		75
Ampelopsis quinquefolia (Virginia		_	Nuttalli		1 50
Creeper)	20	2 00	paniculata (Panicled-flowered Do		
Andromeda arborea (Sour Wood)	20		wood)	15	
Aralia cordata (Udo Salad)	20		sericea (Silky Cornel)		
spinosa (Virginia Angelica Tree)	20	2 00	stolonifera (Osier Dogwood)		
Aristolochia Sipho (Dutchman's	00	0.00	Corylus americana (American Haze		
Pipe)	80	8 00	rostrata (Beaked Hazel)	10	80
Ash. See Fraxinus.	20		coccinea (Scarlet-fruited Thorn).	10	75
Asimina triloba (Pawpaw)	20		Crus-galli (Cockspur Thorn)		60
Azalea Vaseyi	50		monogyna		
Berberis canadensis	20		oxycantha (Hawthorne)		60
Thunbergii. Fine for hedges vulgaris (Common)	$\frac{20}{15}$		Cydonia japonica (Japan Quince).	25	2 50
Betula	10	1 00	eutzia crenata	25	2 50
alba (White European Birch)	10	65	scabra (White Deutzia)	25	2 50
lenta (Mountain Mahogany)	40	4 00	Piospyrus Virginiana (American Pe		
populifolia (Poplar-leaved Birch)	20	2 00	simmon)		75
Callicarpa americana (French Mul-	10		Pirca palustris (Leatherwood)	20	2 00
berry)	10	75	logwood. See Cornus.		
Calycanthus floridus (Common Caro-	15	1 50	læagnus umbellata		2 00
lina Allspice)		3 00	angustifolia (Narrow-leaved Olea		1.05
Camellia japonica. From Japan	30	5 UU	ter)longipes (Long-stalked Oleaster).	$\begin{array}{ccc} . & 15 \\ . & 20 \end{array}$	$\frac{1}{2} \frac{25}{00}$
Camphor. See Cinnamomum.			-	. 20	2 00
Carpenteria californica	2 00		ucalyptus Amygdaline (Peppermint Tree)	. 45	4 50
Carpinus americana	15	1 25	gigantea (Stringy-bark Tree)		4 50
Carya amara (Bitternut)		20	globulus (Tasmania Blue Gum)		5 00
alba (Shellbark Hickory)		20	leucoxylon (Australian Iron Bush)		4 50
porcina (Pignut)sulcata (Big Shellbark Hickory)		20 20	obliqua (Stringy-bark Tree)		3 50
tomentosa (Mockernut)		20	pauciflora (White Gum)		6 00
olivæformis (Pecan Nut)		30	robusta (Brown Gum)rostrata (Red Gum)		5 00
Castanea			Stuartiana (Apple-scented Gu	m 50	9 00
americana (American Chestnut)		20	Tree)		5 50
Catalpa speciosa. True Hardy Catal-			viminalis (Blue Gum)	. 55	5 50
pa	25	2 50	uonymus americana (Burning Bus	h) 15	1 50
Ceanothus			agus americana (American Beech)	. 10	75
americanus (New Jersey Tea)	20	2 00	raxinus americana alba (Whi	e	
thyrsiflorus (California Lilac)	20	2 00	American Ash)		1 00
Celastrus scandens (Climbing Bitter-	25	2 25	oregona (Oregon Ash)	. 30	3 00
sweet)articulatus (Staff Tree)	$\frac{25}{25}$	$\frac{2}{2} \frac{25}{25}$	remontia	•	
paniculata	25	$\frac{1}{2}$ $\frac{1}{25}$	californica (Slippery Elm of Cal		
Celtis occidentalis (American False			leditschia triacanthos (Honey L		
Elm)	20	2 00	cust)		75
Celphalanthus occidentalis	10	1 00	ymnocladus canadensis (Kentuck	V	
Cercidiphyllum japonicum	60	6 00	Coffee Tree)	. 10	1 00
Cercis canadensis (Am. Judas Tree)	15	1 75	alesia tetraptera (Silver Bell)	. 15	1 50
Chionanthus Virginica (Va. Fringe			amamelis virginica (Witch Hazel)	. 15	1 50
Tree)	25	2 50	olly. See <i>Ilex</i> .		

DECIDUOUS TREE AND SHRUB SEEDS-Continued

p_{e}	r oz.	Per lb.	Per oz. Per lb.
Hibiscus Syriacus (Rose of Sharon)	15	1 50	Robinia pseudacacia (Yellow or
Ilex opaca (American Holly)	15	1 50	Black Locust)
verticellata (Deciduous Holly)	10	1 00	Rosa canina (Brier Rose). Clean seed 10 1 00 carolina (Swamp Rose) 10 1 00
Itea Virginica (Virginian Willow)	15	1 50	blanda (Early Wild Rose)
Juglans			rubiginosa (Sweetbrier)
cinera (Butternut)		15	rugosa
cordiformis. From Japan	10	1 00	Salisburia adiantifolia (Maidenhair
nigra (Black Walnut)	10	15	Tree)
sieboldii. From Japan	10	60	Sambucus canadensis (American El-
Kalmia latifolia (Mountain Laurel)	35		der)
Larix leptolepis (Japanese Larch)	30	3 00	Sassafras officinale (Sassafras Tree) 15 1 50
Ligustrum ibotavulgare (Common Privet)	$\frac{15}{10}$	1 25	Styrax americana
	10	OU.	Symphoricarpus racemosa (Crimson Snowberry) 15 1 25
Liquidambar styraciflua (Sweet Gum)	40	4 00	Taxodium distichum (Deciduous Cy-
Liriodendron tulipifera	10	1 00	press)
Locust. See Gleditschia and Robinia.		1 00	Tecoma radicans (Trumpet Creeper). 20 1 75
Maclura aurantiaca (Osage Orange)	-		Tilia americana (American Basswood) 15 1 25
25 lbs. and up at 60 cts. per lb	10	75	Ulex europæa (Furze, Gorse or Whin). 15 1 50
Magnolia acuminata (Cucumber			Ulmus americana (American White
Tree)	20	2 00	Elm)
glauca (Sweet Bay)	20	2 00	Vaccinium stamineum 15 1 25
grandiflora (Large-flowered Magno-	20	2 00	Viburnum acerifolium (Dockmackie) 15 1 50
lia) tripetala (Umbrella Tree)	$\frac{20}{35}$	3 50	Lantana (Wayfaring Tree) 15 1 50
Kobus. From Japan	30	3 00	prunifolium (Black Haw) 15 1 25
macrophylla (Green-leaved Magno-	00	0 00	Walnuts. See Juglans.
lia)	30	3 00	Wistaria Brachybotrys
Maple. See Acer.			b chinensis (Chinese Wistaria) 30 3 00
Morus			chinensis alba (White Chinese Wistaria)
rubra	25	2 50	taria),,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
tatarica (Russian Mulberry)	40	4 00	FRUIT SEEDS
Myrica	90	9.00	
cerifera (Candleberry Myrtle)	20	2 00	Apricot Pits
Negunda aceroides (Box Elder)	10	75	Cherry Pits, Mahaleb
Nyssa multiflora (Sour Gum)	10	75	Black Mazzard
Osage Orange. See Maclura.	10		Currant, Red Dutchpkt. 10c 20 2 00
Platanus occidentalis (Button Ball)	10	75	White Dutch
Prunus	10	,,	Peach Pits, Natural qt. 20c., bus. \$3
americanus (Wild Plum)	10	1 00	Plum Pits, Mirabelle
serotina (Wild Black Cherry)	10	75	Myrobolan
Quercus alba (White Oak)		15	St. Julien
aquatica (Water Oak)		30	Quince Seed
coccinea (Scarlet Oak)		$\frac{25}{25}$	Raspberry, Yellow
Macrocarpa (Bur Oak) Michauxi (Basket Oak)		25	Strawberry, Mixedpkt. 10c 1 00
obtusiloba (Box White Oak)		25	Red Alpine
palustris (Pin Oak)		30	Vitis æstivalis (Summer Grape) 20 2 00
prinus (Rock Chestnut Oak)		- 30	cordifolia (Frost Grape) 20 2 00
rubra (Red Oak)		$\frac{12}{20}$	
tinctoria (Yellow Barked Oak)		20	SEEDS OF HEDGE PLANTS
Rhamnus california (California Coffee Tree)	15	2 50	For prices see under head of Tree Seeds
carolina (Indian Cherry)	15	1 50	
Rhododendron			Barberry Berberis Thunbergii
catawbiensis	40	4 00	Furze or Gorse Ulex europæa
Rhus aromatica (Fragrant Sumach)	20	2 00	Locust, Honey. Gleditschia triacanthos Yellow. Robinia pseudacacia
copallina (Dwarf Sumach)	15	1 00	Osage OrangeMaclura aurantiaca
glabra (Scarlet Sumach)	15	1 50	Privet, CommonLigustrum vulgare
Ribes sanguineum (Red-flowered Currant)	40	4 00	Sheepberry (Black Haw)Viburnum prunifolium
	10	_ 00	(Fidelit Fidelit Fidelitation promoted)

lower Seeds

PRACTICAL DIRECTIONS FOR CULTURE, TREATMENT, ETC.

HARDY ANNUALS (hA) .- Sow in April or May, according to the latitude, in shallow boxes or pots placed in a warm window, a hotbed, or, if possible, in a greenhouse. A second sowing ought to be made from two to four weeks after for a succession, as well as to provide against failure the first time. For sowing seeds in there is nothing better than shallow boxes from 2 to 3 inches deep, and of any convenient size. The most suitable soil for all the smaller kinds is a very fine, rich, sandy loam. That from old hotbeds is excellent, or sods from an old pasture piled up and allowed to rot for two or three years and then mixed with a little old stable manure and sand. After the seeds are up care must be taken to give them plenty of air and moisture, yet not too much water, or they will "damp off." When the young plants are well out of the seed-leaf they must be transplanted to new boxes. If pots 2 inches or more in diameter can be had, set out from three to a dozen or more of the young seedlings along the edges of the pot, so that as soon as the ground is warm enough they may be easily turned out and planted singly, as by that time they will have made good roots. When pots cannot be had, boxes, tin cans, etc., may be substituted.

A common mistake in sowing flower, as well as other seeds, is covering too deeply. The exception to this is the Sweet Pea which is seldom planted deep enough. As a general rule, cover only to the depth of the thickness of the seeds; or, with medium-sized seeds, like Balsams, Zinnias, etc., half an inch or so is none too much. Such fine seeds as Portulacas need only to be pressed into the soil with a piece of board or the palm of the hand. Always press the earth down firmly after sowing all flower seeds, else there is danger of their drying up before the roots can get firm hold of the soil. Seeds of the hardier Annuals may be sown where they are to grow; but, as a rule, it is preferable to transplant, as the plants are generally stronger and stand the drought better. During very dry weather, and when the seedlings are first set out, they should be watered frequently. Provide some support for all such Annuals as require it.

The weeds should be kept down and the ground loosened often, so that the plants will receive the full benefit of the rains and dews, which they will not if the ground is allowed to become hard and baked.

Seeds of Biennials and some Hardy Annuals may be sown in July and August in the open, and in September in boxes and placed in coldframes. They will make strong plants by Spring, and flower early. Do not put on the sashes until heavy rains and frosts begin, and then always remove during the day whenever the temperature is above freezing in Winter.

Owing to the presence in most soils of Weed Seeds, it is well to mark where seeds are sown in the open, so that the weeds (which are apt to germinate first) can be destroyed before they crowd out and smother

the Flower Seeds as they spring up.

HARDY BIENNIALS (hB) and HARDY PERENNIALS (hP).—These require the same treatment as the Hardy Annuals. In addition to the above, both Hardy Biennials and Perennials may be sown in the open border from July to September. The seeds of many Perennials require several months, some even as long as two years, before they germinate. It is a good plan, at the commencement of frost, to cover the plants lightly with straw, leaves or any dry litter, in order to afford some protection from the extreme severity of the Winter. As soon as the frost is out of the ground in the Spring, remove the covering and loosen the surface around the plants, which, when large enough, may be transplanted to the flower garden where they are to remain.

HALF-HARDY ANNUALS (hhA).—These may be sown in shallow boxes, pots or a hotbed, as directed for Hardy Annuals. They may be sown thus at any time after the middle of April, as the hotbed will be sufficient protection; but it is best to cover the glass with a mat or straw at night until danger of frost is past. In the day give all the air possible. After the end of May sow in the border, like Hardy Annuals.

HALF-HARDY BIENNIALS (hhB) and HALF-HARDY PERENNIALS (hhP) require the same treatment. Though plants and their blooms are greatly forwarded by sowing the seeds early in boxes under cover, it may be stated that nearly all kinds of Hardy and Half-hardy Flower Seeds may be sown in the open border in a warm and sunny spot as soon as the soil has become dry and warm; so that those who have no glass frames or greenhouses need not be without flowers. They can have them, but it will be later.

TENDER ANNUALS, BIENNIALS and PERENNIALS.—The best method to obtain an early bloom of the Tender Annuals (tA), and to insure strength to the plants, is to sow the seeds in boxes or pots in March, placing them in a warm greenhouse or plunging in a moderate hotbed, carefully protecting them from the cold, shading from the midday sun, and watering with a fine rose. The seed should be sown in a very light, sandy compost, and the pots well drained by placing broken pots or bits of sod in the bottom. The finer seeds must not be covered more than an eighth of an inch deep, and the soil pressed down closely over them. Water frequently, particularly if the house or hotbed is very warm. As soon as the plants over them. are out of the seed-leaf transplant them into shallow boxes or small pots, and when they have acquired sufficient strength transplant into the flower beds; not, however, before the middle of May.

GREENHOUSE SEEDS (g) should be sown as directed for Tender Annuals, in pans, pots or shallow boxes, and be kept in the house, carefully watched, slightly watered occasionally, and sheltered from the hot

sun till strong enough to transplant. Most varieties may be sown at any season of the year.

The smaller seeds of Greenhouse Plants are sometimes difficult to make germinate unless great care be taken in the mode of sowing. Hence the supposition arises that the seed itself is not good, whereas the fault is not in the seed, but in the treatment. Fine seeds of this description should be sown in leaf-mold or peat, with some fine sand added to it; press firmly down in the seed-pan or pot, and make perfectly level at the top so that the mold may not afterward sink materially with watering. Sow the seed very thinly and cover very lightly with a little compost or with silver sand. Success is more certain if a pane of glass is placed over the pan or box till the plants have appeared, when it should be removed. As soon as the young plants have two leaves they should be transplanted into similar compost in another pan or box. After transplanting they should be kept in a shady part of the greenhouse for a few days and watered very sparingly.



Aster, Giant Grego

ASTER hhA One of the very best Annuals for cut-flowers

The Aster is of easy culture and very popular. Plants from seed sown in the open ground in May bloom finely in September and October. For July and August flowers sow in March or April in coldframe, spent hotbed, or in pots or boxes in the house. Cover the seeds about half an inch deep with rich, light soil, and when the plants have three or four leaves transplant about 18 inches apart each way into well prepared beds. Manures too-fresh or used in too large quantities sometimes induce disease in Asters. When used they should be thoroughly well decayed and mixed with the soil. Small quantities of slaked lime or fresh wood-ashes stirred into the surface of the Aster beds form good tonics for the plants and keep disease and insects from the roots.

BALL, or JEWEL. Flowers long stemmed, que round; desirable for cutting; plants dwarf a can be planted closer together than other some free flowering. Mixed	and
BRANCHING. Forms broad bushes, with lar	rge.
long-petaled flowers, graceful and feathery	in
	Pkt.
Crimson	10
Dark Blue	10
Lavender 50150	10
Light Blue50152	10
Pink50155	10
Purple50158	10
Rose50160	10
White50165	10
Mixed	10

COMET, Giant. Very large flowers. Gro	ws 2ft.	Pkt.
Dark Blue		10
Light Blue		10
Crimson		10
Rose	.50285	10
White	.50295	10
Mixed	.50300	10
COMET, Half Dwarf. Petals wavi	ly refle	xed,
curled and twisted; flowers of ex	traordii	nary
size and beauty.		Pkt.
Dark Blue	.50340	10
Light Blue	. 50345	10
Brick Color	.50350	10
Carmine	. 50355	10
Peach Blossom	.50360	10
Rose	.50365	10
Snow White	.50370	10
Mixed 1/ oz 75c oz \$2.50	50375	10

ASTER-Continued

CREGO, Giant. On the style of "Giant Comet	";
Large flowers. Fine for cutting; 2 ft.	kt.
Crimson50415	10
Dark Blue	10
Lavender	10
Rose50430	10
	10
	10
Mixed	10
HOHENZOLLERN. Plants grow strong as	nd
	iff
	kt.
	10
	10
White50625	10
	10
KING. Producing many double flowers on lo	na
stems. The blooms are very large, with longer	
	kt.
	10
	10
	10
	10 10
	10
	10
1111100	10

VICTORIA D Di	20
VICTORIA, Dwarf. Plants bear from 10 to	
beautifully reflexed flowers in pyramids	
about 18 in. high. The best sort for	pot
culture.	Pkt.
Dark Blue	10
Light Blue	10
Peach Blossom	10
Rose	10
Dark Scarlet 50930	10
	10
White	
Mixed $\frac{1}{4}$ oz. 75c., oz. \$2.5050940	10
VICTORIA, Tall. Large flowers, recurved peta	als:
	Pkt.
	10
Dark Blue	
Light Blue50985	10
Peach Blossom50990	10
Rose50995	10
Dark Scarlet	10
White51005	10
Mixed	10
,	
VARIOUS ASTERS	
VAILIOUS ASTERS	
DAYBREAK. Shell pink 1/4 oz. 85c 51060	10

OSTRICH-PLUME. Splendidclass; fine for cutting; rivals the Chrysanthemum in effect.

Dark Blue 50670 10

Rose 50675 10

White 50680 10

Mixed 14 oz . 60c., oz . \$2 ... 50685 10

QUEEN OF THE MAR-KET. The best early Aster; of graceful, spreading habit, and bearing its flowers on long stems; 1½ ft.

Crimson. 50735 10

Dark Blue. 50725 10

Lavender. 50728 10

Light Blue. 50730 10

Rose. 50740 10

Scarlet. 50745 10

White. 50755 10

Mixed. 14 oz. 40c., oz. \$1.25 ... 50760 10

TRUFFAUT'S PÆONY
PERFECTION. Grows
stiffly erect and about
18' in. tall. Remarkable
for the brilliant colors of
its great incurved flowers.

		Pkt.
Crimson	. 50850	10
Light Blue	.50845	10
Rose	.50855	10
Snow White	. 50865	10
Mixed 1/4 oz. 75	c., oz.	
\$2.50		10



SWEET PEAS (Lathyrus odoratus) hA

N.B.—Intending purchasers are strongly advised to order as soon as possible after receipt of catalogue.

Through the skill of specialists the Sweet Pea has become much larger and lovelier than before it became so popular. There are flowers of quite distinct shapes, some of which are a great improvement upon the Sweet Pea of the old type. For garden decoration it is now grown in clumps and in separate colors. The plants are more robust, dwarf and branching, and bloom more freely, some varieties showing three or four blooms on a stem.

A deep, rich, moist soil is best suited to Sweet Peas, hence a trench should be dug 11/2 feet deep and filled with very best loam mixed with bone meal or well rotted manure. The vines are usually grown in double rows, with a wire trellis or a row of brush between. For each double row make the drills about 12 inches deep, and 9 to 10 inches apart. Sow plentifully, covering about 2 inches deep, and, by degrees, as the vines grow up, fill the trenches with soil, and thin out to about 2 or 3 inches apart. Spring sowings should be made just as early as the ground can be prepared, whiteseeded varieties should not be sown until the ground is fairly warm. The earliest flowers are from seed sown in Fall, preferably in a dry situation, and 6 to 8 inches deep, giving them level culture. Sweet Peas should not be grown on the same soil year after year. If the location cannot be changed the soil, to the depth and width of a foot or so, should be removed and replaced by soil from another part of the garden or grounds. If the soil is in good, rich condition, bone meal is the best fertilizer.



Sweet Peas (Grandiflora)

We do not sell less than 1 oz., $\frac{1}{4}$ lb. or $\frac{1}{2}$ lb. at the prices quoted per oz., $\frac{1}{4}$ lb., $\frac{1}{2}$ lb. and lb. respectively. This applies to all types and to the mixtures.

In order to assist our customers in making their selections, we group the different varieties according to color.

THORBURN'S SELECTED SWEET PEAS

ASSORTMENT	containing	1	pkt.	each	of	40	named	varieties,	OUR	SELECTION	152000	\$1 75
, 44	44	1	6.6	4.6	44	20	4.6	"	44	"	52010	85
44	44	1	44	4.6	44	10	"	44	44	44	52020	45
							also					
A CCODTRACTOR	and the first transfer	- 4		1		٠.	0 .	BIABATTE	DAZE	TIDITION		

NAMED LARGE-FLOWERED (GRANDIFLORA) SWEET PEAS

All Five Cents per packet


The Title Come per passion			
Light Blue and Lavender		Per oz.	1/4 lb.
Countess of Radnor. Lovely, delicate mauve	. 52200	\$0 10	\$0 30
Flora Norton. A pure, bright blue	. 52220	10	30
Lady Grisel Hamilton. Beautiful, pale lavender	. 52260	15	40
Dark Blue and Purple			
Captain of the Blues. Standard purple, wings bright blue	. 52350	10	30
Lord Nelson. A fine, rich, bright blue	. 52410	10	30
Navy Blue. Deep violet blue	. 52430	10	30
Claret and Maroon			
Black Knight. Fine, self-colored, deep maroon	.52480	10	30
Othello. Fine, deep maroon	. 52520	10	30
Shahzada. Dark maroon, shaded purple	. 52540	10	30
Crimson and Scarlet			
King Edward VII. A fine, self-colored, bright crimson	52630	10	30
Queen Alexandra. A fine scarlet shade	.52670	20	50
Salopian. Very fine, sunproof scarlet	. 52690	15	40
Orange and Salmon			
	59740	15	40
Bolton's Pink. A soft, salmon-orange pink. Lady Mary Currie. Orange pink, shaded rosy lilac.		15 15	40 40
Miss Willmott. Orange pink. One of the finest		10	30
Pink (Light Shades)			
Lovely. Shell pink, shaded light rose toward edges		10 10	30 30
Prima Donna. Fine; large; soft pink	. 32330	10	90
Pink (Deeper Shades)			
Apple Blossom. Bright pink and blush, beautifully shaded	E2000	15	40
Janet Scott. Deep pink; a fine, large flower	.53000	15 10	40 30
Katherine Tracy. A fine, brilliant pink	. 53020	10	30
Pink (Rose-Pink)			
Hon. F. Bouverie. Standard flesh pink, wings rosy buff		15	40
Prince of Wales. A fine, self-colored rose	.53170	10	30
Pink and White (Bicolor)			
Blanche Ferry, Extra Early. Pink and white; popular sort	53220	10	30
Dainty. White with pink edge; fine	.53260	15	40
Striped and Mottled			
America. White, striped orange scarlet	. 53330	10	30
Aurora. White, flaked and striped orange salmon	.53350	10	30
Gray Friar. Fine; large; purple striped on white		$\begin{array}{c} 15 \\ 10 \end{array}$	*30
Princess of Wales. Striped mauve on white ground		15	40
Pure White			
Blanche Burpee. Snowy white; a fine, large flower	.53540	15	40
Dorothy Eckford. A grand, pure white. Emily Henderson. A good, early white.	.53580	15 10	40 30
Mont Blanc. Pure white; of the finest form	.53600	15	40
White Wonder. Double stemmed; large, white flowers	. 53680	10	30
Vallage and Deeff			
Yellow and Buff			,-
Hon. Mrs. E. Kenyon. Deep primrose yellow; grand flower	.53770	15	40

SPENCER VARIETIES

These are noted for their unusually large-sized flowers, and for the waved or fluted appearance of the petals. They are also frequently referred to as "Orchid-flowering" Sweet Peas.

All Ten Cents per packet, except where quoted otherwise

Blue (Light and Dark Sh	ades)		
Afterglow. Rich, electric shades of blue and rosy mauve; distinct53870	Per oz. \$0 30	\$1 ¹ / ₄	1b.
Asta Ohn. Lavender, tinted mauve; delicate coloring; very large flower.			0.0
53900	30	1	00
Captain of the Blues Spencer. A fine purple53910	25		75
Flora Norton Spencer. Bright blue,			
slightly tinged with purple53920	25		75
Florence Nightingale. Soft, clear,			
rich lavender53922	40	1	25
Helen Pierce Spencer. Bright blue,	-	_	_
flaked and striped white53930	25		75
Margaret Madison. Beautiful azure	20		
	50	- 1	75
bluepkt. 15c53932	30	1	10
Mrs. Charles Foster. Lavender,	40	-	Ω*
flushed pale rose53940	40	1	25
Mrs. E. Noakes. Fine lavender; of			
Spencer formpkt. 15c53950	50		
Royal Purple. Rich, warm, rosy			
purple; immense flowerspkt. 15c			
53952	50	1	75
			100



Sweet Peas, Spencer Type

BLUE (Light and Dark Shades)—Contin	ued		
Tennant Spencer. Beautiful, pur- P	er oz.	1/4	lb
plish mauve, self-colored53960 \$6 Wedgewood. Lovely, light wedge-	20	\$0	6(
wood bluepkt. 15c53962	50	1	75
Crimson and Marcon			
Crimson and Maroon			
Black Knight Spencer. Shining deep maroon; splendid 54010 King Edward Spencer. A lovely	40		25
King Edward Spencer. A lovely	10		20
self-colored bright crimson54020 Nubian. Very dark crimson maroon;	20		60
large and waved54030	30	1	00
Othello Spencer. An elegant rich	00		ec
deep maroon54040	20		60
Pink (Light Shades)			
Beatrice Spencer. Blush pink tinted	-		
with deeper pink54090 Countess Spencer. Beautiful soft	20		60
rose pink. One of the best54110	25		75
Elsie Herbert. Creamy white and	20		60
pink; large flower54130 Florence Morse. Blush pink with	20		•
deeper pink margin54150	20		60
Mrs. C. W. Breadmore. Cream, pink edged; very large flower. 54172	30	1	00
Veiled Bride. Ivory marbled pink.	F O		
pkt. 15c 54174	50	1	bυ
Pink (Rose-Pink)			
Apple Blossom Spencer. Rose stan-			
Apple Blossom Spencer. Rose standards, blush-rose wings; large flow-	20		en
Blanche Ferry Spencer. Carmine rose with white wings	20		6 0
rose with white wings54225	25		7 5
flower	20		60
flower	00		^
ers; pink tinted with salmon. 54230 Enchantress. Pale, silvery rose pink,	30	1	0 0
tinged deeper at margin54232	30	1	00
George Herbert. Rich salmon-rose color; splendid54240	20		60
John Ingman. Rose carmine: large.			
fluted flowers	40	1 :	25
shading to blush	20	(60
Rosabelle. Fine, deep rose, with white blotch at base54290	30	1	വ
	90	1	UU
Salmon and Orange			
Decorator. Rosy terra cotta, bright	20	1	ഹ
orange at base of wings54322 Earl Spencer. Rich, brilliant salmon	30	1	UU
rose	40	1 :	25
brilliantpkt. 25c. 54326	75		
Helen Lewis. A very fine orange pink;			
most showy	25		75
color. Une of the finest54340	40	1 :	25
Mrs. Hardcastle Sykes. Beautiful			
light salmon pinks large flower			
light salmon pink; large flower 54350	25	,	75

SWEET PEAS, SPENCER VARIETIES-Continued

SALMON and ORANGE—Continued	WHITE—Continued
Stirling Stent. Large flowers; deep	Rainbow Spencer. Ivory white, Per oz. 1/4 lb.
salmon, suffused with orange Per oz. 1/4 lb.	flaked rose
pkt. 15c54360 \$0 40 \$1 25	White Spencer. Pure white; large,
YX7h:4 o	beautifully waved flower54420 30 1 00
White	Wallow Chaden
America Spencer. White, striped	Yellow Shades
with crimson red54390 30 1 00	Clara Curtis. A beautiful cream yel-
	low; large, waved flower54470 30 1 00
Etta Dyke. A white Spencer; of fine form and substance54400 25 75	Dobbie's Cream. Fine; large; prim-
form and substance54400 25 75	rose
King White. Pure white; flowers of	Primrose Spencer. Light primrose
enormous size and fine form. 54404 40 1 25	yellow; finest formed flowers 54490 25 75

NEW GIANT, EARLY-FLOWERING, LONG-SEASON SPENCER SWEET PEAS

This new race of Sweet Peas is expected eventually to take the place of all other Early and Late varieties, as they bloom from four to six weeks earlier than the late-blooming Spencers sown at the same time and continue blooming for four months. They are vigorous growers with immense waved flowers borne on long strong stems in threes and fours adaptable to our warm Summers and free flowering. We strongly recommend a trial of these new creations.

Early Melody. This is a deeper shade of pink than Early Song Bird, on white ground. It might be described as rose pink on white ground, very pleasing; mostly four well waved blossoms to each stem; free flowering	
Early Morning Star. Deep orange scarlet or	
flame color in standard, with rich orange-	
pink wings, keeping its color well and does not burn badly. Flowers are large and waved,	
borne in threes and fours abundantly; when	
cut and under artificial light its coloring is	
exquisite54555	25
Early Snowflake. The blossoms are very large	
and of the best waved form, resembling the noted White Spencer; a free bloomer, with	

good, long stems......54566 25

EARLY AND WINTER-FLOWERING SWEET PEAS

All Ten Cents per packet except where quoted otherwise

These varieties if sown early in Fall indoors will bloom by Christmas and continue	all W	inter.	They
may also be sown outdoors in the same way as other sorts for Summer flowering.	1	Per oz	1/4 lb.
Canary Primrose. Beautiful primrose (Christmas)5			, -
Christmas Pink		15	50
Christmas White		15	40
Christmas Lavender (Mrs. Alex. Wallace)	4680	15	50
Earliest of All. Pink and white resembling Blanche Ferry (Christmas)5		15	40
Lavender Bicolor Lavender standard; white wings	4700	1 25	
Lavender PinkPkt. 255		1 25	
Le Marquis. Navy blue (Christmas)5	4720	15	40
Mont Blanc Spencer. Pure white; early flowering (Christmas)5	4740	15	40
White. Best pure white		1 25	
Varieties Mixed	4760	10	30

SWEET PEAS IN MIXTURE

THORBURN'S SPECIAL MIXED. Comprising the finest Eck-	Pkt.	Oz.	1/4 lb.	⅓ 1b.	. Lb.
ford and newest and best large-flowering (Grandiflora) varieties. 5486	00 \$0 05	\$0 10	\$0 25	\$0 45	\$0 80
Spencer Varieties, Mixed. A very fine assortment of all the					
best varieties	20 10	20	60	1 10	2 00
Eckford, Mixed. The finest Eckford varieties only5486	30 05	10	25	45	80
DEDENING DEAC C T					

PERENNIAL PEAS. See Lathyrus.

Selected List of Flower Seeds

We have unquestionably the largest assortment of Flower Seeds in America, and our strains are far superior to those commonly sold, often under fancy names and at fictitious prices. We avoid extravagant descriptions, meant only to effect sales.

There are many minute plants from the finer seeds killed by drenching with water while very young. In the first stage of their existence plants require moisture in a minute quantity, often repeated, and not in such large quantities as to saturate the soil in which they are growing.

FLOWER SEEDS DELIVERED FREE BY MAIL ON RECEIPT OF THE STATED PRICE PRICE PER OUNCE OR POUND FOR THOSE NOT QUOTED, ON APPLICATION

Not less than $\frac{1}{4}$ oz. or 1 oz. sold at the prices quoted per $\frac{1}{4}$ oz. or 1 oz. respectively Explanation of Signs Employed in This List

The asterisk (*) designates ornamental-leaved plants.

A represents Annual-lasting hut one year.

Biennial—lasting two years.

Perennial—lasting three or more years. P

Ē Evergreen-retains foliage the entire year.

This mark (‡) prefixed indicates the climbers.

S represents Shruhs-plants of hushy habit.

greenhouse plants.

Ru bulhous plants.

As a large number of Biennials and Perennials, if sown early, flower the first season from seed, this distinguishing mark (†) is affixed to such.

The hardiness is denoted by the following abbreviations, but it should be understood that this is intended to apply to the climate of the Middle Atlantic States. Farther north or south, these designations apply only in a comparative way.

h represents hardy—plants for open border. hh represents half-hardy—plants that require to be forwarded in pots or frames. t represents tender-requiring protection.

Our Imported Collections are sent out as received from Europe. The assortments are good and highly recommended, but it is impossible to make any alteration in the contents thereof.

Customers will find it more convenient to order by number. If ordered from any catalogue other than this (1917) kindly state from which year's catalogue the numbers are taken. This will facilitate the filling of orders and will insure prompt shipment.

Many of our Flower Seeds are grown in Europe. Owing to the war some sorts may not be received until later in the season than usual. At the time of going to press we expect to receive all the varieties we quote, but may be disappointed. A memorandum will be kept of any items not sent and the seeds will be forwarded as soon as they arrive.

ABRONIA umbellata grandiflora (Sand Pkt. Verbena). Handsome, trailing plants, these hardy annuals with large, rosecolored flowers, are especially adapted 10 **‡ABRUS** precatorius (Prayer Bean). attractive, climbing, greenhouse perennial needs a strong heat for best results. Blossoms light purple..........55030 **ABUTILON, Mixed Hybrids** (Chinese Bellflower, or Flowering Maple). Greenhouse shrub of easy culture; continuous blooming, bell-shaped flowers; very decorative; desirable for house or garden. Grows 3 ACACIA (Tassel Tree). Beautiful green-house shrubs, elegant foliage, graceful branches and fine racemes of richly scented, yellow flowers. Soak the seeds in hot water before sowing, then plant in sandy peat in a temperature of 55 to 60 degrees. Pkt. 10 cultriformis. 6 ft......55110 10 10 10 podalyriæfolia. Canary yellow; fine for Fine Mixed.......55290

ACANTHUS (Bear's Breech). Hardy perennial plants, flourishing in almost any soil or situa-tion. Much prized for decorative purposes.

mollis. White; 3 ft.......55320

ACHILLEA Ptarmica, Double, "The Pearl." Free-blooming, hardy peren-Pearl." Free-blooming, hardy perennials. The pure white flowers are borne in clusters on long stems. Fine for florists for cut-flowers; succeeds well in any common garden soil; blooms all Summer and Fall; 1½ ft. in height......55340

ACONITUM. Hardy perennial plant, with showy panicles of helmet-shaped flowers; does well in shady places or under trees; 4 ft. Napellus (Monk's Hood). Blue....55380 10

pyramidatum. Blue......55400 10 ACROCLINIUM Showy, half-hardy annuals for the Sum-

mer garden, with Everlasting flowers, which are much used for Winter decorations. Flower heads, to be preserved should be gathered when young; I ft. Pkt. Rose......55430 5 roseum.

album. White......55450 5 44 5 44 Double Rose...........55490 5

Double White......55510 5 Double Mixed......55530 5

ADONIS. Both the annual and perennial varieties are, with their bright flowers, great favorites in the flower-garden. All succeed well in any common soil.

AGAPANTHUS umbellatus (African Lily). Showy greenhouse plants, producing large clusters of bright blue flowers. Nearly hardy, and will thrive anywhere, in pots or tubs on the lawn, piazza, or in the greenhouse. In bloom during Summer and Autumn; 3 ft.............55660

AGERATUM For strengthening the garden's color-forces in blue, no annual is so good as the Ageratum. Though ordinarily used in bedding and borders, in contrast with such plants as geraniums, perillas, etc., the rose, white and blue sorts are exceedingly attractive when mingled with



Ageratum Lasseauxi

alyssum, candytuft, etc. They grow well almost anywhere and bloom the whole season. The dwarf blue sorts make fine borders. Sow under glass early in the season or, later, outdoors in a mellow seed-bed. Seeds sown in August will produce good plants for winter flowering.

Lasseauxi. Clusters of handsome rose- Pkt.

mexicanum (hA). Blue. Parent of the annuals below; $1\frac{1}{2}$ ft.......55730 5 Blue Perfection. Fine dwarf variety, with large flowers; 9 in.; splendid. 10 Dwarf Blue. 9 in.; fine for edgings. 55750 .5 Dwarf White, Large-flowered. Splen-. 55760 10 Imperial Dwarf Blue. Excellent for edgings; 9 in......55770 10 Imperial Dwarf White. Excellent for Little Dorrit. Azure blue. Plants 6 in. high, 1 ft. wide..............55790 10 10 Fine Mixed......55840

AGROSTEMMA

All of easiest cultivation, blooming during
Summer and Autumn. "The Rose of Heaven"
is very free flowering and fine for cut-flowers.
The "Rose Campion" is excellent for naturalizing in dry situations.

Cœli-rosa (Rose of Heaven) (hA). Rose; Pkt. 1½ ft.. .55860 alba (hA). White; 11/2 ft. 55870 5 †coronaria (Rose Campion) (hP). Rose: 55880 5 Dark Blood Red (hP). 2 ft. 55890 10 White (hP). 2 ft....... Mixed (hP). 2 ft...... 55900 5 Flos-Jovis (Flower of Jove) (hP). Rose; 1 ft.......55920 5 ALONSOA (Mask Flower). Bright, little, free-

ALTHÆA rosea. See Hollyhock.

ALYSSUM Most popular, free-blooming annuals; suitable for borders, baskets, pots, rockwork, and for cutting. In the garden sow thickly so as to form masses, early in Spring or even the previous Autumn. For Winter bloom sow late in August, and thin the seedlings to about a dozen for a good-

CO	J. M. THORDORN & CO.,	, •
AL.	YSSUM—Continued	
	sized basket. Cut back after the first flow	ers
		Pkt.
1	maritimum (Sweet Alyssum) (hA). Fra-	
	grant white flowers, in clusters; all Sum-	
	mer; 1 ftoz. 30c56050	5
	compactum, Little Gem. Growserect;	
	6 in	10
	procumbens, White Carpet. Of trail-	
	ing habit, forming a dense mass.	
	½ oz. 20c., oz. 60c 56070	10
	Thorburn's Bouquet. Very dwarf and	
	compact; for pots and borders; 3 in.	
	$\frac{1}{4}$ oz. $30c56080$	15
٤	saxatile compactum (Gold Dust) (hP).	
	Single plants cover a square foot in a	
	year and produce hundreds of yellow	
	flower heads. Grayish foliage; 1 ft.	_
		5
*Д	MARANTUS Strong-growing, high ornamental tender a	ıly
4 8	ornamental tender a	n-
	nuals. The tricolor varieties are very valual	
	for bedding, having elegant, ornamental folia	
	variegated crimson, yellow and green; a	
	well adapted for growing in pots. Of ea	
	culture, doing best in rich loam soil. For b	
	results sow in hotbed in April and plant of	
	the end of May. Please note that seed say	
	from the finest sorts frequently produce infer	ior



Amarantus caudatus



Alyssum, maritimum

martinani
AMARANTUS—Continued Pkt.
*Henderi. Crimson and yellow; 4 ft 56190 5
*melancholicus ruber. Red; 2½ ft 56200 5 *salicifolius (Fountain Plant). Purple; 2½ ft 56210 10 *tricolor (Joseph's Coat). Variegated; 2½ ft oz. 40c 56220 5
*salicifolius (Fountain Plant) Purple:
2½ ft
tricolor (Ioseph's Coat) Variorated
2½ ftoz. 40c56220 5
*Fine Mixedoz. 25c56250 5
AMETHYST. See Browallia.
AMMOBIUM alatum grandiflorum.
White Pretty helf herdy personnial
White. Pretty half-hardy perennial Everlastings. Of easiest culture; bloom all
Summer: 2 ft
Summer; 2 ft
ANAGALLIS grandinora, wixed (rimper-
nelle). Half-hardy annuals of easy cul-
ture. Fine for borders or rockwork. Continuously in bloom; 6 in56300 5
ANOTHICA Date the armed and armed
ANCHUSA. Both the annual and perennial
varieties of this attractive plant succeed well
in the garden border. Fine for cut-flowers
and bouquets. Barrelleri (hP). Dark blue; 2 ft56320 10
capensis (Cape Forget-Me-Not) (hhA).
Azure blue; 1½ ft56330 10
Azure blue; 1½ ft
3 ft
ANEMONE (Windflower). Free-flowering, hardy
perennials, producing large, cup-shaped flow-
ers. Invaluable for cutting; require rich, deep
soil; 1 to 2 ft.
coronaria (St. Brigid Poppy-flowered). Pkt.
Mixed
Caen, Mixed
japonica rosea. Rose56380 25
japonica rosea. Rose
ANGELONIA grandiflora. Purple. Ele-
gant greenhouse perennial; fine for pots;
sweet scented: 1 ft
ANTHEMIS. A very pretty plant, producing all
ANTHEMIS. A very pretty plant, producing all Summer Daisy-like, golden yellow flowers;
fine for cutting.
Kelwayi tinctoria (hP). Fine, large flow- Pkt.
ers on good stems; 2 ft
ANTIGONON leptopus. Greenhouse peren-
nial climber with pink flowers56470 5

ANTIRRHINUM. See Snapdragon.

from seed, and will give such unalloyed satisfaction. A most desirable border plant. It forms large clumps, blooms early, long and abundantly, is useful for cutting and elegant in habit. Sow seed in the open ground in Spring, preferably where the plants are to grow, and thin to about a foot apart. Sow in the Fall for flowering the following season. They thrive well under ordinary garden culture, but such rare sorts as A. cærulea and A. chrysantha do best in partially shaded, welldrained nooks.

ARABIS An early-flowering, hardy perennial especially suited for edgings and rockwork, growing about 6 in. in height, becoming a sheet of white and rose bloom in early Spring, adapting itself to almost any situation, and of easiest culture.

alpina (Rock Cress). White; 9 in. Pkt.

Single Mixed. Many good sorts.

truncata. Dwarf; scarlet and yellow; 1 ft.

vulgaris, Double Mixed.

56600

56630

Best colors. 56620

10

5

 alpina
 (Rock
 Cress).
 White;
 9 in.
 Pkt

 56660
 10

 rosea.
 Rose; a rare species; 6 in... 56670
 25

ARCTOTIS grandis. White and lilac; 2 ft.
The large, Daisy-like blooms of this fine
hardy annual are excellent for cutting.
56680

ARDISIA crenulata. Fine, decorative greenhouse plant, with evergreen foliage; bearing bright coral-red berries; 5 ft.

56690 2:

annuals, with Poppy-like flowers; blooming through the Summer and Autumn; 2 to 3 ft.

Pkt.

this this type the things of t

ARNEBIA cornuta. Rich yellow, spotted dark brown. Ornamental, free-flowering, half-hardy annual; fine all the sesaon; 1 ft.

56780 25



Aquilegia, Long Spurred Hybrids

ASCLEPIAS. Showy plants, including both greenhouse and hardy perennials, growing 2 to 3 ft. in height and blooming throughout the Summer.

Curassavica (Swallow-wort) (gP). Orange; Pkt. free bloomer......56810 10

atrosanguinea. Dark red. 56820 10

ASPARAGUS

Beautiful, fern-like foliage; fine for bouquets;
an excellent house plant; white flowers; 4 to 6 ft.
plumosus nanus (gP). The dwarf variety
so largely used by florists.

56860

Pkt.

"Hatcheri (gP). Variety of Plumosus nanus style; a great improvement; 6 ft.......56870

Sprengeri (gP). Fine for basket work and

ASPERULA. Sweet-scented, pretty plants for borders or rockwork; succeed finely in shady places or under trees; continuously in bloom; 1 ft.

Pkt.

azurea setosa (hhA). Light blue...56920 dorata (Sweet Woodruff; Waldmeister) (hP). White.........56930 10


ASTERS. See pages 72 and 73.

AURICULA (Primula auricula) (hP). Finest	Pkt.
Mixed. Beautiful shades of color. These	
early Spring-blooming garden Primroses	
are great favorites; 6 in	25

BACHELOR'S BUTTON. See Centaurea and Gomphrena.

BALLOON VINE (Cardiospermum). A Pkt. pretty and fast-growing, half-hardy annual climber, with white blossoms; 10 ft. oz. 40c...57080 5

BALSAM (Lady's-Slipper). These favorite half-hardy annuals are of the easiest culture, but love hot sun, rich soil and plenty of water. The young plants are quick, sure growers, and, from seed sown in the open ground in May soon form handsome bushes thickly massed with large, Rose-like flowers. Transplanting two or three times has a tendency to dwarf the plants into better shape and to make the flowers more double. Balsams are not often given room for perfect development; they will easily cover 12 to 18 in. of space each way. For the finest flowers



Double Balsam

BARCLAY ST., NEW YORK	
choice seed is more than usually essent. We offer only the finest double sorts; 1½	ft.
Double Bright Scarlet	2kt. 10
" Carmine	10
" Lavender57120	10
Peach Blossom5/130	10
" Red, Spotted White57140 " Rose	10 10
" White	10
Camellia-flowered, White. Flowers of	
extra size, double and full centered, with	
reflexed petals. The plant grows rapidly	
to a good height and is extremely florifer-	10
ous	10
57190	10
Finest Double, Mixed. A splendid assortment	10
ment	10
BALSAM APPLE and PEAR. See Momorda	
BAPTISIA australis (False Indigo). Light B	kt.
blue. Very beautiful, strong-growing and	
ornamental, hardy, perennial border plant for Summer blooming; 3 ft57280	5
BARTONIA aurea. Golden yellow. Beauti-	
ful, hardy annuals that bloom all through	
the season; very fragrant in the evening;	-
3 ft57300	5
BEGONIA (gP). Begonias are invaluable growing in beds and borders, a	for
growing in beds and borders, a	lso
for pot culture, being perfect in habit, w very handsome foliage. Average height ab	ith
1 ft. The tuberous-rooted varieties prod	nce
gorgeous effects in the garden and are one	of
our best Summer-blooming plants. The se	eds
of all varieties should be started early.	Pkt.
Single Tuberous-rooted, Mixed 57420 Double Tuberous-rooted, Mixed 57430	25 5 0
Fringed Single Tuberous-rooted, Mixed.	30
57440	25
Double Tuberous-rooted Camellia-flow-	
ered, Mixed. Fine, large, double flowers	
of various colors and bright foliage; blooms profusely	50
gracilis luminosa. Dark scarlet, reddish	00
brown foliage; Winter flowering; fine for	

plant for Summer blooming; 3 ft57280	5
BARTONIA aurea. Golden yellow. Beauti-	U
ful, hardy annuals that bloom all through	
the season; very fragrant in the evening;	
3 ft	5
DECONIA (D) D	
BEGONIA (gP). Begonias are invaluable growing in beds and borders,	lor
for pot culture, being perfect in habit, w	rith
very handsome foliage. Average height ab	out
1 ft. The tuberous-rooted varieties prod	uce
gorgeous effects in the garden and are one	e of
our best Summer-blooming plants. The se	
	Pkt.
Single Tuberous-rooted, Mixed . 57420	25
Double Tuberous-rooted, Mixed 57430 Fringed Single Tuberous-rooted, Mixed.	5 0
57440	25
Double Tuberous-rooted Camellia-flow-	
ered, Mixed. Fine, large, double flowers	
of various colors and bright foliage;	٠
blooms profusely	50
gracilis luminosa. Dark scarlet, reddish	
brown foliage; Winter flowering; fine for	25
pots	20
Winter blooming; 2 ft57470	75
*Rex. Ornamental-leaved varieties in mix-	
ture	25
semperflorens rosea. Rose-colored flow-	
ers; fine for edging57500	25
alba. White howers borne	25
in profusion57510 "Erfordii. Rosy carmine;	20
fine for groups57520	25
" foliis aureis. Scarlet; yel-	
low leaves; for edgings.	
Warman Body for borders	25
vernon. Red; for borders.	05
" Vernon Bijou. Bright scar-	25
let: 6 in 57550	25
let; 6 in	
ish leaves57560	25
" Mixed57570	25
BELLIS perennis. See Daisy.	
BENINCASA cerifera (tA). A black, wax-	
like gourd with yellow flowers; 6 ft 57610	10
BIDENS atrosanguinea (hA). Showy, like	
the Calliopsis; easily grown; flowers dark	
rod, 9 ft E7620	10

THE GOOD OF II
BLUE BOTTLE. See Centaurea cyanus.
*BOCCONIA japonica. A very ornamental, Pkt. hardy perennial; fine in large beds; flowers
white; 6 ft
house evergreen; flowers scarlet; 2 ft. 57690 25
BRACHYCOME. The well-known "Swan River
Daisy'' is a beautiful, little, half-hardy annual; blooms all Summer; fine for edgings and
borders. Should be started in hotbed; 1 ft. Pkt. iberidifolia. Blue
" alba. White57720 10
rosea. Rose57730 10
BROWALLIA (Amethyst). Half-hardy, profuse-
blooming annual: highly prized for Summer
bedding or as greenhouse plants. Fine for cutting; 2 ft.
elata. Blue
" alba. White
Roezelii. White and pale blue; fine for
pots
\$7820 25 \$\frac{1}{2}\$BRYONOPSIS laciniosa erythrocarpa (tA).
A very pretty ornamental gourd, with red flowers
CACALIA (Tassel Flower). Very pretty and most
easily grown hardy annual, with tassel-
shaped flowers; 1½ ft. Pkt. coccinea. Scarlet
" lutea. Orange57890 5
CACTUS (hhP). Mixed varieties. Seeds of these interesting
plants should be started in the greenhouse in moist sand
†CALAMPELIS scabra (†hP). Fine climber for trellises; flowers orange scarlet; 10 ft.
57920 10
CALANDRINIA. Brightly colored, little hardy
annuals, fine for edgings; continuously in bloom, and do well in sunny situations; 6 in.
speciosa. Purple
umbellata. Violet
CALCEOLARIA The seeds are very small, and should be
sown in the greenhouse on the surface of shal-
low boxes filled with a light, sandy soil, which
has been sifted. Sow moderately thick in rows on the surface and cover very lightly
with sifted Sphagnum Moss, Cocoanut waste or very light soil. Press the soil firmly on the
seed. The watering should be done care-
fully; an atomizer or brush is best, to retain the moisture the box may be covered with a
pane of glass which must be removed as soon
as the plants appear. The soil should be light and rich.
hybrida. Large flowered; self colored; 2 ft. Pkt.
" Large flowered; tigered or spot-
ted: 2 ft58000 25
1 ft
" Large flowered; tigered and self



Calendula officinalis Nankeen

CALCEOLARIA—Continued	
rugosa, Mixed. Finest shrubby varieties	Pkt.
for bedding; bear a profusion of beautiful	
flowers of various colors; 1 ft58060	25
pinnata (hA). Yellow; for bedding; 1 ft.	
58080	15
	10
scabiosæfolia (Californica) (hA). Yellow;	10
for bedding; 1 ft	10
CALENDULA Hardy annuals about I high. Sow in the o	ft.
CALLINDULA high. Sow in the or	pen
early in Spring and the plants will bloom ea	rlv
in Summer. Calendulas have become v	ersz
popular of late; the striking orange, red a	nd
popular of late, the striking drange, red a	ind
yellow blooms are very effective and attr	
tive, growing on stout, long stems. The	ney
are excellent for cutting, and are produced	1n
great profusion, blooming until late in Autur	nn.
officinalis fl. pl. grandiflora. Double;	
large flowered; deep orange.	Pkt.
58160	- 5
" fl. pl. grandiflora sulphurea.	
Double; light yellow; large-flowered58170 "Nankeen. A rich, soft shade of	
flowered 58170	5
" Nankaan A rich soft shade of	U
nankeen yellow; large flowers.	
	5
58180	Э
Meteor. Creamy center, edged	
with orange; fine for cutting.	_
oz. 25c 58190	5
" Prince of Orange. Glittering	
orange and yellow. One of the	
bestoz. 25c58200	5
" ranunculoides (Garden Mari-	
gold). Orange; double flowers.	
58210	5
pluvialis (Cape Marigold). White or	
ivory	5
Pongei fl. pl. Handsome, double, white	J
	5
flowers	5 5
Mixed, All Sortsoz. 25c58240	Ð
See, also, Marigold.	
CALLA æthiopica (gP). The old favorite	
white Calla; 2 ft	10



Coreopsis Grandiflora

CALLIOPSIS This hardy annual is other of the garden's g	an-
forces in yellow, strengthened with rich	
maroons and browns. Sow in the open gro	
in Spring, and, in thinning or transplant	
give the plants plenty of room to spre	ead.
Their tall slender habit makes neat stal	ring
and tying necessary. Fine for cutting.	Pkt.
bicolor (Tinctoria). Yellow brown; 2 ft.	
58290	5
" hybrida fl. pl. Double; mixed;	
1 ft58300	5
" marmorata. Maroon and gold;	
	5
1½ ft	J
nana radiata (Ray of Gold). Gold-	
en yellow flowers; 6 to 8 in.	10
58320	10
cardaminifolia hybrida. Red and yellow;	
1½ ft 58330	5
coronata. Yellow; very fine; 1½ ft58340	5
Drummondii (Golden Wave). Golden	
brown; 1 ftoz. 30c58350	5
hybrida superba. Very showy hybrids in	
great variety58360	10
Mined Annual South or 25c 58370	5

One of our finest ha	rdv
perennials; bloom practically all Summer;	fine
for borders and groups.	
grandiflora. Large flowers of rich yellow;	
2 ft58400	10
lanceolata grandiflora. Large, golden	
yellow flowers; fine for cutting. 58410	10
" California Sunbeams. Flow-	10
ers very large, in a great va- riety of beautiful forms and	
various shades of yellow and	
brown; 1 ft	10
CALLIRHOE pedata (Poppy Malle (hA). Free-flowering, en	ow)
	Pkt.
58460	5
CAMPANULA and CANTERBU	RY
	and
beautiful are Campanulas, Although	the
Canterbury Bells are biennials they may	also
be treated as annuals, and will flower the figure from seed, if sown early in the Spr	ing
For effect in the border plant them in clus	mns
of separate colors, and they are beautiful w	hen
massed. The perennial varieties, treated	las
perennials, will flower most profusely by n summer. The tall and stately growing ki	nid-
summer. The tall and stately growing ki	nds
will be found of great value for the bord	
while the dwarf sorts make charming rock edging plants. All the varieties like a r	
sandy soil with good drainage.	icii,
	Pkt.
carpatica (hP). Deep blue; for rockeries, beds and edgings; 6 in . 58530	10
" alba. Flowers white; 6 in 58540	10
Medium Single Blue (Canterbury Bells)	
(hB). Blooms first year if sown early; 2 ft	
early; 2 tt58560	5
Single white. Fretty for con-	5
trasts	5 10
" Single Rose	10
" Single Mixed58600	5
" Double Blue. Rich, heavy, curi-	
ous flowers through Summer	10
and Fall	10
" Double White. Waxy appearance	10
" Double Rose58630	15
" Double Mixed 58640	10
calycanthema (Cup-and-Saucer) (hB).	
Blue; symmetrical; of-	
ten has 35 to 40 flowers	
open at same time on a single plant. For potsor	
borders; 2 ft 58650	10
" alba. A white flowered	
variety of the above.	
58660	15
rosea. Rose; a very fine	15
sort	15
and white58680	10
" Prize Mixture of all col-	
ors, Single and Double	
Calycanthemas; an un-	1.
equaled strain58700	15
Loreyi, Blue. Large flowers; very pretty hardy annual	10
macrostyla (hA). Large lovely violet	10
macrostyla (hA). Large, lovely violet flowers; 3 ft	10
nobilis alba (hP). White; semi-double;	
blooms in Tune: 21/6 ft 58760	25

CAMPANULA—Continued persicifolia grandiflora, Blue (hP). Su- Pkt. perb, large flowers and long, narrow, peach-like foliage. For finest effects plant the blue and white varieties together; 2 to 4 ft. June and 25 grandiflora alba. A whiteflowered variety of the above, growing to the same height. 58780 25 grandiflora, Fine Mixed. 58790 pyramidalis (Chimney Bellflower) (hhP). Spikes 3 to 4 ft. tall, erect, pyramidal; flowers large and of a beautiful blue; flowers large blooms in late Summer and 10 Autumn.......58800 alba. White......58810 grandiflora Mariesii (hP). A fine, dwarf, dark blue variety, growing 1 ft. high. 58820 10 Vidali (gP). White; very floriferous and

‡CANARY-BIRD FLOWER

Also known (Tropæolum canariense). Also known as Canary Creeper. Fine, half-hardy annual; yellow flowers; 10 ft.....58860

handsome; 2 ft..................58840

CANDYTUFT (Iberis). The Candytufts are among our best hardy annuals for edgings, bedding, massing or rockeries, and for cutting. Several of the varieties are fragrant, and all are profuse in bloom. Sow outdoors in April, and thin well when the plants grow about an inch. Sow again in a month, and late in July for Fall flowers. Give rich soil, and water freely.

affinis. Neat and pretty bedder; 6 in. Pkt. 58870 5 5 amara. White; 1 ft.....oz. 30c...58875 coronaria (Rocket Candytuft). delabra form; flowers in upright spikes...oz. 30c...58880 5 Empress. White; 1 ft. 1/4 oz. 20c., oz. 50c...**58885** Giant Hyacinth-flowered. White flowers borne in large trusses.................58890 5 Little Prince. Very large heads of pure white flowers; fine for border and pots; 6 in...58895 10 Small, white, fragrant flowers. odorata. 5 umbellata. Purple; 1 ft......58905 carminia. Bright carmine; 1 carnea. Flesh colored; 1 ft. 58915

Dunnetti. Dark crimson; 1

lilacina. Lilac; 1 ft....58925

Dwarf Hybrids. Mixed col-

Mixed Annual Sorts....oz. 25c...58940

5

5

5

5

10

5

CANDYTUFT—Continued

PERENNIAL CANDYTUFT. Hardy evergreen plants, making a magnificent showing the second year from seed. They bloom very early, cushioning rock ledges, borders, etc., with banks of bloom. Sow outdoors in Spring or Fall in any sunny place.

sempervirens. White flowers remain Pkt. fresh nearly a month; 1 ft.....58990 15


*CANNA (Indian Shot) (hhP). One of our best bedding plants; beautiful, ornamental foliage and large, brilliant flowers. Much employed in subtropical gardening, groups on lawns and mixed flower beds. Soak the seed before planting; 4 ft.

*Queen Charlotte. Scarlet and yellow. Pkt. **59040** 10

*Finest Mixed. Crozy's hybrids; very fine. 59050

CANNABIS gigantea (Giant Hemp) (hhA). A fine foliage plant for borders; 8 ft.. 59070

CANTERBURY BELLS. See Campanula.



Campanula Medium Single

CARNATION (Dianthus Caryophyllus).

The splendid Carnation of the florist is a very interesting plant to grow from seed, and it is not over-exacting. Sown under glass in early Spring or later in the open ground the plants will flower finely the second Summer. For largest, richest flowers we recommend culture in pots of rich soil. With many they are also garden favorites, and, grown in this way, flowers of good quality may be enjoyed all Summer if given plenty of water, good soil and a mulch about their roots. With tall varieties staking and tying is necessary. Young plants are perfectly hardy outdoors, but when two or three years old they are injured by Winter cold, so that sowings should be made every year. The more expensive sorts produce the finest flowers. The prices we quote, although seemingly high, are most reasonable for strains such as we offer.

oz. \$1.50...**59140** 10



Carnation, Thorburn's Margaret

O:	
Giant Margaret. Extra large and per-	Pkt.
fect, flowering in a rich variety of colors; 80 per cent. of the flowers	
generally come double. A splendid	
generally come double. A splendid sort for cutting; 1 ft59150	25
PERPETUAL CARNATIONS. This race	hac
large, elegantly formed flowers, continu	ally
abloom, upon closely branched, symmetr	rical
plants, often called, from their neat ha	ibit,
Tree Carnations.	
Chabaud Perpetual Double. Mixed-	Pkt.
yellow, red, white, etc.; 1½ ft. Blooms in six months	25
Comtesse de Paris. Very dwarf; yellow;	20
comes true from seed59180	50
Jeanne Dionis. Enormous flowers of the	
purest white and most perfect form.	
59190	75
Sparkling (Etincelant). Large flowers	
of bright, glittering red, of surpassing	FO
richness	50
Perpetual, or Tree Carnation. Extra choice quality, mixed59210	25
Giant Perpetual White. Very large,	20
perfectly double;	
flowers in seven	
months after sowing.	
59220	50
" Yellow. Creamy to	
" Yellow. Creamy to golden yellow; 80	
per cent. come true to color; stems long	
and sturdy59230	50
" Fine Mixed. Enor-	
mous flowers; per-	
fectly double; splen-	
did colors 59240	m 0
	50
Prize Mixture Carnations and Pico-	
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250	50 30
Prize Mixture Carnations and Pico- tees. Saved from stage flowers 59250 American New Varieties. Saved from	
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250	
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255	30 50
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in	30 50 vite
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below	30 50 vite v:
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in	30 50 vite v:
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt.
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt.
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt.
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 wite w: Pkt. 25
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt.
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 wite w: Pkt. 25
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 wite w: Pkt. 25
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt. 25
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 wite w: Pkt. 25
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt. 25
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt. 25
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt. 25
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt. 25 15
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt. 25 15 15
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt. 25 15 15
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt. 25 15 15 15 15 15 15 10
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt. 25 15 15 15 16 10 100
Prize Mixture Carnations and Picotees. Saved from stage flowers. 59250 American New Varieties. Saved from best sorts; large flowers on long stems. 59255 BORDER CARNATIONS, etc. We in attention to the splendid collection below Red Grenadine, Double. Brilliant scarlet; 2 ft	30 50 vite v: Pkt. 25 15 15 15 15 15 15 10

CASSIA artemisioides (Senna) (gP). A	Г
very pretty shrub, with finely cut, silvery	
foliage and yellow flowers; sweet scented; Pkt.	
will stand drought very well; 4 ft59450 15	
CASTOR-OIL PLANT. See Ricinus.	
CATANANCHE. Pretty, hardy perennials with everlasting flowers. Free flowering; easily	
grown, blooming first season; 2 ft.	
cærulea alba (bicolor). Blue and white. Pkt.	
59480 5	
cærulea. Blue59490 5	
CATCHFLY. See Silene.	
CELOCIA	
CELOSIA (Cockscomb).	
CRISTATA. An annual of easy culture. They	
are most effective in the border. Transplanted	
into a rich soil about the time the combs	
begin to form make the flower heads much larger, and they last from Midsummer till	
closed by frost.	
Glasgow Prize. Dark leaves and crimson Pkt.	
combs; fine for solid beds and for	
edgings; 1 ft	
with enormous combs of intense	
bright red 59530 10	
" Crimson	
59550 10 59560 10 59560 10	
" Mixed. Extra large combs in all	
the above colors 59570 10	
Tall Mixed. Very fine	-
PLUMOSA (Plumed, or Ostrich-feather Cocks-	
comb). Beautiful annual foliage plants,	C
blooming in late Summer and Autumn, and producing large, showy plumes, curled and	
curved, much resembling ostrich feathers.	
Elegant for beds and borders; 2 to 3 ft. Pkt.	
Ostrich-Feather, Crimson59590 10	
" " Orange59600 10 " " Finest Mixed59605 10	
Pride of Castle Gould. Handsome, com-	
pact, feathery plumes. In shades of	
blood reds, carmines, yellow and	
orange	
59635 15	
" magnifica, Mixed, Su-	
perb assortment of the plumed varieties59640 15	
plumed varieties 59640 15 Pompon (Chinese Woolflower). Brilliant	
scarlet; quite distinct59680 15	
CENTAUREA The popular Cornflower, (Centaurea cyanus), is also	
known as Blue Bottle, Ragged Sailor, Kaiser-	
known as Blue Bottle, Ragged Sailor, Kaiser- blumen, and sometimes as Bachelor's Button.	
Bright-flowered plants of the hardiest nature	
and simplest culture, among the most attrac- tive and graceful of all the old-fashioned	
flowers. The perennial sorts increase rapidly	
and bloom profusely.	
PERENNIAL FLOWERING. A dry, sandy	
soil of moderate fertility seems to suit them	
best, keeping up a profusion of bloom all	
Summer.	
macrocephala. Flower heads large, Pkt. showy, bright yellow; 3 ft59720 10	
montana, Blue. Large-flowered per-	
ennial Cornflower 59725 10	
** alba. White59730 20	



Market	
Celosia Plumosa	
ITAUREA—Continued	
PERENNIAL, SILVER-LEAVED. These used for borders or edgings, and thrive a where. Flowers white, leaves grayish; hardy; height 1 ft.	ny-
candidissima. Silvery white leaves. 59740	Pkt. 10
Clementei. Broadly cut, silvery leaves. 59750	10
gymnocarpa. Silvery white, small leaves. 59760	10
HARDY ANNUALS. Flower finest in full and thin soil. Sow in open ground in Spri $1\frac{1}{2}$ to 2 ft.	sun ng;
americana. Large, lilac-purple flowers; bushy plants; very fine. Constant and profuse bloomer	
imperialis. A hardy annual of great beau the fluffy flowers borne on long, stiff ste Yellow, mauye, lilac, rose and white	ity; ms. in
color, are very beautiful. They are spl did for cutting, and the cut blooms placed in water, are very lasting.	len- , if
White. Very large flowered, hardy and floriferous59790 Purple. Beautiful, velvety purple.	Pkt. 10
Lilac. Very large flowered; hardy.	10
The same as the white, except in color	10 10
Yellow. Bright yellow flowers; very- fine for use as cut-flowers59830 Mixed. Very large flowered; hardy.	10
very large nowered; nardy.	10

ENTAUREA I	Hardy Annuals—Continued	
odorata,	Chameleon. Yellow and rose; fragrant; superb; fine cut-flowers	Pkt.
		10
86	Margaritæ. Pure white; $2\frac{1}{2}$ in. across; laciniated and scented; forms stocky, well budded little bushes; $1\frac{1}{2}$ ft. 59880	10
	- character (Parels Sweet	
moschat	a atropurpurea (Purple Sweet Sultan). Large flowers on	
	long stems59900	5
4.6	atropurpurea alba (White	
	Sweet Sultan)59910	5
**	atropurpurea, Mixed.	
	(Mixed Sweet Sultan). 59930	5
suaveolei	ns (Yellow Sweet Sultan). Fine.	
Suaveoici	59950	5
. 46	rosea. Rose Sweet Sultan. 59960	10
Cyanus	(Cornflower). Blue; delightful, old-fashioned flowers, bloom- ing profusely all Summer; borne on long, stiff stems, and fine for cutting; 1 to 2	
	ftoz. 25c 59970	5



Centaurea Imperialis-See page 87

CENTAUREA Hardy Annuals—Continued	
Cyanus Emperor William. Blue; one of the finest of all Corn-	Pkt.
flowers, and much used for	
cuttingoz. 30c59980	5
" Rose. Distinct shade; flowers borne on long stems; good for	
cutting 60010	5
"Victoria, Dwarf Compact. For pots and edgings; azure	
blue; 9 in 60020	10
"Pure White. Very fine60030	5
" Mixedoz. 25c60040 " Double Mixed.	5
$\frac{1}{4}$ oz. 20c., oz. 50c 60050	5
" Mixed Dwarf Hybrids. ½ oz. 25c., oz. 80c60060	10
* Collection of Centaurea Cyanus, Im-	10
ported, including 6 varieties60070	25
CENTAURIDIUM Drummondii (hA). Pret-	
ty, little, composite yellow flowers; 1½ ft	5
	ree-
CENTRANTHUS Very pretty, flowering annu	ials,
suitable for rockeries, vases and the gar border; 1 ft.	Pkt.
macrosiphon. Red60120	5
" nanus. Red; dwarf; ½ ft.	5
" nanus albus. White.	J
60140	5
" Mixed60150 CERASTIUM (Snow-in-Summer). Pretty, sil	5
leaved, trailing, hardy perennials; fine ed	ging
plants, also for rockeries; 6 in.	Pkt.
tomentosum. White	25 25
CHAMÆPEUCE diacantha (Ivory Thistle).	
A spiny border perennial with glaucous	10
foliage; flowers purple; 1½ ft60270	10
CHORIZEMA ilicifolium. A very fine, evergreen, greenhouse plant, easily pro-	
duced from seed; flowers yellow and red; 2 ft60340	25
CHRISTMAS ROSE. See Helleborus.	20
CHRYSANTHEMUM Do not counds	on-
annuals with the Winter-flowering s	2000
of the florists. They bloom profusely	rom
early Summer until frost, and, when grow large beds or masses their bright colors ma	n in
large beds of masses their bright colors ma	ught
splendid show. The plants can be bro	
into bloom early by sowing the seed	
frames or window-boxes, and afterward to planting to the garden; or seed may be s	ans-
into bloom early by sowing the seed frames or window-boxes, and afterward to planting to the garden; or seed may be swhere the plants are to flower, if the seed are thinned to 8 to 10 inches apart. Pinc	ans- sown lings hing
into bloom early by sowing the seed frames or window-boxes, and afterward to planting to the garden; or seed may be swhere the plants are to flower, if the seed are thinned to 8 to 10 inches apart. Pinc back in early growth makes the plants be	ans- sown lings hing ushy
into bloom early by sowing the seed frames or window-boxes, and afterward to planting to the garden; or seed may be swhere the plants are to flower, if the seed are thinned to 8 to 10 inches apart. Pinc back in early growth makes the plants be and shapely. Average height, 1 to 1½	cans- sown lings hing ushy ft.
into bloom early by sowing the seed frames or window-boxes, and afterward to planting to the garden; or seed may be swhere the plants are to flower, if the seed are thinned to 8 to 10 inches apart. Pinc back in early growth makes the plants be and shapely. Average height, 1 to 1½ coronarium, Double sulphureum. Pale yellow	cans- sown lings hing ushy ft.
into bloom early by sowing the seed frames or window-boxes, and afterward to planting to the garden; or seed may be swhere the plants are to flower, if the seed are thinned to 8 to 10 inches apart. Pinc back in early growth makes the plants be and shapely. Average height, 1 to 1½ coronarium, Double sulphureum. Pale yellow	ans- own lings hing shy ft. Pkt.
into bloom early by sowing the seed frames or window-boxes, and afterward to planting to the garden; or seed may be swhere the plants are to flower, if the seed are thinned to 8 to 10 inches apart. Pinc back in early growth makes the plants be and shapely. Average height, 1 to 1½ coronarium, Double sulphureum. Pale yellow	cans- sown lings hing ushy ft. Pkt.

CHRYSAN	THEMUMS—Continued	
tricolor	. The tricolor sorts have beaut	tiful
	rings and eyes of various col and are distinctively handso	ors, me,
in	with long stems. Burridgeanum. Crimson maroon, with white edge and inner	Pkt.
	circle; brilliant and showy.	5
44	Eclipse. Yellow, with velvety brown band60460	10
44	Golden Feather. Foliage rich yellow; flowers bright red and	
4.6	white, on long stems60470 Northern Star. Giant white	5
	flowers, with black centers. 60480	10
"	Scarlet. Dark and rich60490	5
44	White	5
44	Single Mixed. All colors. 14 oz. 20c., oz. 50c60520	5
**	Double hybridum, Mixed (Dun-	Ŭ
	netti)60550	10
44	Double Golden-leaved Sorts. A	
	mixture of beautiful, yellow- leaved sorts; flowers of various	
44	bright, vivid colors60560	10
	Single and Double Mixed. 1/4 oz. 25c., oz. 75c60570	5
frutesce		
(gP).	Beautiful for cutting and pot cul-	
with s	ong-stemmed, single, white flowers, golden centers. A favorite variety	
with f	lorists60610	10
carrie	m, Double. Pretty, white flowers, d on long, stiff stems; fine for cut-	10
Leucan	themum (Shasta Daisy) (hP).	
Extra and b	large flowers, with pure white petals rilliant, golden yellow center; 2 to	10
Leucani	themum Secundum. (June Mar-	
guerit The S	e). Flowering in succession to hasta Daisy60635	15
segetun	n, Morning Star. Large, yellow	5
"	flowers; for cutting60650 Helios, Evening Star. Fine for	5
	cutting: pure golden vellow	
	flowers of gigantic size, borne on long stems	5
Collecti		lor,
Impo	rted, including:	Pkt. 45
	NIAL VARIETIES. This section	
cludes	the large-flowered sorts, and the pre	tty,
hardy	Pompons that make bright masses in our gardens long after heavy fr	s of
have	cut down other flowers. We wish	i to
make	quite clear the distinction between	this
above,	nd the Annual Chrysanthemums descr so that, as has sometimes happe	ned
hereto	fore, customers may not order seed ummer-blooming garden varieties,	d of
pectin	ummer-blooming garden varieties, g them to yield the grand show flow	vers
of late	Fall, which are obtained from cutt	ings
and re	lly cultivated. For ordinary cult com decoration plants pinched back	k to
form a	a number of branches, and holding for	rom

height of show kinds, 3 ft.



Chrysanthemum tricolor

PERENNIAL CHRYSANTHEMUMS—Continued

CINERARIA One of the most useful and ornamental of greenhouse plants, with flowers of the richest and most brilliant colors and shades, and of the finest texture. It is rather a difficult plant to grow if its requirements are not understood. The mistake generally made is in growing it in a warm house instead of a cool one. The seed should be started in the greenhouse. For Winter blooming sow in April and May in shallow boxes, in fine soil; drop the seed in shallow drills, cover, and press the earth rather firmly with a piece of board or the bottom of a pot. Set the box where it will get the morning sun, water moderately and carefully. Average height, 2 ft.


Azure Blue. Dwarf; fine for edging ... 60780 25

Large-flowered, Crimson. Very brilliant and showy 60800 25

" Flesh Colored, Mixed.

CINERARIA-Cont	tinued 1	Pkt.
Large-flowered.	Stella, Mixed. Twisted	
,	and fluted petals; large	
	flowers of very rich and	
	bright colors60820	50
66 46	White. Handsome.	0 =
"	60830	25
	Prize Mixed. Magnifi-	00
66 44	cent strain60840	60
	Half Dwarf, Prize Mixed	eo
	Exquisite; 1 ft60850	60
Splendid Mixe		25
	Double60870	60
stellata (Polyai	ntha). Mixed 60880	25
HALF-HARDY	PERENNIALS. Require so	me
protection.		
maritima (Du		Pkt.
	60910	5
	ndidissima. Beautiful,	
	white foliage; the best.	10
	60920	10
CLARKIA	One of the prettiest and show of hardy annuals that blo	iest
CDAIGIZIA	of hardy annuals that blo	om
	ve flowers of such various bri	
colors that a	bed of them in full bloom i	is a
vases and as a	nt; useful for hanging bask edgings to beds of larger grow	eis,
	outdoors in early Spring	
grow in partia	al shade. The plants keep u	ра
continuous b	oloom through Midsummer	to
late Autumn;	average height, 1½ ft.	Pkt.
elegans alba, I	Double. White 60960	10
" rosea.	Rose60970	5
44 44	Double. Rose 60980	10
" Single		
Siligle	Mixed60990	5
	Mixed	
" Double	Mixed	5

CLARKIA—Continued	Pkt.
pulchella alba. White61030	5
" marginata. White edged. 61040	5
" Red	5 5
" Double and Single Mixed.	ð
61080	5
CLARY (Salvia Horminum). Pretty, hardy	an-
nuals for beds and borders; 1½ ft.	701
Purple-Top. Purple61110	Pkt. 5
Red-Top. Red	5
White-Top. White	5
‡CLEMATIS (Virgin's Bower). Ex	kcel-
lent, hardy, climbing pe	ren-
nials for trellises, arbors, verandas, etc.	Do
well in most locations.	
crispa. Pale purple; floriferous; 10 ft.	Pkt. 25
paniculata. White, fragrant, very free	20
blooming; 10 to 20 ft	10
blooming; 10 to 20 ft	
the best colors; 10 to 15 ft61190	
For other sorts, see <i>Tree Seeds</i> , pages 67 to	70.
CLINTONIA (Downingia pulchella). Very pretty border annual; flowers freely in	Pkt.
purple, white and yellow (tricolor); fine	
for edgings; 6 in	25
‡CLITORIA. Beautiful greenhouse and conse	rva-
tory climber, with large, pea-shaped block	oms;
10 ft.	Pkt.
ternatea. Blue	10
†COBAEA Tender climbing perennials rapid growth; 20 ft.	of
‡scandens. Purple, bell-shaped flowers.	Pkt.
61330	10
‡ " alba. White61340	15
COCKSCOMB. See Celosia.	
*COLEUS (gP). Splendid bedding pla	nts;
very useful for decorative	
poses; 2 ft.	Pkt.



Cineraria Hybrida

COLLINSIA Free-flo	wer-
ing ann	uals.
If sown in Autumn, will s	tand
the Winter and flower ear	
Spring. All the species	
brightly colored, and exce	
for growing in patches	
clumps; easily grown in	
garden soil; 1 to $1\frac{1}{2}$ ft.	Pkt.
bicolor. Lilac and white	
61490	5
" alba. White, 61500	5
" candidissima.	
White61510	5
multicolor White violet	

Fine Hybrids, Mixed.

Finest Mixed Large-

bees.


coccinea. Scarlet and yellow; 1 ft......61590 5 grandiflora. Yellow; 2 ft. 61600 5

CATALOGUE OF H	IGH-CLASS SEED:S 91
COLUMBINE. See Aquilegia.	COSMOS—Continued
COMMELYNA. Showy, half-hardy perennials;	Erlinda. White. Pkt. 14 oz. 20c., oz. 60c61940 10
favorite plants for pots and gardens; 1½ ft.	Rosita. Pink.
cœlestis. Blue	14 oz. 20c., oz. 60c61950 10 Mixed14 oz. 20c., oz. 50c61960 10
CONVOLVULUS	Mixed
TALL. Beautiful and easily grown annual;	liage61990 25
rapid in covering screens, trellises, etc. major (Tall Morning Glory). Mixed. Pkt.	Marguerite. Petals deeply and irregular- ly fringed; in various bright colors. An
Finest colors; 10 ft. up. oz. 20c 61690 5	attractive flower
mauritanicus (hP). Blue; trailing habit; fine for baskets and rockeries61700 10	white centers, and petals deeply striped
For Japanese Morning Glory, see Ipomæa.	white
DWARF. Dwarf Morning Glories are most	ers, slightly tinged with rose62040 10
elegant annuals for growing in clumps or beds; also for edgings and hanging-baskets;	COWSLIP (Primula officinal is hybrida) (hP). Favorite Spring
very bushy; of easiest culture; bloom all	flower; fragrant; mixed colors; 6 in.62080 10
season; 12 in. Pkt. tricolor (minor). Blue61730 5	CRUCIANELLA stylosa (Crosswort). Hardy Pkt. perennial, with pink flowers; 1 ft62100 5
" Crimson-violet	†CICIMIS Very luxuriant, half-hardy,
" unicaulis. Purple61760 5 " White	rapid growth, bearing curious fruits; flowers
" Mixedoz. 25c61780 5	yellow; 10 to 15 ft. Pkt.
Collection of Convolvulus tricolor, Imported, including 8 varieties 61790 35	flexuosus (Snake Cucumber)62140 5 grossulariæformis (Gooseberry Gourd).
COREOPSIS. See Calliopsis.	CUCURBITA. See Gourds.
CORNFLOWER. See Centaurea Cyanus.	†CUPHEA. Pretty half-hardy perennials; fine bor-
COSMIDIUM Burridgeanum. Very showy,	der and pot-plants; 1 to 1½ ft. Pkt. miniata. Crimson
hardy annuals of easy cultivation; flowers velvety brown; 2 ft	platycentra (Cigar Plant). Long-shaped,
	scarlet flowers all Summer
COSMOS One of the notable Fall flowers. A strong, tall-growing annual,	
with bold flowers of exquisite daintiness and airiness, heightened in effect by their foliage	
setting of feathery green. It is most effective when planted in broad masses, or long back-	
ground borders against evergreens or fences. We offer only the choice, large-flowering	~ 2
strains. To make sure of flowering early Cosmos should be started indoors and trans-	
planted into dry, sandy or poor soil, in a sunny	
situation. THORBURN'S NEW EXTRA EARLY	
FLOWERING. Rose pink and shell pink. Pkt.	
See Novelties	
EARLY FLOWERING. If seed is started early in the house or frame, this fine strain will pro-	
duce flowers a month earlier than Mammoth Perfection.	
Crimson	
Pink. 61890 10 White. 61900 10	
Mixed	
Jawn. Choice Mixed	

Conchita. Crimson. 1/4 oz. 20c., oz. 60c...61930 Pkt.

Lady Lenox. White, counterpart of above MAMMOTH PERFECTION. Large flowers on

long stems, lasting until frost.





These bulbous greenhouse plants are all very beautiful and are unapproached among Winter-flowering plants for duration of bloom, variety of shades, and wealth of coloring. They are among the best plants recommended for house culture, as they thrive well and bloom profusely in the average temperature of the living room. Sow the seed in small boxes or seed pans in a compost of well rotted manure, leaf mold and sand, in the early Winter months. Cover lightly with moss, which should be kept moist and should be removed after the seed germinates. Prick out into small pots when the young plants have two leaves. If grown steadily without any check, they will flower in from ten to twelve months. Average height 9 in.

giganteum	album, Mont Blanc. White. 62300	Pkt. 25
64	albo-rubrum. White with red eye.	
	100 seeds \$162310	25
44	atropurpureum. Dark red. 62320	25
44	Princess May. Purest white,	
	tipped crimson; very hand- some	25
44	roseum. Rose62350	25
44	Rosy Morn. Rich rose, shading to purplish tinge62355	25
**	Salmon Queen. Salmon; very	
44	fine	25 25
persicum :	Papilo, Mixed (Butterfly Cyc-	
44 3	lamen)	25
., 1	/lixed62410	10

CYPERUS alternifolius (Umbrella Pkt. Plant). A perennial grass-like plant of fine habit; grows well in water and damp places; 2 ft
†DAHLIA This favorite, half-hardy perennial is most easily grown from
seed sown early in the house or greenhouse. Will bloom freely outdoors until frost the first season; 3 to 6 ft. Pkt.
Double Mixed
Single Mixed
Double Cactus, Mixed62505 25
Single Collar (Collarette). Mixed . 62510 10
Jules Chretien (Dwarf). Fine, single flowered; scarlet; 1 ft62530 10
Lucifer (Single). Splendid dark red blooms on long stems62540 10
variabilis, Giant Hybrids, Double Mixed62550 10
DAISY (Bellis perennis, etc.) (hP). May
DAISY (Bellis perennis, etc.) (hP). May be sown in February or March in shallow boxes of light, rich soil, covering the
seeds to about three times their own thick-
ness, and pressing soil firmly over them. Keep in a warm window, hotbed or green-
house. When well out of the seed leaf trans-
plant to new boxes, and set out in the open ground when danger from frost is past. Or,
sow in beds outside in August or September:
protect with straw or litter over Winter, and transplant to their permanent position in the
Spring. They make delightful borders to beds
of taller-growing annuals and can be used very effectively in beds of Spring-blooming bulbs;
4 in. Pkt.
Double Red
" Rose (Longfellow)62600 10
" White (Snowball)62610 10
" Mixed. Very fine
62630 15 maxima rosea. Extra large. 62640 15
" maxima, Mixed. Extra large.
" monstrosa alba. Snowy white
flowers
62654 25
Shasta Daisy. See Chrysanthemum Leucanthemum.
DAISY (Paris Daisy). See Chrysanthemum frutescens.
DAISY, Swan River. See Brachycome.
DATURA. Showy, half-hardy annuals of rapid growth, with large, trumpet-shaped, fragrant flowers; 3 ft.
cornucopia (Horn of Plenty). Violet; Pkt. immense flowers
fastuosa, Double White62750 5
" Double Purple62760 5
meteloides (Wrightii). White and lilac. 62790 5

25

10

which are as numerous as they are charming, no other plant can equal the Delphinium. The brilliant flowers are strongly effective in beds or masses, in borders, shrubberies, or in combination with white lilies. Improvements are continually being made in the size of the

are continually being made in the size of the flowers, as well as in the length and fulness of the spikes. Some of the species flower both early and late; the season for all can be prolonged by cutting away withered flower-stems. All varieties are easily cultivated and adaptable to many conditions, but in a soil deeply dug and well enriched with fine old manure, their blooms are the finest. Setting them 1½ to 2 ft. each way is not too much for the taller

sorts.

ANNUAL VARIETIES. These include the Rocket or Hyacinth-flowered, so called from their long, narrow flower spikes. They bloom best in a rather cool, moist soil. Sow seed in the open border, either in Spring or Fall, preferably the latter, so that germination may take place very early in the Spring As the seedlings grow, thin them to stand 6 to 18 in. apart, according to variety. The varieties are seldom kept separate, as they are quite as pretty and convenient for cutting when sown in mixture. Some of these are really hardy biennials, but, because they bloom the first season, we treat them as hardy annuals. The shades of color cover a very wide range.

Ajacis, Dwarf Rocket. Finest colors; Pkt. very beautiful for bedding; 1 ft. oz. 30c...62810

Tall Rocket. Rose-pink; 2 ft. 62820 5

" White; 2 ft..62830
" Long, s h o w y spikes; mixed colors; 2 ft..62840

" Tall Branching. Flesh-color; 2 ft....62860 5
" " " White, beautiful for cuting...62862 10

" " Tall Rose.

Rose color.

62864 10

.5

10

" Choice mixed; 2ft. ½ oz. 20c., oz. 50c. 62870

Emperor Branching Rose. This and the next are splendidly bright and showy, often giving ten to twenty erect spikes of flowers; 2 ft.......62890

Branching, White. Beautiful for cutting.......62900 10

Branching, Mixed.

Newport Rose. A rose-colored and very beautiful, free-flowering sort. If sown outdoors in Spring, it will bloom by the first of August; 2 ft............62920

DELPHINIUM—Continued

PERENNIAL VARIETIES. These are usually taller than the annuals, requiring more space between the plants. If sown in the Fall or very early Spring, nearly all will bloom the first season. Foliage clean and pretty; habit strong and neat; flower-spikes long and dazzling.

Brunonianum. Lovely blue, muskscented flowers, very distinct; 6 to 18 in. 62950



Delphinium (Larkspur), Tall Rocket

ELPHINIUM, Perennial Varieties—Continue	d.
63000	Pkt. 10
" hybridum, Finest Mixed. Very showy63010	10
" hybridum, Finest Double Mixed63020	25
formosum. Brilliant blue, white center; especially fine; 3 ft.63030	25
" cœlestinum. Sky-blue; handsome; true63040	25
New Large Hybrids, Mixed. All shades of blue from best named single-flowering varieties; 3 ft	25
nudicaule. The only pure bright scar- let. Dwarf and compact in growth, with flower-stems of fine length; 1 ft. A native of California	30
Zalil (sulphureum) (hP). Long spikes of yellow flowers; 2 ft63090	30
DENDROMECON rigidum (California Yellow Tree Poppy). An easily grown greenhouse shrub with yellow flowers; 2 ft.63250	25

DIANTHUS. See Pinks, Carnations and Picotees.



Dimorphotheca aurantiaca hybrida

tal hardy perennials; can
remain for years undisturbed; the leaves when
rubbed, have a lemon odor; 3 ft. Pkt.
Fraxinella. Red
" albus. White63300 10
DIDISCUS. See Trachymene.
DIGITALIS. See Foxglove.
DIMORPHOTHECA (African Orange Daisy).
Easily grown, hardy annual of great beauty;
12 to 15 in. in height, and bushy. aurantiaca. Orange; very fine63340 10
" hybrida. New fine varieties, mixed
‡DOLICHOS Very rapid-growing, hardy annual climber, bearing Pea-
shaped blossoms and ornamental seed pods.
Fine for covering screens, etc.; 10 ft.
Lablab (Hyacinth Bean). Purple. Pkt.
oz. 25c63390 5
" albus. Whiteoz. 25c63400 5
MIXEG
giganteus. White
63430 10
Purple Soudan. Purple flowers in racemes; good foliage
*DRACÆNA. Ornamental greenhouse plants; fine for pots, vases, or beds. Pkt.
for pots, vases, or beds. *Draco. Very fine variety; 3 ft63490 25
*indivisa. Narrow green leaves; 4 ft. 63500 10
DRACOCEPHALUM moldavicum (Balm).
An easily grown hardy annual; blue
flowers; fine for bees; 2 ft
ECHEVERIA. Interesting greenhouse succulent plants extensively used for "carpet" bedding;
bluish green leaves; 3 to 6 in. Pkt.
agavoides. Yellow
metallica. Yellow
‡ECHINOCYSTIS lobata (Wild Cucumber). A
rapid-growing annual climber63620 5
ECHINOPS Ritro. A hardy perennial of stiff growth; flowers blue; fine for bees;
stiff growth; flowers blue; fine for bees;
2 ft
ELSHOLTZIA cristata. Hardy annual; flowers lilac; a good plant for bees; 1½ ft.
63650 5
EMMENANTHE penduliflora (California Golden Bells). A bushy-growing, hardy annual, with long-lasting yellow flowers:
annual, with long-lasting yellow flowers;
1 it
EPACRIS hybrida superba. Elegant green-
house plants, free-blooming; style of heath. Mixed varieties; 2 to 3 ft. 63690 50
ERINUS alpinus (hP). Pretty alpine rock- plant; flowers blue; fine for baskets; 3 in.
63770 25
ERODIUM moschatum. Pretty; little,
hardy annual; good for borders; purple
ERYNGIUM. Extremely ornamental, hardy
perennials, well adapted for the garden border, giganteum (Silver Thistle). Blue; 4 ft. Pkt.
63820 10

DICTANANTIC (Gas Plant) Ornamen

CATALOGUE OF	Н	I
ERYSIMUM. Free-flowering, hardy annuals	of	
neat habit and bright colors; style of w	all-	
flowers; 1 to 1½ ft. arkansanum. Yellow63840	Pkt.	
Perofskianum. Orange63840	5 5	
ESCHSCHOLTZIA Commonly ca California Pop	py.	
The state flower of California. This m	uch	
esteemed hardy annual is very bright and in its pure tints of yellow, orange, etc.	The	
plants average about a foot in height, w	71th	
silvery foliage, and produce their large, Pop like flowers from early Spring until fr	py- ost.	-
They are most effective when grown in bed		
considerable size, over which the seed may sown broadcast thinly, and lightly raked	in.	
These sowings may be made early in Spr or late in Autumn for earlier germinat:	ing	
blooming the next Spring. Useful as a p		
plant and for cut-flowers.	,	
THORBURNI. Coppery orange; the effect of a plant in bloom is simply gorgeous;	Pkt.	
the flowers are larger than those of other		
Eschscholtzias, and are borne with equal profusion; finest of all. (See cut.)		
63900	10	
californica. Rich yellow. oz. 30c63910 "alba. Creamy white63920	5 5	
" alba fl. pl. Fine sort, with		
double, creamy white flow- ers63930	10	
" Burbank's Crimson-flower-		
ing. Crimson63940	10	
"Carmine King. Carmine-rose; beautiful63950	10	
" Rose-Cardinal. Carmine-rose63960	10	
aurantiaca fl. pl. Double flowers; bright		
orange	5 5	
" Double Orange64000	5	Г
Douglasii. Very pretty yellow variety from	=	1
California	5	
in and scarlet without64020	5	
maritima. Canary-yellow, with orange		
center; leaves grayish; very effective64030	5	
" Golden West. A superb va-		
riety with very large flowers of deep yellow; blooms all		
Summer; 2 ft64040	5	
finely cut	10	
Mixed. Many sorts. 1/4 oz. 20c., oz. 50c 64060	5	
EUCHARIDIUM grandiflorum. Graceful	J	
and showy; little hardy annuals, nearly		
allied to Clarkia; fine for edgings and pots; rosy red flowers; 1 ft64080	5	1
tEUPATORIUM Fraseri. Splendid hardy	Ŭ	
perennials; clusters of white flowers, fine	=	
for cutting; 1½ ft64100	5	
*EUPHORBIA Very ornamental-lear strong-growing hardy	an-	
nuals; fine for beds and borders; 2 to 3 ft.		
variegata (Snow-on-the-Mountain). Green- and-white foliage	Pkt. 5	
heterophylla (Mexican Fire Plant). Glossy		
green-and-carmine leaves	10	£

EUTOCA VISCIDA. Dark blue.....64160

FENZLIA. I						
ribbon-gar						
dianthiflora	a. Rosy	z lilac.		64	1190	25
4.6	alba.	Whi	te	64	1200	25

FEVERFEW. See Matricaria.

FLAX. See Linum.

FORGET-ME-NOT (Myosotis). These dainty little flowers love cool, moist soils, and, like Pansies, bloom most freely in Fall and early Spring. They make beautiful close borders, or edgings, and will bloom nicely in Winter in a cool room or coldframe. They establish themselves by self-seeding. Sow in Spring in a warm, sunny border. Most varieties bloom freely the first season and profusely the second. Average height, 6 to 8 in.

height,	6 to 8 in.	
lpestris	(hB). A pretty trailer, with blue flowers	Pkt. 10
"	alba. White flowers, very dainty in effect	10
44	Indigo-Blue. Very fine64300	10
"	nana cærulea. Very dwarf;	
"	compact; sky-blue; fine for edging64310	15
**	robusta grandiflora (Eliza Fon- robert). Grown extensively	
	for cutting. Large, sky-blue	
	florets with yellow eye, in large clusters	15
"	rosea. Rosy flowers; pretty con-	
	trast with blues and whites.	10
	0.000	10



Eschscholtzia Thorburni

ORGET-ME-NOT—Continued	
alpestris Victoria. Strong-growing; dwarf habit; flowers large, globular, sky-blue, abundant; fine for	Pkt.
borders, growing in pots and for cutting64340	15
" Mixed64350	10
azorica (hA). Dark blue, with white eye; 1 ft	25
" cœlestina (hA). Beautiful light blue; 1 ft64370	25
dissitiflora (hP). Blooms very early; flowers blue	15
hybridus, Star of Love (hB). A distinct dwarf variety, with large, beau- tiful blue flowers and handsome	
foliage	25



Foxgloves

BARCLAY ST., NEW YORK
FORGET-ME-NOT—Continued
alpestris Ruth Fischer (hB). Pure For- Pkt.
get-me-not blue. Fine for cutting and for hanging-bas-
kets. Can be forced success-
fully and, owing to its extreme hardiness, it is valuable for
Spring bedding in open ground.
palustris (hP). (True Forget-me-not).
Dark blue; blooms the second
year abundantly all season; the best known of all64410 10
" semperflorens (hP). Bright
blue; dwarf; blooming from Spring until Autumn; foliage a
good shade of green64420 25
sylvatica (hB). Blue, with yellow eye; likes dry soil; 1 to 2 ft64430 10
FOUR O'CLOCK (Mirabilis). Favor- ite half-hardy annual
of the easiest culture and very suitable for large beds and borders. Called Four O'Clock
because it opens its blossoms at that hour in
the afternoon. Also known as Marvel of Peru. Handsome, free-flowering, sweet-scented; blos-
soms variegated, striped and of various colors.
Hybrids, Mixed. Fine assortment; 2 ft. Pkt. oz. 25c64460 5
longiflora alba. White; 2 ft64480 5
Variegated-leaved. Many colors; 2 ft. 64490 5
Tom Thumb, White. Bushy habit; 1 ft.
" " Mixed. Very fine; 1 ft.
64510 5
FOXGLOVE (Digitalis). The tall flower spikes of the Foxglove, often
2 to 3 ft. in height, are particularly handsome,
when grown among shrubbery, or in bold masses, as a background for lower growing
masses, as a background for lower growing plants; they are very attractive. Sow the seed
out of doors in Spring and transplant the
seedlings into their permanent places. They will bloom magnificently the following Spring;
give them a deep soil and in partial shade.
purpurea, Rose. Very showy; long spikes. Pkt. 64590 10
" White. Fine and attractive.
" Mixed
gloxinioides, Purple64620 10 Rose. Bright, showy flowers
borne profusely on fine
spikes
" White. Very handsome, Gloxinia-like flowers; ro-
bust; beautiful for cutting. 64640 10
" Mixed. All the choice colors. 64650 10
grandiflora lutea, Yellow, Large-flow-
ered; long racemes of bell-shaped blossoms; dwarf
monstrosa, Splendid Mixed. Very large,
bell-shaped flowers of exquisite beauty, borne on long spikes; 4 ft64680 10
FREESIA. Esteemed greenhouse bulbous
plants, with very sweet-scented flowers; 2 ft.
refracta alba. White64740 5

5

5

FUCHSIA (Ladies' Eardrops). The well-known	wn
Spring-blooming greenhouse plants; also t	fine
for the window-garden. As bedding pla they do splendidly in the Summer if given	nts
partial shade and rich soil.	
procumbens. Blue; trailing variety for 1	Pkt.
vases and hanging-baskets64770 triphylla. Scarlet; dark leaves64780	25 50
hybrida, Finest Single, Mixed64790	50
" Finest Double, Mixed 64800 " Finest Single and Double,	50
Mixed64810	50
	oth
GAILLARDIA (Blanket Flower). Be the annual and perent	nial
varieties of Gaillardia are very showy and f	ree
bloomers all Summer long until frost; good	ual
any situation and easily grown; the individ flowers are of large size, very durable and m	ost
brilliant in color; fine for bouquets; 2 to 3	ft. Pkt.
amblyodon (hA). Fine red64870	5
†grandiflora maxima (hP). Golden yellow;	10
2½ ft	10
shades with red centers; very	
fine, large-flowering hybrids.	10
"Extra-fine Mixed (hP) 64910	10
" semi-plena Mixed (hP). Su-	
perb; very large-flowering, semi-double varieties64920	15
" Kermesina splendens. Cen-	10
ter of rich crimson bordered	10
canary yellow64922 All the following Picta sorts are most eleg	10 ant
annuals and well deserve very generous planting	igs.
picta (hA). Red-and-yellow; very brilliant. : 64930	Pkt. 5
" Lorenziana. Double; mixed colors;	· ·
flowers large	5
Wilked. Fillest colors64500	5
GALEGA. Ornamental, tall-growing, hardy per nials, well suited for borders or cutting; block	en- oms
all Summer; 3 to 4 ft.	Pkt.
officinalis. Blue	5 10
-	10
GAMOLEPIS Tagetes. Half-hardy annual of easiest culture; continuous bloomer;	
fine for beds; flowers yellow; 1 ft65030	10
CAZANII A longiscana. Magnificent	
GAZANIA longiscapa. Magnificent annual from South Africa,	
of easy culture, continuous bloomer, dark	
green foliage with long-stemmed flowers of golden yellow with brown markings. 65080	25
GENISTA canariensis. Ornamental and	
free-flowering tender perennial; yellow	
flowers; 2 ft65090	10
GENTIANA. Showy hardy perennials, valued their beautiful, intense blue flowers early	for
	Pkt.
cruciata. Azure-blue; 1 ft65110	10
CED ANIII IN Most valuable greenhou	ise
GERANIUM Most valuable greenhood plants, blooming continuo	us-
ly. For bedding in the outdoor gard nothing equals them. 1½ ft.	len
	Pkt.
Zonale. Scarlet	10
Apple-scented. Fink; fragrant foliage. 65150	25
Choice Mixed	25
See, also, Pelargonium.	

GERBERA (Transvaal Daisy). Very pretty half-hardy perennials, fine for garden border and also Winter forcing; grows about 2 ft. in height and blooms all through the season. Jamesonii. Deep scarlet (25 seeds in a Pkt. diversity of colors, from pure white to dark red; fine for cutting (25 seeds in a packet) GEUM Handsome hardy perennials that bloom freely all the season; fine for bouquets; 11/2 ft. in height. coccineum. Scarlet.................65240 10 atrosanguineum fl. pl. Double; crimson. 65250 10 Mrs. J. Bradshaw. Large, brilliant scarlet......65256 GILIA

Pretty hardy annuals that bloom most freely and continuously the season. Do finely in any situation; look well on lawn and in beds; are good for rockeries, and can be planted at any time; Pkt. 5 achilleifolia. Blue......65280 alba. White.......65290 5 rosea. Rose.......65300 5 capitata. Light blue............65310 5 alba. White......65320 5 laciniata. Dark blue; dwarf (6 inches). 5 liniflora. White; dwarf (6 inches). For 5



nivalis. White 65350

tricolor. Violet, yellow and white. 65360

Gaillardia grandiflora

†GLAUCIUM (Horned Poppy). She hardy perennial, with la Poppy-like flowers and glaucous-blue folizof easiest culture; 2 ft.	wy
Poppy-like flowers and glaucous-blue folia	ige;
Burbank's Hybrids. A fine mixture.65400	Pkt. 10
GLOBE AMARANTH. See Gomphrena.	
GODETIA Favorite, free-blooming, ha annuals, with widely ope	rdy
flowers of satiny texture, and of the n delicate and lovely colors. They are beaut	nost
for solid beds border lines nots and	for
growing in shaded places, where so few refine flowers will flourish. Sow seed in the o	ally pen
border in Spring, or in a coldframe, transplant seedlings to stand a foot apart	and
rather thin soil. Fine for cut-flowers. Aver height 1 ft.	age
	Pkt.
fusion	5
Crimson Glow. Intense, dazzling crimson; fine, compact grower; very floriferous.	
Duchess of Albany. Sating white65470	15 10
gloriosa (Lord Roberts). Darkest red;	
dwarf	10
ers, blotched with carmine65500	5
Lady Albermarle. Dark crimson65510 compacta (General Gordon). Dark crim-	10
Gordon). Dark crim- son; dwarf65520	0
Lady Satin Rose (G. Whitneyi compacta,	5
Brilliant). Bright carmine	5
Princess of Wales. Brilliant carmine; fine cut-flower variety	5
rubicunda splendens. Brilliant red; fine. 65570	5
The Bride. White and crimson65580	5
Whitneyi Brilliant. Carmine; very showy. 65610	5
Mixed, Tall Varietiesoz. 40c65620 "Dwarf Varieties.	5
$\frac{1}{4}$ oz. 20c., oz. 50c65630	5
GOLDEN FEATHER. See Pyrethrum.	
GLOXINIA Greenhouse plants with mificent flowers of great be decorative. If the seed started early in the season the plants blowers of great because the plants blowers of great because the plants blowers of great blowers.	ag-
liancy; very decorative. If the seed	is
the same Summer; do best in light, rich s fine pot plants for the window garden; I	oil;
fine pot plants for the window garden; $1\frac{1}{2}$ ft.	l to
* * T * * * * * * * * * * * * * * * * *	Pkt. 50
crassifolia erecta, Mixed65680	50
" horizontalis, Mixed . 65690 Defiance. Glowing scarlet; superb; fine	50
foliage	50
rich colors; splendid65710	50
Gigantea cærulea. Large, rich sky blue, shading to pale blue, white	
throat	50
border, throat dotted with	E O
dark red65720 "Goliath." Purple, white bor-	50
der, delicately spotted throat65730	50

GOMPHRENA (Globe Amaranth). These well-known, hardy annuals are among the most popular of the Everlastings for dried Winter bouquets; also well adapted for beds and edgings in the garden. Their round heads of flowers are also called Bachelor's Buttons; 1 ft.


globosa rubra. Purplish red. 65750 5

"alba. White. 65760 5

"carnea. Flesh pink. 65770 5

variegata. Striped. 65780 5

Mixed......65810



Godetia grandiflora maculata (Ornamental) (hhA). These rapid-growing, annual climbers **GOURDS** have most luxuriant foliage and are excellent for covering verandas or trellis-work, and for training over arbors, fences, etc.; bear most curious fruits; the vines are immune from insect pests; 10 to 25 ft. Apple-shaped. A good sort......65860 5 5 5 5 Hercules' Club. Long, green fruits. . 65920 Knob-Kerrie Gourd. Green-and-yellow 5 fruits; ball-shaped, with long handles. 65930 10 Mock Orange. Orange-shaped fruits. One 10 GREVILLEA robusta (Silk Oak). Graceful, evergreen, greenhouse plant, easily raised from seed; fern-like foliage; fine for table

GUNNERA (Chilian Rhubarb). Hardy perennial
decorative lawn plants; leaves gigantic, often
7 to 8 ft. long; flowers reddish purple. Need
rich soil and plenty of water; 4 to 6 ft. Pkt.
manicata
scabra
GYPSOPHILA (Baby's Breath). Both the annual
and perennial varieties are most easily grown;
very graceful and delicate flowers and foliage; fine for rockwork or shrubbery and bouquets;
2 ft. Pkt
elegans (hA). Pure whiteoz. 30c66090 5
" grandiflora alba (hA). Large
flowering, whiteoz. 30c. 66100 10
" carminea (hA). Rosy carmine; elegant
elegant
"rosea (hA). Rose
paniculata (hP). White; fine for bouquets.
66150 10
HAWKWEED (Crepis). Showy, hardy annuals of
easiest culture; 1 to $1\frac{1}{2}$ ft. Pkt.
Golden Yellow
Red
White
HEDYSARUM. Hardy biennials, with racemes of beautiful, Pea-shaped flowers; adapted for
borders and rockwork. Of the easiest culture.
So-called "French Honeysuckle," but no rela-
tion to that vine. Not a climber; 3 ft. Pkt.
coronarium. Scarlet
HELENIUM autumnale superbum (Sneeze-
wort). Late-flowering, hardy perennials;
broad heads of elegant, golden yellow
flowers: fine for culting: 5 to 6 tr 662/0 10
flowers; fine for cutting; 5 to 6 ft66270 10 HELICHRYSLIM (Eternal Flowers) A most
HELICHRYSUM (Eternal Flowers). A most
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and sus-
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft.
 HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt.
 HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 "album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 "album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 "album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 "album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 "album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 "album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 "album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 "album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 "album. White
HELICHRYSUM (Eternal Flowers). A most popular, hardy annual; the flowers are large and the color bright; highly prized for Winter bouquets. Flowers intended for drying should be gathered when partially unfolded and suspended with heads downward in cool and airy place; 1 to 2 ft. bracteatum. Single flowering; yellow. Pkt. 66290 5 album. White

HELIPTERUM. Half-hardy annuals, with der	nse
masses of flowers; resemble Helichrysums, a	nd
useful in the same way as "Everlasting" flower	
1 ft.	kt.
corymbiflorum. White66530	5
Sanfordii. Yellow	5
HELLEBORUS (Christmas Rose). These we	
known, Spring-flowering, hardy perenni	2 le
thrive finely in any common soil, in a shelter	
	kt.
Mixed Hybrids. Very fine66570	
	20
HESPERIS. See Rocket.	
HEUCHERA. Compact-growing, hardy pere	en-
nials, with erect spikes of brilliant flower	rs;
fine for the border, blooming all Summ	er:
nothing more desirable for cut-flowers; 1	ft.
sanguinea. Crimson; fine for pots and I	
cutting	15
" splendens. Dark red; splen-	
did66610	25
" hybrida, Mixed. Many ef-	
fective varieties66620	15
	_
HIBISCUS (Mallow). All the species be very showy flowers and	ear
very showy flowers and	are
easily grown; should be employed largely	in
every garden.	
africanus (hA). Free flowering, fine an- I	kt.
nual; flowers yellow and purple; 2 ft66640	5
Crimson Eye (†hP). White and crimson;	
splendid in borders; 4 ft66650	10
syriacus, Double (hS). Pink and white.	
This is the Rose of Sharon; 6 ft66660	5



Gypsophila paniculata

HOLLYHOCKS (Althæa rosea). Although Hollyhocks are

very permanent and hardy for the first Winter, it is advisable to sow seed every year of these splendid, hardy perennials, as the flowers on young, vigorous plants are much finer than on old ones. Sowings should be made in April or May, and not later than June, to flower the next year. In final transplanting give each seedling a foot or more space each way for development. They succeed best in an ordinary deep, rich soil. They make a glorious show in the garden with their splendid spires of flowers. Water well in dry



Double Hollyhocks

BARCLAY ST., NEW YORK
weather. Average height 6 ft. Our seed is of magnificent, double varieties, grown from Chater's celebrated collection, which has revolutionized the popular estimation of the Hollyhock. Bright Rose. 14 oz. 60c. 66720 10 Chamois Rose. 14 oz. 60c. 66790 10 Salmon. 14 oz. 60c. 66890 10 Snow White. 14 oz. 60c. 66800 10 Yellow. 14 oz. 60c. 66810 10 Yellow. 14 oz. 50c. 66820 10 "Allegheny, Fringed. 14 oz. 75c. 66830 15 "Single. 14 oz. 50c. 66840 5
HONESTY (Lunaria biennis). Hardy biennial, with silvery seed
vessels; prized for Winter decorations; 2 ft.
Purple. 66920 10 Crimson. 66925 10
HORNED POPPY. See Glaucium.
HUMULUS (Climbing Hop). The well-
HUMULUS (Climbing Hop). The well-known, fast-growing, hardy annual climber; 15 to 20 ft.
japonicus (Japanese Hop). Beautifully cut Pkt. green foliage; makes fine
shadeoz. 40c66960 5 " variegatus. With white-varie-
gated leaves; fine. $\frac{1}{4}$ oz. 20c., oz. 50c66970 10
HUNNEMANNIA fumariæfolia. Very showy,
hardy annual, with large, golden yellow flowers and feathery, glaucous foliage; 1½ ft
HYACINTHUS candicans. Favorite, hardy, Pkt.
bulbous plant; white, bell-shaped flowers; 4 ft
HYPERICUM elegans (St. John's Wort). An elegant, hardy perennial; blooms all Summer; yellow flowers; 1½ ft67010 10 IBERIS. See Candytuft.
ICE PLANT (Mesembryanthemum crystallinum). Half-
hardy annual; its succulent leaves are covered with watery vesicles resembling
pieces of ice; white flowers; 6 in
IMPATIENS (Touch-Me-Not). Charming green- house and window-garden plants that bloom profusely and almost continuously. Good
also for bedding; 1 to $1\frac{1}{2}$ ft. Holstii nana Liegnitzia. New, scarlet, Pkt.
" hybrida, Mixed. Finest colors.
Sultani. Bright, rosy carmine; fine for
pots
*INCARVILLEA. Ornamental, hardy perennials,
with brilliant, Gloxinia-like flowers; continuous bloomers; succeed well in any situation, and make a fine show in the garden; 2 to 3 ft.
Delavayi. Rosy carmine; splendid border Pkt.
plant
ers

CATALOGUE OF H	IGH-CLASS SEEDS 10
INULA glandulosa grandiflora. Splendid, Pkt.	
hardy perennial, with large, orange-yellow	
flowers borne on erect stems; in bloom all	ind.
Summer; 2 ft	
†IONOPSIDIUM (Diamond Flower) (hhP).	7
acaule White. Pretty	
TIPOMOEA (Moonflower; Morning Glory; Cypress Vine). Of all climbers	
for garden and greenhouse these are the quick-	
est and most luxuriant in growth. Ipomœas	
grow so easily from annual sowings that it is	
no longer thought necessary to Winter over	
roots or young cutting plants under glass. The large, thorny seeds of some varieties	A STATE OF THE STA
should be soaked in hot water before planting.	
For early flowers sow in hotbeds, or pots and	
boxes under glass, and transplant to rich, deep	
soil in Summer quarters as soon as danger of frost is over, when sowings may also be made	
in the open ground. Nothing finer for porches,	
trellises, etc.	
*These are very hard-seeded, and in order to hasten germination, a notch should be filed in the seed before planting.	
	The last
ANNUAL VARIETIES. From early sowings these begin to bloom about Midsummer, and	
are full of beautiful flowers all the season,	
often blooming freely until cut down by frost.	
*bona nox (Good Night, or Evening Pkt.	Incarvillea Delavayi
Glory). Large, blue flowers open in the evening; 15 ft	
coccinea. Scarlet flowers; 10 ft67210 5	IPOMOEA—Continued
" lutea. A yellow-flowered va-	flower from about Midsummer until frost. P Flowers remain open all day; 15 to 18 ft.
riety	67390
sky-blue flowers with white margins;	Quamoclit (Cypress Vine; Star Flower).
15 ft	A tender annual, with finely cut leaves and
IMPERIAL JAPANESE MORNING GLORY.	small, star-shaped flowers. This, the type, is scarlet flowered; 10 ft
The leaves are mostly plain green, but some	
are oddly blotched with white or yellow.	QUAMOCLIT HYBRIDA—CARDINAL CLIMBER. One of the
Flowers vary from pure white to carmine, through blues and purples of every shade;	best annual climbers in-
30 to 40 ft.	troduced for many years.
Finest Single Mixed. Large flowered; Pkt.	Rapid grower, with branch-
all colors	ing habit; flowers all Sum- mer in fiery cardinal-red
fully fringed	clusters; 25 ft 67440
Double-flowered Mixed. Superb mix-	" White 67460
ture of double sorts67280 15	Wilked Cypress vine. 67470
Giant Mikado. Largest flowered. 67290 10 limbata. Violet and white; 5 ft 67320 5	Greenhouse Climbers. These handsome vir grow nicely in open ground, but bloom almo
*mexicana grandiflora alba. The great	too late to be very useful there, in all exce
white Moonflower; 15 ft	warm climates. Grown in pots, tubs or gree
67330 10	house beds they flower grandly between C
" grandiflora hybrida alba. Flowers very large and numer-	tober and Spring. setosa (Brazilian Morning Glory). This p
ous; 15 ft 67340 10	vine makes an immense, thick growth
" grandiflora hybrida. Pink.	of great, lobed leaves lighted by a pro-
(Giant Pink Moonflower)	fusion of large, rosy flowers, with a
rubro-cærulea, Heavenly Blue. The very	satiny pink star in the centers. The red pubescent stems and seed-pods add
large, clustered flowers of beautiful sky	very much to its attractiveness; 10 to
blue open early in the morning. Unusu-	20 ft
ally distinct and handsome; 10 ft. Sow early	IPOMOPSIS. Showy and beautiful, tend
early	biennials; the seeds should be started in t
rubro-cærulea grandiflora. Early flower-	house; flowers very bright in color; 2 ft. P
ing. Produces gorgeous sky-blue flowers	elegans, Mixed
with rose-colored markings, from 4 to 5	IRIS Kæmpferi. These most desirable, hardy, herbaceous perennials begin to
inches across, in great abundance. Rapid	bloom the second year from seed. Our
grower. If sown in boxes or hotbeds the young plants may be set out in April or	assortment is saved from a fine collection;
May in a sunny situation, where they will	2 ft67620




/ayi

POMOEA—Continued	
flower from about Midsummer until frost. Pkt Flowers remain open all day; 15 to 18 ft.	•
67390	5
is bearief no werea, 20 it	5
QUAMOCLIT HYBRIDA—CARDINAL CLIMBER. One of the best annual climbers introduced for many years. Rapid grower, with branching habit; flowers all Summer in fiery cardinal-red	
clusters; 25 ft 67440 2	
	5
	_
Greenhouse Climbers. These handsome vine grow nicely in open ground, but bloom almos too late to be very useful there, in all excep	t
warm climates. Grown in pots, tubs or green	-
house beds they flower grandly between Oc	_
tober and Spring.	
setosa (Brazilian Morning Glory). This Pkvine makes an immense, thick growth of great, lobed leaves lighted by a profusion of large, rosy flowers, with a satiny pink star in the centers. The red pubescent stems and seed-pods add very much to its attractiveness; 10 to 20 ft	0
IPOMOPSIS. Showy and beautiful, tender biennials; the seeds should be started in the house; flowers very bright in color; 2 ft. Pk elegans, Mixed	e t.
IDIC Kampferi These most desirable	

‡KUI

ta †LAI

JACOB'S LADDER (Polemonium). Beautiful, old-
fashioned, hardy perennial border plants; flowers in clusters; 2 ft. Pkt.
Blue
White67660 5
JACOBAEA (Senecio). Very free flowering, hardy annuals of easy culture; good for both pots and bedding; 1 to
1½ ft. Pkt. elegans fl. pl., Tall Double, White 67680 5
" " Tall Double, Purple.
67690 5
" " Tall Double, Mixed. 67700 5
JOB'S TEARS. See Coix Lacryma, page 129.
JOSEPH'S COAT. See Amarantus
KAULFUSSIA. Hardy annual, succeeding well in any good soil; fine for edgings and pots; good habit and bright colors; 1 ft. Pkt.
amelloides. Blue67770 10
" Kermesina. Violet red.
67790 10
Wiixed
KENILWORTH IVY. See Linaria.
KOCHIA trichophylla (Improved Summer Cypress). A rapid-growing, hardy annual; foliage green, turning to fiery red in Autumn; very ornamental on the lawn; 2 to 3 ft. in height.



Kochia trichophylla

KUDZI	VINE (Pueraria Thun-Pkt. bergiana). A peren-
mai c	limber from Japan; fine when tablished, often growing 40 ft. in a
season.	Purplish violet, fragrant, Wis-
	ANA Fine Mixed Rapid-grow-
bedding	g small bushy shrubs; fine for and pot culture; 2 ft67930 5 R. See Delphinium.
fragran	YRUS latifolius (Perennial Pea) (hP). These have not the ce of Sweet Peas, but bloom through
a long	season; are hardy and will live for they make a beautiful screen for rocks,
stumps	, fences, etc.; 4 to 8 ft. Pkt.
Pink Be	
White.	and shaded pinkoz. 50c68010 10 Valuable for cut-flowers in Mid-
summe	roz. 50c 68020 10 oz. 50c 68025 10
in the	TERA Very showy and free flowering; splendid for large beds garden, where they bloom all Summer;
nne ioi	is (hA). Red; makes a brilliant
	show in the garden; 2½ ft. Pkt. 68080 5
"	alba (hA). White68090 5 arborea (Tree Mallow) (hB). Pur-
LAYIA ele	ple; 6 ft
	annual with yellow-and-white flowers; of easiest culture; 1 ft.
	LEMON VERBENA. See Verbena.
34	LEPTOSIPHON. Elegant, hardy an-
	nuals, and should be in every gar- den; fine for edgings or rockeries;
-	blooms in masses; 1 ft. Pkt. androsaceus. Lilac
	" albus. White 68210 10
	aureus. Orange68220 10 densiflorus. Blue68240 10
	" albus. White 68250 10
	Mixed
4	LEPTOSYNE. Fragrant, half-hardy annuals; large Marguerite-like
	flowers on long stems, good for cutting; 1 to 2 ft. Pkt.
	maritima. Yellow68290 10 Stillmanii. Golden yellow;
	blooms six weeks after sow- ing
	LIMNANTHES Douglasii. A vigor- ous, dwarf-growing, hardy annual,
	with yellow and white, fragrant flowers; 1 ft68350 10
	LINARIA (Toad Flax). Snapdragon-
	shaped flowers fine for cutting. The dwarfer-growing varieties are
The second	desirable for edgings and rock- work all of the easiest culture.
	bipartita alba (hA). White; Pkt
	" elegans (hA), Pur-
	ple; 1 ft 68390 5 " Fine Mixed 68405 5

CATALOGUE OF	H.
LINARIA—Continued	Pkt.
maroccana (hA). Purple; 9 in68410	5
" Mixed Hybrids (hA), Very	
fine; 9 in68420	10
Charming, hardy perennial, trailing plants	10
for baskets, rockwork, etc68430	10
flavum (fhhP). Yellow; fine; 1 ft 68470	rden
flavum (thbP) Vellow: fine: 1 ft 68470	Pkt.
grandificrum rubrum (hA). The fa-	
vorite Scarlet Flax. Large flowered;	
1 ft	5
color blue; 2 ft68495	5
LOASA. Curious prickly annuals with sing	
LOASA. Curious, prickly annuals, with sing flowers and stinging foliage; do well in control of the control of t	om-
mon soil.	
aurantiaca (lateritia) (hhA). A twining climber with brilliant, orange-red flowers;	Pkt.
6 ft	10
tricolor (hA). Orange, red and green; 2 ft.	20
68540	10
LOBELIA The Erinus varieties bloom quickly from seed and flo	very
quickly from seed and flo	ower
all through the season. For beds, edgi baskets and pots there is nothing pret	ngs,
Sow outdoors in early Spring where the pl	ants
Sow outdoors in early Spring where the plare to grow, and thin moderately; or treplant several inches apart in rich, open	ans-
plant several inches apart in rich, open	soil.
Some stimulant given when they are bloom greatly improves the flowers. Alr	nost
all are also good Winter conservatory pl	ants
all are also good Winter conservatory pl of trailing habit. The perennial or tall v	arie-
ties are handsome, showy plants and wil found quite effective for backgrounds	l be
grouping.	and
ERINUS VARIETIES (tA)— gracilis. Blue; trailing; beautiful for	Pkt.
baskets	5
blue-flowered edging plant; 6 in. 68580	10
alba. White flowers68610	10
kermesina. Crimson68620	10
Lindleyana. Rose, white eye68630	10
Paxtoniana. Blue and white68640	10
Barnard's Perpetual. Deep blue, with	
white eye; very fine68650	10
Royal Purple. Deep blue, with a distinct	10
white eye	10
Mixed	10
Dark blue; for bedding; 6 in.	
68690	20
Emperor william. Light blue;	20
very fine68700 PERENNIAL VARIETIES—	20
cardinalis (Cardinal Flower). Standing	- 1
bold and erect with its	1
crimson-scarlet flowers, this	
handsome, native perennial	
Lobelia is invaluable for the border or grouping among	
evergreens; 2½ ft68780	10
" fulgens (Queen Victoria).	
Intense vermilion scarlet,	25
dark leaves; 2½ ft68790 ramosa. Blue; flowers profusely in Fall;	25
1½ ft	10
Tupa. Flowers crimson, strong grower.	
perennial suitable for border; height	15
8 to 10 feet68815	15

‡LOPHOSPERMUM scandens. A splendid, Pkt. tender annual climber, with trumpet-shaped, dark rose flowers; 10 ft....68840 10

LOVE-IN-A-MIST (Nigella). Programment of the control of the contro	etty
hardy annuals, with feathery fennel-like	ioli-
age and curious flowers; of easiest cultu	ıre.
Also called "Devil-in-a-Bush"; 1 to 1½ ft.	
Double Blue	5
Double White	5
Miss Jekyll. Beautiful; double; Cornflower	
blue	10
White Spanish	5
Mixed Spanish	5
Mixed, All Sortsoz. 30c68970	5

LUPINUS (Lupine).

ANNUAL VARIETIES. These garden favorites are among the most beautiful of our hardy annuals; extremely varied in color, of the easiest culture and bloom all Summer. Splendid for beds, borders, and backgrounds; 2 to 3 ft.

Cruikshan	ksii. Blue, white and yellow.	Pkt.
	69000	5
Hartwegii	. Blue	5
"	albus. White69020	5
44	roseus. Rose69030	5
hirsutus.	Blue; large flower69050	5
44	albus. White69060	5
**	ruber. Red69070	5



Lupinus Nanus-See page 104

•
UPINUS, Annual Varieties—Continued Pkt.
hybridus roseus. Rose69080 10
mutabilis. White, yellow and violet;
sweet scented
nanus. Dwarf; blue; fine for growing in front of tall sorts. See cut p. 103.69110 5
PERENNIAL VARIETIES. The hardy peren-
nial varieties of the Lupines are extremely
handsome and stately, bearing beautiful flow-
ers of rose, white, blue and vellow in color.
borne on erect, graceful spikes that are more
than a foot in length. They are certainly among the most striking of hardy perennials;
grow very compactly about 3 to 5 ft. in height,
and bloom continuously and profusely during
the Summer. They are excellent for grouping
or massing in separate colors, and they suit themselves to almost any position in the border,
making a good cut-flower, and of easy culture,
requiring ordinary moist soil, deep as possible,
but well drained, with plenty of old stable
manure, in any open, sunny position. Sow seeds in April in their permanent places,
transplanting or thinning as may be required.
Pkt.
polyphyllus. Blue
" Moerheimii. Rose and
white of rather dwarf
habit; very beautiful
" roseus. Rose; magnificent.
69240 25
" Mixed
tricolor elegans. Orange, rose and white.
1 VCHNIS From flowering, hardy parentials with
LYCHNIS. Free-flowering, hardy perennials, with brilliantly colored flowers; excellent for massing
in beds and borders.
chalcedonica. Scarlet; 2 ft 69330 5
" alba. White69340 5
Haageana, hybrida Mixed. Fine colors;
111



Lychnis, chalcedonica



Malope Grandiflora
MALOPE Very pretty, free-blooming, hardy annuals with Mallow-like flowers.
Sow the seed early; good for beds and borders;
2 to 3 ft. Pkt. grandiflora alba. White
" rosea. Rose
" rubra. Red69460 5
" Mixed69470 5
MALVA. Handsome garden plants that bloom
continuously all Summer and are very fine for
cut-flowers.
miniata (tA). Scarlet; carried on long, Pkt. strong stems; 3 to 4 ft69490 5
moschata rosea (†hP). Rose-flowered va-
riety; fine
MANDEVILLEA suaveolens (gP). This
fine greenhouse climber has deliciously
sweet and beautiful, snowy white flowers;
10 ft
MARIGOLD (Tagetes). These, like the Calendulas, are valuable be-
cause they light the garden with such a grand
glitter of yellow far into the frosts of Autumn.
The dwarf varieties make a fine border for
taller sorts, and both are effective when planted
in groups or in garden borders. Hardy annuals. Average height, 1 to 2 ft. All our own
special strains, vastly different from the ordinary
sorts commonly sold.
I EDICALLE III DEPENDE

AFRICAN VARIETIES—	
Delight of the Garden. Dwarf; large-	Pkt.
flowered; lemon yellow; double; fine for	
edging large beds69560	10
Eldorado. Large, quilled, perfectly	
double; brilliant shades of yellow.	
½ oz. 20c., oz. 60c69570	5



Marigold, Pride of the Garden

ARIGOLD, African Varieties—Continued	
Pride of the Garden. Extra-large,	Pkt.
double flowers of richest yellow; dwarf	
and neat69600	10
Prince of Orange. Beautiful orange	
color	5
Mixed Double.	
½ oz. 20c., oz. 60c69620	5
FRENCH VARIETIES—	
Tall Dark Brown. Reddish brown;	~
extremely floriferous69640	5
Dwarf Striped. Flowers handsomely	10
marked	10
" Dark Brown. Beautiful reddish	10
brown	10
Brownie). Single; golden yel-	
low, marked velvety red69670	10
Tall Mixed, Double.	10
½ oz. 20c., oz. 60c69680	5
Dwarf Mixed, Double.	·
½ oz. 20c., oz. 50c69690	5
Collections of Marigolds, Imported,	
Including—	
12 vars. Double French69710	45
6 vars. Double French69720	25
6 vars. Double African69730	30
See, also, Calendula,	

M.

	MARTYNIA. Curious and ha some, half-hardy annuals	
	the border, with bright flow	ers.
	borne in profusion, and lowed by quaint pods wh	fol-
,	lowed by quaint pods wl	nich
	are used for pickling; 11/2	
	lutea. Yellow69780	Pkt. 5
67h	proboscidea. Reddish	J
	white 69790	5
Park I	MARVEL OF PERU. See	
	Four O'Clock.	
	MATHIOI A bicor-	
"	MATHIOLA bicornis. A	
	charming, little annual of	
	no particular beauty, but	
478	it has a most delicious odor perceptible at a consider-	
	able distance and in the	
	evening permeating the whole of the atmosphere	
45(274)	whole of the atmosphere	
	surrounding it with its delightful fragrance	
	69820	10
	MATRICARIA. Free-flower	
D. W.	hardy annuals, with a pr	ofu-
	sion of dainty flowers; bl	oom
	all Summer; good for bed or pots; 1½ ft.	ding
	capensis fl. pl. (Feverfew).	
- M. A.		Pkt.
	ers; pretty and neat	
	69830	5
	eximia, Golden Ball. Gold- en yellow; fine	
	for pots69840	15
1 -	" fl. pl. Double;	
	white69850	5
5	thMAURANDYA. Rapid-grow	
A Part A	half-hardy perennial clim that can be treated as annu	
(CTS)	Fine for garden or greenho	
	bloom all Summer in han	ging
	baskets and vases or on	
D 1	lises; 10 ft.	Pkt.
Barciaya	na. Blue	10 10
Emeryan	a rosea. Rose69900	10
	grandiflora. Purple69910	10
Mixed	69920	10
MELILOTU	JS cærulea. Ornamental, hardy	
annual	like the Lotus; sweet-scented, blue	
	good for bees; 2 ft 69970	5
‡MELOTHR	lA scabra. An interesting, half- nnual tropical vine with light blue	
hardy a	nnual tropical vine with light blue	10
flowers;	10 ft69990	10
MECEN	DDV ANTHEMINATH	ese
	BRYANTHEMUM Thea	
	-hardy annuals flower profusely in	
and sur	nny situations; fine as edging pla	nts;
	ım variegatum. Rose; cream	Pkt.
foliage:	very dwarf; a fine variety for	- 11.
carpet l	very dwarf; a fine variety for bedding or for edging and for rock-	4
work	70020	15
crystallir	num (Ice Plant). White flowers; at leaves covered with sparkling	
ice-like	globules	5
tricolor.	Crimson, pink and white; fine in	0
	dry situations70030	5
66	album. White70040	5

MIGNONETTE (Reseda odorata). Seed of this popular,
hardy annual can be sown at any time, and if successive sowings are made its fragrant, modest-colored flowers may be gathered outdoors until November. Sow in pots or boxes under glass in February or March, and thin or pot off the seedlings to make good plants for bedding out in April. Sow outdoors in rows about April 1st, and again regularly at intervals of about three weeks till August, a row or two at a time for succession. The July sowing will make good Winter-flowering plants; 1 ft.
Reseda odorata grandiflora (Sweet Mig- Pkt nonette)oz. 25c70060 5
Allen's Defiance. Spikes of great length; very fragrant and fine for cutting; 1½ ft. ½ oz. 20c., oz. 60c70070 10
Crimson Giant (ameliorata). Red flow- ered
Diamond. Pure white flowers; fine; very sweet scented
Giant Pyramidal. 1½ ft70110 10
Golden Queen. Golden yellow70120 10
Goliath. Red; enormous spikes; striking; very sweet scented



Mignonette Machet

MIGNONETTE—Continued	Pkt.
Machet, Dwarf. Deep red70140	10
" Bismarck. Improved Machet. Large spikes	
of golden yellow flowers.	
70150	10
" " Golden70160 " " Ruby (Rubin). Very fine	10
strain of the Machet.	
with coppery scarlet	10
flowers70170 White Pearl. The best	10
white variety70180	15
Miles' Spiral. 1 ft	5
70200	10
Parsons' White. White and buff; 9 in.	10
70210 Victoria. Compact; bright red; 6 in 70220	10 10
MIMOSA pudica (Sensitive Plant). A curious and interesting, half-	
hardy annual, with pinkish flowers; leaves	
close when touched; $1\frac{1}{2}$ ft70280	10
tMIMULUS (Monkey Flower). Showy, b	alf-
MIMULUS (Monkey Flower). Showy, hardy perennials; do best in a moist situa	
	Pkt.
cardinalis. Scarlet	10
cupreus, Mixed	10
grant foliage70320	10
" compactus. Yellow; dwarf.	
70330	15
Roezlii. Golden yellow; dwarf70340	25
tigrinus. Tigered and spotted varieties. 70350	10
" grandiflorus (Queen's Prize).	10
Large-flowered variety of above.	0.5
70360	25
†MINA lobata. A beautiful and free-flowering, half-hardy annual	
climber, with scarlet-and-yellow flowers;	
15 ft. 70380	10
MIRABILIS. See Four O'Clock.	
‡MOMORDICA. Handsome and ornamer	ıtal,
climbing, half-hardy annuals with ye flowers; fine for covering rockwork, trell	ises.
etc.; 10 ft.	,
Balsamina (Balsam Apple). Apple-shaped	Pkt.
fruit; glossy, green foliage. Often used for its medicinal qualities	5
Charantia (Balsam Pear). Pear-shaped	Ů
fruit; heavy green foliage70430	5
Elaterium (Squirting Cucumber). The	
oblong fruits eject their seed at the slightest touch	5
MONARDA didyma (Oswego Tea). Very	Ĩ
ornamental and beautiful, hardy perennial, with bright scarlet flowers; 3 to 4 ft.	
with bright scarlet flowers; 3 to 4 ft.	25
MONK'S HOOD. See Aconitum.	20
MONKEY FLOWER. See Minulus.	
MOONFLOWER. See Ipomæa mexicana.	
MORNING-GLORY. See Convolvulus and	Ibo-
mæa.	P0-
MOURNING BRIDE. See Scabiosa.	

MUSK PLANT. See Mimulus moschatus.

MYOSOTIS. See Forget-me-not.

NASTURTIUM

We do not sell less than one ounce of any one kind by weight

A marvelous range of new colors has been developed in this favorite flower which, for three or four months of the season, makes a better display than almost any other plant. No other hardy annual will produce such a lavish profusion of flowers for so long a time with the same small outlay of time and labor. The maximum of bloom is produced on thin soils, and never flags through the hottest weather. In soils too rich, leaves predominate, and the plants are apt to rot off in wet weather, especially if standing too close.

For the celebrated Lobb's Climbing Varieties, see next page

We can supply most of the Dwarf Varieties Nasturtium at 30c. per oz.

Anna Grant



Nasturtium (Tropæolum)

DWARF or TOM THUMB (Tropaeolum nanum)

These have a neat, compact habit and attractive foliage; they bloom in two months from sowing, and most profusely the whole season; 1 ft.

Airia Gibbt. (Spencer.) I di pie-scariet	PKt.
flowers on long stems; dark foliage70570	15
atrococcineum. Brilliant scarlet; fine.70580	10
Aurora (Terra-cotta). Fine70590	10
Beauty. Yellow and scarlet70600	10
Bronze-color. Distinct70610	10
Chameleon. Mottled crimson, bronze and	
yellow; very fine	10
cæruleo-roseum. Bluish rose70630	10
Crystal Palace Gem. Yellow and carmine.	
70640	10
Empress of India. Deep crimson; fine dark	10
foliage70650	10
Golden Cloth. Golden yellow leaves; scarlet	1.0
flowers70660	10
King of Tom Thumbs. Scarlet; fine color.	10
70680	10
King Theodore. Black, velvety; darkest of all	10
	10
Lady Bird. (Spencer.) Golden yellow, spotted red-brown; foliage light green70700	15
ica biowii, ionage ngitt green	10

(Spanger) Purple coorlet Die

Miss Mina Groot. (Spencer.) Deep scarlet P	
flowers; light green foliage; pretty70710	15
Prince Henry. Light yellow, marbled scar-	
let70720	10
Queen of Tom Thumb. (Original Queen.)	
Brilliant Crimson with white veined varie-	
gated-leaved foliageoz. 30c. 70725	10
Chameleon. Variegated leaves, developing	
bright yellow, later on changing into	
different shades, producing a magnificent	
display of colors70730	10
Golden Yellow. Variegated leaves70740	10
Orange-Scarlet. Variegated leaves 70750	10
Mixed. Splendid range of colors of varie-	
gated-leaved sorts70760	10
Riemke Groot. (Spencer.) Odd, wavy, dark	
green foliage; bright scarlet flowers70770	15
Ruby King. Ruby-red; large flowers; dark-	
leaved; fine and very profuse70780	10
Vasuvius Salmon roses extra large flowers in	

DWARF NASTURTIUM—Continued	Pkt.
White, or Pearl (Moonlight)70800	10
Yellow. Very fine	10
Mixed, Golden Leaved Sorts70820	
" Spotted Varieties. Spotted, blotched	
and marbled sorts70830	10
" All Sorts. Per oz. 20c., ¼ lb. 30c., ½	10
lb. 55c., lb. \$1.0070840	10
251 00Ci, 151	10
TALL or CLIMBING (Tropaeolum majus)	
Besides their ordinary garden use for trailing	over
fences, trellises, stone walls, etc., these can als	o be
grown as pot plants for Winter flowering, as scre	eens,
or as trailers for hanging baskets and vases; 8 t	to 12
ft. Oz.	Pkt.
Chameleon. Various colors70910 20	5
Dark Crimson	5
" " Golden-leaved.	U
70930 20	5
Edward Otto. Brownish lilac. 70940 20	5
	J
Fashion. Light crimson-rose, veined old-rose	E
	5
Golden-leaved Scarlet70960 20	5
hemisphæricum. Orange70970 20	5
Jupiter. Giant-flowered; beautiful	_
golden yellow	5
King Theodore. Black70990 20	5
Moltke. Bluish rose71000 20	5
Pearl (Moonlight). Whitish71010 20	5
Scarlet71020 20	.5
Scheuerianum, Spotted71030 20	5
" coccineum. Scar-	
let striped71040 20	5
Schillingi. Yellow, maroon-blotched.	_
71050 20	5
Schulzi. Darkest-leaved scarlet.71060 20	5
Sunlight (Dunnett's Orange). Rich	
golden yellow; flowers nearly 3 inches across	-
inches across	5
Vesuvius. Large flowers; salmon; dark-leaved	5
	5 5
	₀
Variegated-leaved, Mixed. Beautifully variegated foliage; distinct and	
charming71110 20	5
	U
Fine Mixed.	-
¹ ⁄ ₄ lb. 20c., ¹ ⁄ ₂ lb. 35c., lb. 60c 71120 10	5
I ODDIC CLIMPING (

LOBB'S CLIMBING (Tropaeolum Lobbianum)

This class is remarkable for the intensely brilliant colors of its flowers, which are a trifle smaller than those of other sorts. In moderately rich soil they climb high and bloom brilliantly. Average height, 6 ft.

Asa Gray. Yellowish white, hand-	Oz.	Pkt.
some flowers	20	5
atropurpureum. Dark purple; dark-		
leaved	20	5
Chaixianum. Yellow, spotted red.		
71180	20	5
Crown Prince of Prussia. Blood-		
red	20	5
Crystal Palace. Scarlet; large flow-		
ers; fine foliage71200	20	5
Firefly. Dark orange-yellow, spotted		
bright scarlet; dark-leaved71210	20	5
fulgens (Brilliant). Bright scarlet;		
dark-leaved	20	5

LOBB'S CLIMBING NASTURTIUM	-Conti	nued
Geant des Batailles. Sulphur and	Oz.	Pkt.
red71230	20	5
Golden Queen. Fine yellow; con-	00	
trasts effectively with foliage. 71240 Ivy-leaved Scarlet. Dark leaves, like	20	5
ivy; deep scarlet flowers71250	40	10
Ivy-leaved, Mixed71260	40	10
Lilliput, Baby Rose. White and		
soft pink. A splendid variety.71270	35	10
Lilliput, Snow Queen. Cream- white, very delicate tint71290	35	10
Lily Schmidt (Victoria). Scarlet.	99	10
71280	20	5
Lucifer. Dark scarlet; dark leaves.		
71300	20	5
Spitfire. Brilliant scarlet. Very fine	20	5
Queen Wilhelmina. Queen of the	20	Ű
Lobb varieties. The foliage is veined		
and marbled white, setting off the		
rich rosy scarlet flowers to great ad-		
vantage. One of the most effective of the list	25	5
Madame Gunther Hybrids. A		
French strain noted for wide range	20	5
of colors	20	อ
mixed. 1/4 lb. 30c., 1/2 lb. 55c.,		
lb. \$1.00	20	-5
Finest Mixture.	10	=
1/4 lb. 25c., 1/2 lb. 40c., lb. 75c. 71350		5
NÆGELIA hybrida (†gP). Orna greenhouse plants; beautifully marl liage. Many varieties, mixed; 1 ft.	ked fo-	Pkt.
liage. Many varieties, mixed; 1 ft.	.71440	30
NEMESIA. Very pretty and neat-flower	ring h	ardv
annual for edgings; attractive, bri	ght-col	ored
flowers; 1 ft.	£ 1.	
compacta alba. White; attractive, green foliage		Pkt.
strumosa Suttonii grandiflora.	Many	10
strumosa Suttonii grandiflora. rich and rare colors; flowers large;	foliage	
beautiful	.71480	25



Nemesia strumosa Suttonii grandiflora

NEMOPHILA Very pretty, dwarf-gring, hardy annuals of	ow-
culture; continuous bloomers; cup-shaped fi	low-
ers of brightest colors. Good in pots, edgi	ngs,
rockeries or beds; moist soil and partial shis favorable for them; 1 ft.	nade Pkt.
atomaria. White and purple71500	5
crambeoides. Pale blue71510	5
discoidalis. Black-brown, white-margined.	U
71520	5
insignis. Sky-blue	5
" alba. White71540	5
maculata. Lilac-white, brown-spotted.	
71560	5
Mixed	5
NICOTIANA Species of tobacco. She	owy
and nee-blooming,	HULL
hardy annuals; great garden favorites; flower all Summer; tubular-shaped flowers;	
nower an Summer; tubular-shaped nowers,	Pkt.
affinis. White; very fragrant71650	5
" hybrida. Beautiful shades, mixed.	
71660	10
Sanderæ Hybrids. Many brilliant colors.	
71680	10
" Purple carmine71685	10
sylvestris. Large clusters of white flowers, sweet-scented; 4 ft	10
sweet scented, Tit	10

NIEREMBERGIA. Pretty half-hardy perennials of slender growth that bloom freely the first
year from seed; cup-shaped flowers. Fine for
edgings or hanging-baskets; 1 ft. Pkt.
gracilis. Lilac and white71710 10
frutescens. White, tinted with lilac.71720 10
NIGELLA. See Love-in-a-Mist.
NOLANA. When in flower these hardy annuals are
very showy, and are fine for the garden border;
of trailing habit; 1 ft. Pkt.
Mixed
NYCTERINIA. Pretty half-hardy annuals, form-
ing dwarf, compact plants; excellent for beds
and borders; 9 in. Pkt
capensis. White; fragrant in evening .71810 10
selaginoides. White, flushed lilac; graceful.
CENOTHERA. See Evening Primrose.
ORCHIDS, Mixed Varieties. Hardy peren-
nial sorts for open ground; 1 to 2 ft. 71850 25
PÆONIA. Among hardy perennial plants none
are more prized than the Peonies with their
large and handsome blooms; 2 to 3 ft. Pkt.
officinalis. Red; single-flowered71960 5
chinensis, Mixed. Fine double varieties.
PALAFOXIA Hookeriana. Ornamental half- hardy annuals of easiest culture. Good
"Everlasting" flowers, carmine-rose in
color. They grow 2 ft. in height72000 10



Primula Obconica grandiflora gigantea—See page 118



Pansy, Thorburn Superb

PANSY (Viola tricolor; Heartsease)

Our strains have never been excelled

The Pansy is a plant that we all delight to grow in plentiful supply for flowers all the year. For very early outdoor bedding the seed is sown from August to October, in a coldframe, or in rich, moist garden beds, from which the plants can be transferred to a coldframe, setting them 2 to 3 in. apart each way before severe Winter weather begins. In Spring three-fourths of them can be lifted out for bedding and the rest left to bloom in the frame. For Winter blooming in a frame set the plants about twice as far apart, and thin out half of them in the Spring. Cover the blooming plants with sashes, adding a covering of matting or straw in very cold weather. In mild weather remove the mats and tilt the sashes to admit light, heat and fresh air. In outdoor beds, raised a few inches above the ground, with a mulch of dry leaves and some brush to hold them in place, Pansies will often Winter nicely and bloom until Midsummer, when a relay of young, vigorous plants should be ready to replace them. Spring sowings should be made early so as to secure good flowers during the early rains. Seed sown in a cool, moist place in June and July, and well tended, will give good flowering plants for Fall. If they come into bloom in the heat of the Summer, the flowers may be small at first, but, as the weather becomes cooler they will increase in size and beauty, and make a glavious show in the garden. Through Summer heat the flowers are finer in a somewhat shaded place, but in almost any situation good Pansy seed will give fine flowers in Spring and Fall. Early Fall sowings give the finest flowers in Spring, and a bed of Pansies is one of the most beautiful sights a garden can show. The higher-priced sorts produce the largest flowers and the most brilliant colors. This should be borne in mind when ordering.

We do not sell less than 1/4 ounce of a kind by weight

Thorburn Superb. The richest and most choicely varied mixture possible. It 4 oz. Oz.	Pkt.
produces only the finest colors, largest flowers and most beautiful forms . 72030 \$1 75 \$6 00	80 25
Bugnot Superb Blotched. An exceedingly large, three-blotched strain, with upper	
petals finely lined; great diversity of finest colors	25
Cassier, Finest Mixed. Flowers of grand size, beautifully spotted72050 1 25 4 00	25
Masterpiece. Curled, wavy petals; splendid colors; distinct	25
Masterpiece. From the originator 72070 1 75 6 00	35
Parisienne, Mixed. Handsome, large-flowering strain	15
Fine Large English. All colors mixed	10
Mixed. Ordinary strain	5
Azure Blue. Very fine color	10
Black (Faust; King of the Blacks). Almost coal black	10

PANSY—Continued			
Bronze. Golden bronze	\$0.45	Oz. \$1 50	Pkt. \$0 10
Cardinal. Brilliant red; very fine		3 00	25
Coquette de Poissy. Distinct mauve, shading to white on the petals72210		1 25	10
Emperor William. Splendid; ultramarine blue; very showy		1 25	10
Fairy Queen. Light blue, with white border		1 25	10
Fawn Color (Prince Bismarck). Quaint and pretty	35	1 25	10
Fire King. Golden yellow, upper petals purple		1 25	10
Golden Queen. Pure yellow (Yellow Gem)		1 75	10
Light Blue. Lovely sky blue		1 50	10
Lord Beaconsfield. Deep purple violet, shading to light blue		1 25	10
Meteor. Bright yellow and brown, attractively blotched and margined72320		1 25	10
Odier, Five-blotched, Improved. Extra choice strain		3 50	25
Orange. Very fine	60	2 00	15
President Carnot. Pure white petals, each with a deep blotch		3 00	25
Rainbow, or Pheasant's Eye (Quadricolor). Very fine strain		1 25	10
Snow Queen (Candidissima). Pure sating white	45	1 50	15
Yellow, with Black Center. Splendid	45	1 50	15
Yellow, Maroon Eye. Large flowers of distinct coloring		1 50	15
TRIMARDEAU GIANT. This strain has remarkably large flowers, carried well above their leaves, and generally marked with large blotches; plants are extra vigorous and compact.			
Giant Adonis. Light blue; splendid	75	2 50	25
" auriculæflora. Beautiful shades	45	1 50	15
" Azure Blue (Light Blue). Pure color	60	2 00	20
72510	75	2 50	25
Emperor william. Collinower blue	$\frac{45}{60}$	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	$\frac{15}{20}$
" Fire King. Very showy. .72520 " Hortensia, Red. Splendid. .72530	75	$\frac{2}{2} \frac{50}{50}$	$\frac{20}{25}$
" Indigo Blue. Very rich color	75	$\frac{2}{2} \frac{50}{50}$	$\frac{25}{25}$
" Lord Beaconsfield. Lavender and purple	60	2 00	20
" Psyche. Velvety violet with broad white edge, beautiful]	75	2 50	$\frac{10}{25}$
"Ruby King. Richest shades of red. scarlet, orange-scarlet and wine-red.	70	2 30	20
72570	75	2 50	25
" Striped	75	2 50	25
" White		$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	$\frac{15}{20}$
"White, with Dark Eye. 72600 "Yellow. Dark center. 72610	60 45	1 50	15
" Pure Yellow (Golden Crest)	60	$\frac{1}{2} \frac{00}{00}$	$\frac{10}{20}$
" Mixed	45	1 50	15
Choice Collections of Giant Pansies, or Heartsease, Imported—			Pkt.
24 varieties. .72680 \$1 50 8 varieties. 8 varieties. 18 varieties. .72690 1 25 6 varieties.	• • • • • •	72710	\$0 50
24 varieties. 72680 \$1 50 8 varieties. 18 varieties. 72690 1 25 6 varieties. 12 varieties. 72700 65 10 varieties. Pictorial page	kets	72730	65

PARIS DAISY. See Chrysanthemum frutescens.

†PASSIFLORA (Passion Flower). cærulea (hhP). Blue.....72780 10 PEAS (Sweet Peas). See page 74.

PELARGONIUM (gP). Beautiful and well known plants for greenhouse and house culture. Popularly called "Lady Washington Geraniums"; 2 ft.

Show Varieties, Large-flowered, Mixed. Pkt. 72840 50 50 Odier (Blotched), Superb Mixed..72850

PENTSTEMON Beautiful. herbaceous perennials; very hardy and free flowering; fine for beds and borders or rock gardens; excellent cut-flowers.

antirrhinoides. Lemon yellow; 1½ft. **72870** 25

PENTSTEMON—Continued. centranthifolius. Bright scarlet; 2 ft. 72880 Cobæa. Large, white flowers, shaded with flowered varieties; most brilliant colors; 2½ ft.....72910 10 10 72930 *PERILLA. An ornamental-leaved, half-hardy annual; for ribbon-gardening and beds; resembles the Coleus; 1½ to 2 ft. *nankinensis. Dark, bronzy purple fo- Pkt.

laciniatis. Foliage extra

dark purple; beautiful. 72960



Petunia, Thorburn's Century Prize

PETUNIA HYBRIDA (hhA). Once fairly started,

Petunias grow almost as easily as weeds and furnish a glorious succession of bloom from early Summer until frost. The large-flowered strains are very beautiful and of almost endless variety. Seed of the Double and Giant-flowered Petunias is made expensive by the great amount of labor involved in hand-fertilization, and it is well to handle seed and tiny seedlings with some care. Sow in hotbed, coldframe or in boxes of fine soil in the sunny windows of a warm room in April or May, and transplant about 1 ft. apart in garden beds. Seed of the double varieties has not so much vitality as that of single sorts and needs a little more care in watering to be sure of germination. We have no better plants than the Petunias for beds and masses, borders, window-boxes, baskets and vases. They will grow in almost any soil and bloom profusely through long droughts. The newer varieties are of brilliant colors. The highest priced sorts produce the finest and handsomest flowers, and those we offer are from the most carefully selected strains, saved at great expense. Apparently similar sorts offered at lower prices are not to be compared with those we offer. Average height, $1\frac{1}{2}$ ft.

SINGLE LARGE-FLOWERED. These have flowers 4 or more in. across. Our strains are superb and the collections offered contain only the finest varieties.

73000 25

PETUNIA HYBRIDA—Continued

Rose. Brilliant rose; a charming shade.	50
superbissima. Choicest Mixed. Grand flowers of various col- ors with richly tigered	
throats; exceedingly free flowering73020 "Mixed. Large, yellow-throated varieties; they make a brilliant show	50
in the garden73030	50
White. Clear, paper-white flowers of unusual size	25
Superb Single Mixed. Offers a grand variety of colors	30
	nese
	Pkt.
Crimson. A very rich color73390	25
Ruffled Giants. Extra-large flowers, beautifully ruffled, fluted and fringed. 73400	50
Thorburn's Century Prize. An unrivaled strain of fringed, ruffled, giant-flowered sorts in most beautiful colors.	F0
Very valuable	50
Thorburn's Superb Giant. A strain of surpassing beauty, with extremely large, deep-throated flowers, some ex-	
quisitely penciled and elegantly fringed.	50
White (Snow Storm). Finest white. 73430	25
Perfection Mixed. Choicest fringed sorts	

ETUNIA—Continued	
DOUBLE LARGE FLOWERING. Our swill produce flowers large, fragrant, elegated formed and beautiful either for house, gare or conservatory. Only a small proportion the double strains bear double flowers. reason of this is the fact that the seed must	den of The
selected from single flowers, the double of not producing seed. The single flowers in be pollinated with pollen from the double of Cuttings may be made from double-flowers.	ones nust nes.
plants and inserted in light, sandy loam rooting, thus increasing the percentage	for
Double Large-flowering, Mixed. 73470 "Fringed Crimson. Gorgeous colors; extra large flowers	50 75
" Fringed Heliotrope. Mauve and heliotrope colorings. 73490 " Fringed Lady of the Lake.	75
Exquisite flowers of finest size and purest white73500 "Fringed Perfection, Mixed.	75
Flowers large and much beruffled	75

Howard's Star. Rich crimson; distinct white star in center; very showy.. 73550



Phlox Drummondii, Assorted

PETU	NIA—C	ontinued		
	Single	Bedding	Varieties-	-Continued

Mixed Single.

Rosy Morn. Bright, rosy pink, with	Pkt.
white throat; very charming, compact,	
and free flowering; for bedding73560	15
venosa. Variously colored, beautifully	
veined	10
White. Pure white; compact grower.	
73580	10
Inimitable Dwarf. Mixed. Compact	
grower, star-shaped flowers.	
73585	10
" Mixed. Striped and spotted.	
73590	10

Fine colors.

1/4 oz. 25c., oz. 85c...73600 10

PHACELIA. Showy, hardy annuals of easy culture, doing best in a sunny situation; bell-shaped flowers; excellent for bees.

campanularia. Rich, deep blue; 9 in. Pkt.

campanularia. Rich, deep blue; 9 in. 73690 5
Parryi. Dark violet blue; 1 ft.....73710 5

PHLOX DRUMMONDII (Flame Flower.)


The hardy annual Phloxes are dazzling in effect, particularly so when sown in masses or ribbon beds of contrasting colors. Few flowers are so easy to grow from seed, so pretty and compact in habit, so quick to bloom, or give such a brilliant display of color for so little cost and care. There are few desirable colors beyond their range, and if given good soil and planty of water, they furnish a long supply of delicate flowers. For pot culture,

as trailers, and as an undergrowth for tall, bare-stemmed plants they are also valuable. The first sowings should be made as soon as the frost is out of the ground in Spring, later ones in May, either where the plants are to bloom, or in a seed-bed, as the Phlox transplants readily. In transplanting set the taller kinds about a foot apart; if planted too thickly they suffer from mildew. Cutting away the flowers and seed-pods makes the plants more bushy and compact, and lengthens their blooming time. Average height, 1 ft.

GRANDIFLORA. This section has beautiful, round-petaled flowers, larger than in the older sorts; showy and constant, blooming in the greatest profusion from early Summer to frost. Our strain is far superior to that ordinarily sold.

alba.			flowers	Pkt
			rofusion 73770	10
"	oculata.			1.0
-4	violet u rpurea.		73780	10
arrop	ur purea.	Da	rk bur-	

HLOX Drumondii Grandiflora—Continued	Pkt.
Crimson. Bright color73820	10
Isabellina. Yellow73830	10
kermesina splendens. Vivid crimson;	
extra-large flowers	10
rosea. Rose	10
stellata splendens. Star-like; crimson.	
73860	10
Mixed. Splendid, large-flowering sorts.	
$\frac{1}{4}$ oz. 25c., oz. 85c 73870	10
SMALL-FLOWERED VARIETIES—	
hortensiæflora, Mixed. Semi-dwarf;	
very floriferous73900	10
DWARF VARIETIES. Plants of this charr	
section grow only 6 to 8 in. high, and f	
dense masses of bloom all Summer. They	
especially useful for beds, edgings, pots,	Pkt.
Chamois Rose. Very fine73950	15
Fireball. Flame red; fine for pots and	
for edging	15
Snowball. Pure white; fine for pots.	15
grandiflora nana compacta (Cecily	10
Phlox). Mixed	10
Fancy Mixed74030	10
•	



Dianthus Plumarius

PHLOX Drummondii—Continued
STAR PHLOX—
cuspidata (Star of Quedlinburg). Star Pkt.
shaped; many colors74050 10
PERENNIAL PHLOX. These hardy sorts make bushes about 3 ft. high and bear large
heads of finely colored flowers
decussata, Mixed74090 10
decussata, Mixed
†PHYSALIS Francheti (Chinese Lantern
Plant). A splendid hardy perennial, very
ornamental; has large orange fruits which,
dried, are beautiful in Winter bouquets; 2 ft
PHYSOSTEGIA (Obedient A valuable, Summer-
flowering, hardy perennial border plant;
delicate, white flowers on long stems; good
for cutting: 3 ft. Pkt.
grandiflora virginica. Rosy pink 74190 25
" alba74200 25
DICOTEE (Picotee Pink). These heauti-
PICOTEE (Picotee Pink). These beautiful greenhouse varieties have richly colored edged flowers and are finely
richly colored edged flowers and are finely
portumed: storst attractive: 146 ft Dbu
White Ground. Colored edges74230 50 Yellow Ground. Very desirable74240 50 Extra Fine, Mixed. Show varieties74250 50
Extra Fine, Mixed. Show varieties 74250 50
See, also, Carnation and Pinks.
PINKS (Dianthus). In this large and greatly varied genus are some of our most
beautiful and best-loved flowers, unsurpassed
for color and fragrance. They are hardy
biennials that bloom finely the first season.
remaining green all Winter and blooming the
next year also, if lightly protected. Old plants flower the earliest, but as young ones
give the largest finest flowers, sowings are
made every year. Seed can be sown under glass in the Spring, or in an open, sheltered bed. The seedlings are easily transplanted
glass in the Spring, or in an open, sheltered
bed. The seedlings are easily transplanted
and should stand 8 to 12 in. apart; dwarf ones about 6 in. If especially large, brilliant
flowers are desired a bed of well mixed turfy
loam, leaf-mold and well decayed manure
should be prepared for them. Average height,
1 ft.
CHINENSIS (China or Indian Pinks). The flowers of all are double and showy.
Double White China Pink74280 5
" Mixed China Pink. All best
colors.
¹ / ₄ oz. 25c., oz. 75c 74290 "Very Dwarf, Mixed (Narcisse).
74300 10
HEDDEWIGII (Japan Pinks). Unusually large
and brilliant; often oddly edged, striped and
ringed.
Single, The Bride (Little Gem). White, Pkt.
with purple center74320 10
" Crimson Belle. Flowers large and handsome; dark red; on
long, stiff stems74330 10
" Eastern Queen. Rose-colored
flowers, 2 to 4 in, across; finely
striped and stained74340 10 "Queen of Holland. Splendid;
white
" Mixed.
1/4 oz. 25c., oz. 75c 74360 5
" Mixed, Giant Flowered 74370 10

INKS, Heddewigii—Continued	
	Pkt.
Large, frilled and fringed flow-	-
ers of a glowing blood-red, shad-	
ing to carmine and pink and	
even white; vigorous and tall-	
growing; abundant, continuous	
bloomer; fine flower for cutting.	
74380	15
Double, Mixed. A splendid assortment.	
½ oz. 40c., oz. \$1.0074385	10
" diadematus fl. pl. (Diadem	
Pink). Double; magnificent	
in color and variety74390	10
" Fireball. Brilliant scarlet; very	
compact and floriferous vines;	
for massing74400	10
" Archduke Francis Ferdinand.	- 1
Very double lilac flowers, with	
deep black zone, new 74395	25
" Manual Diala V	20
"Mourning Pink. Very large, double flowers of blackish crimson, fringed white; very	
double nowers of blackish	
crimson, iringed white; very	
effective, and a handsome cut-	10
flower	10
LACINIATUS, mirabilis, Single, Mixed.	
Quite distinct, narrow foli-	
age; on long stems; fine for	
cutting74430	10
" Oriental Beauty. Petals	
wide, crinkled, richly marked with pink, white,	
etc	10
" punctatus. Dark-shaded	
Princess Pink. Quite pecu-	1
liar colors such as purplish	1
violet, blood-red, dark	
salmon, etc74450	15
" Salmon Queen. Beautiful	
rosy salmon; handsome	
single flowers74460	10
" Snowball. Large; double;	10
	10
white	10
Snowdrift. Very large dou-	00
ble flowers, beautiful.74475	20
" Snowflake. Pure white; fine	
single 74480	10
" Single, Mixed. Fringed	
flowers of all colors.	
$\frac{1}{4}$ oz. 25c., oz. 75c 74500	10
" Double, Mixed.	
$\frac{1}{4}$ oz. 50 c 74510	10
IMPERIALIS FL. PL. (Double Imperial Pin	nk).
Robust, bushy grower, with large, do	ible
flowers.	
Double, Mixed74530	10
Double, Mixed	
74550	10
Dwarr white. Great snowy	
flowers; grows 9 inches high.	15
74570	15
PLUMARIUS (Sweet May Pinks.) These	are
hne, tragrant, hardy perennials of the old-t	ime
gardens, still reckoned among the most be	eau-
tiful for massing and cutting.	
Pheasant's Eye. Pretty fringed flowers.	
74600	5
scoticus (Double Scotch Pink). A series	
of exquisite colors; ours is the flnest	
strain	50

PINKS, Plumarius—Continued	
semperflorens (Perpetual Pink). Dou-	Pkt.
ble, semi-double and single; of various colors	15
Single Pinks, Mixed.	
½ oz. 20c., oz. 60c74650	10
Double Dwarf, Mixed. Extra fine.74670	10
Double and Semi-Double Grass Pinks. Pretty flowers of delicate colors74680	15
Double Mixed. Extra fine74690	15
PLATYCODON (Wahlenbergia; La Chinese Bellflow Handsome, hardy perennials that do best light, dry situations; bushy growth; bear land bell-shaped flowers in great profusion. See	in ge,
grandiflorum. Deep blue; 2 ft74800 album. White; 2 ft74810	10 10
Mariesii. Dark blue; dwarf, compact habit; 1 ft	10
See also Campanula.	
POLEMONIUM. See Jacob's Ladder.	
†POLYANTHUS (Primula elatior). Fine Spri blooming and free-flowering, hardy perennia alike suitable to pot or garden culture; 9 in	als;
Mixed74900	Pkt. 10
Large Flowered, Finest Mixed. Fine collection	25
Gold-laced. Very attractive and showy. 74920	25



POPPY (Papaver). Before Tulips are fairly gone our gardens begin to be gay with Poppies. Few flowers have the same grace of stem, airiness of poise and delicacy of tissue. For beds and borders with a background of green there is nothing finer; some sorts are admirable for naturalizing in open wooded grounds; others, like the Shirley, are beautiful for cutting. A sandy loam suits Poppies best, and, as their strong tap-roots are difficult to transplant, it is well to sow seed where the plants are to bloom. Sowings made in Fall and at intervals in Spring will provide a long succession of flowers. Sow thinly, covering very lightly, and thin the plants to stand about a foot apart. The best plants are those grown from early sowings while the soil is cool and moist.

PERENNIAL VARIETIES. Tall, large flow-ered and showy; average height, 2 to 4 ft. bracteatum. Glowing scarlet; on long Pkt.

orientale. Enormous flowers of deep, flashing scarlet, with black spots in center; entirely hardy anywhere; fine for cutting; 3 ft........74960 10



Oriental Poppy

orientale. Brilliant. Vivid scarlet;	Dict
beautiful74970	10
" Mixed Hybrids. Finest shades	10
nudicaule (Iceland Poppy). These dwarf, bright yellow Pop-	
dwart, bright yellow Pop- pies form one of the chief	
pies form one of the chief attractions of the garden	
through several months. They are most beautiful	
when grown in masses from seed sown every year; if	
sown very early they bloom	10
same season; 1 ft75030 "aurantiacum coccineum.	10
Orange red. All of this	
class have crimped petals and peculiar grace 75040	10
" album. Pure white75050	10
" Mixed	10
ANNUAL VARIETIES. This section incl fine double and single flowers of greatly v	udes
ing sizes, self-colored and daintily edged.	All
are easily cultivated and greatly admired. erage height, 3 ft.	Av-
Thorburn Giant White. White flowers	Pkt.
of grand form and size, with silky petals; 3 to 4 ft	5
Danebrog. Large; single; scarlet, with	U
white cross at base of petals75100	5
English Scarlet Field Poppy. oz. 50c75110	5
Flag of Truce. Pure white; large and showy flowers	5
Maid of the Mist. Pure white; single;	J
very large; deeply fringed; 3 to 4 ft. 75130	5
Mephisto. Beautifully fringed; varies	υ
from red and black to rose and white. 75140	5
Mephisto rosea. Fine Single75145	5
Miss Sherwood. Large; single; satiny	
white, with upper half of petals chamois rose	5
Shirley Best Mixed. Indescribably bright, dainty and gauzy; a	
favorite for cutting. (See Illustration, page 117). oz. 25c. 75160	
	5
" Santa Rosa Hybrids. Beau- tifully crimped petals; shades	
of blue, lavender, salmon, etc. 75170	10
glaucum (Tulip Poppy). Striking, Tulip-	10
shaped flowers of intensely brilliant scarlet; dwarf	10
lævigatum. Scarlet, with white marks at petal bases; very showy75190	5
pavonium (Peacock Poppy). Intense scarlet, with broad bands of purplish	· ·
scarlet, with broad bands of purplish black	10
Pæony-flowered Admiral. Pure white,	10
margined with brilliant scarlet; very fine	5
Virginia Poppy, Carnation Flowered, Single. Large, white flowers, with	ŭ
Single. Large, white flowers, with fringed soft pink edges; fine for cutting.	
75210	15

POPPY, Annual Varieties—Continued	
Double, American Flag. White, bordered with scarlet, and exceedingly brilliant flowers75220	Pkt.
" Cardinal. The immense scarlet flowers last unusually well. 75230	5
" Cardinal, Mixed75240	5
" Carnation-flowered Hybrid, White Swan. Pure white. 75250	5
"Carnation-flowered, Mixed. Very double, fringed. oz. 25c75260	5
" Mikado. Large, white flowers, attractively fringed with rose. 75270	5
" Pæony-flowered, Dwarf, Fire-ball. Deep scarlet; very large flowering	5
" Pæony-flowered, Snowball. Pure white; very large flower- ing	5
" Pæony-flowered, Dwarf, Mixed Hybrids. Hybrids of compact growth; splendid75300	5
" Pæony-flowered, Mixed. Large, handsome flowers of many colors	5
"Ranunculus-flowered, Mixed. Flowers small, finely formed, doubleoz. 30c75320	5
" White75330	5
" Mixed, All Sorts. oz. 25c75340	5

PORTULACA This charming, little, hardy annual is unrivaled for brilliancy among plants of low growth, and, though it flourishes under almost all conditions, hot sun and a light, sandy soil suit it best. Nothing is prettier for beds, edgings, rockwork, etc. As an undergrowth for taller plants it is also valuable. Through the driest, hottest seasons it flourishes amazingly, carpeting the ground with a mat of succulent foliage that, in the forenoon, is hidden by gayest flowers. The seed does not germinate until hot weather, and should be sown late. This plant requires little care and can be transplanted in full flower. Average height, 6 in.

SINGLE VARIETIES. Each strong plant will cover a space of about 2 ft. in diameter. albiflora. Pure white............75420 aurea. Deep, golden yellow.....75430 5 Carnation-striped Rose.......75440 5 5 splendens. Crimson75460 5 Thellussoni. Scarlet..........75470 Thorburni. Beautiful, bright yellow. 75480 5



Shirley Poppies

PORTULACA—Continued


PO

DOUBLE VARIETIES. The flowers are so full and perfect as to resemble tiny Roses. Toward the close of the season they will increase in size and beauty. As the full, double flowers do not produce seed, it must be saved from the semi-double flowers growing with the full-doubles. The product of that seed will produce many single flowers. As these bloom earlier they can be pulled out like weeds. When the full-doubles appear cuttings can be made from them and the bed extended indefinitely with only full-double flowers.

Our stra	ins must not be confused with	the
ordinary,	cheap seed usually sold.	Pkt.
Double	Bright Red	20
"	Golden, Red Striped75520	20
**	Rose75530	20
"	Rose Striped75540	20
"	Salmon	20
"	Scarlet75560	20
"	Sulphur Yellow75570	20
"	White75580	20
"	Yellow75590	20
66	Mixed. Grown from cuttings; a splendid assortment of colors.	
	75600	20
TENTILL	A. Handsome and brilliant	in
	e these desirable, hardy perenn	
Foliage	ornamental; bloom all Summer	, of

the easiest cultivation; 2 ft.

atrosanguinea.	Dark red; especia	ally fine	Pkt.
for bedding		75680	10
Miyed Brillian	t colors	75600	10



Primula Stellata

PRIMULA

CHINENSIS (Chinese Primrose) (gP). Primula, or Chinese Primrose, stands in the first rank among greenhouse plants, and is fine for Winter and Spring blooming. It is free flowering and is especially valuable for cutflowers and for house and window culture. A cool place suits it best. Sow the seeds in drills in a light, rich soil, in shallow boxes, at any time from the middle of March to the end of May; the earliest sown seed will naturally produce the earliest bloom. Cover the seed about an eighth of an inch and press the soil on them with a board or the bottom of a pot. Water moderately; avoid forcing the seed. The plants must be well ventilated, well watered, and slightly shaded. Average height, 9 in.

fimbriata alba. White; fringed 75720	25
" alba magnifica. Pure white; fringed; extra choice75730	35
" Bright Rose. Dainty fringed flowers	35
" coccinea. Bright red; fringed. 75750	35
" cærulea. Blue; fringed.	35
" kermesina splendens. Crim- son; fine shade; fringed.	
75770	35
" rubra. Red; gracefully fringed flowers	25
" Extra Fine Mixed. Fringed.	

75790

25

PRIMULA Chinensis—Continued
fimbriata filicifolia. All these are Pkt.
fringed and have fern-like foliage.
alba. White75810 50
Mixed
shaped flowers.
alba. White75850 25
Mixed
double flowers.
rubra. Red75870 50 alba. White75880 50
Mixed75890 50
stellata, Mixed (Star Primulas). Very floriferous
OBCONICA (gP). For open border, also do well
in the house window-garden. Continuous and free bloomers during the Winter months. Pkt.
grandiflora alba. White76000 25
" carminea. Carmine.76010 25 " rosea. Rose76020 25
" hybrida, Mixed76030 50
flowering. (See illustration
page 109.)
very free flowering and fragrant; fine for
pots
ers; tragrant; strong grower76140 30
malacoides (gP). Dainty, soft lilac pink; fine for pot culture; 18 in
HARDY VARIETIES. The hardy Primroses
are among the most prized of our Spring- blooming plants. A slight protection, while
not always needed, will be found beneficial;
1 to 1½ ft. cortusoides (hP). Rose pink; handsome Pkt.
sort
sort
japonica (Japanese Primrose) (hP). Purple; called the "Queen of
Primroses;" 1½ to 2 ft. 76220 10
" hybrida, Mixed (hP). From a fine collection76230 25
verticillata (hP). Golden yellow, pyram-
idal habit
PRIMROSE (Evening Primrose). The Enothera,
or Evening Primrose, blooms all Summer very
freely; the bright, Poppy-like flowers open early every evening and last well into the next
day; of the easiest culture in sunny situations.
Enothera acaulis alba (hA). Silvery Pkt. white flowers; 6 in
" bistorta Veitchiana (hA). Dwarf; yellow; 1 ft76300 5
" Drummondii (hA). Light
yellow; 1½ ft
yellow flowers; 3 ft76320 10
rose; 6 in
" tetraptera (hA). White; 6 in. 76340 5
" Mixed Annual Varieties.
PUERARIA Thunbergiana. See Kudzu Vine.

	_
PYRFTHRIM Showy, hardy perennials	1
PYRETHRUM Showy, hardy perennials growing about 2 ft. in height, with most brilliant and lasting flowers.	١
The dwarf Golden Feather is the well-known	
variety used for carpet bedding, edgings and	١
borders. Pkt. roseum hybridum, Single, Mixed76400 10	l
" hybridum, Double, Mixed.	I
†parthenifolium aureum (Golden Feath-	l
er). Yellow, tern-like	l
leaves; fine for edgings; 6 to 8 in	
	١
" aureum selaginoides. Bright yellow leaves;	I
very compact76470 10 "aureum, Golden Gem.	1
Fine, golden foliage;	ı
double flowering76480 10 Tchihatchewii. White and yellow; for	ı
poor soils	l
REHMANNIA angulata. Splendid, half-	1
hardy, herbaceous perennial, with beau-	١
tiful, large, rosy purple flowers, similar to those of Incarvillea Delayayi. For	l
pot culture or outdoors in sheltered situa-	
tions; 3 ft	İ
hardy perennial, foliage plants, valuable alike for planting as single specimens or in	ı
alike for planting as single specimens or in groups; 3 to 5 ft.	i
Collinianum. Enormous leaves; fine. Pkt.	l
76550 5	
RHODANTHE Beautiful, delicate-looking Everlasting flowers,	
much prized for Winter bouquets. These	١
half-hardy annuals are also valuable garden	
plants. Glaucous gray foliage; 1½ ft. Pkt. maculata. Rose with dark center. 76570 10	-
maculata. Rose with dark center76570 10 "alba. Pure white76580 10	l
" Mixed	1
Manglesii. Rose; very fine	l
greenhouse climber, with abundant pur-	1
RHODODENDRON arboreum hybridum. The well-known, hardy evergreen shrub.	1
Mixed varieties; 10 ft	
RICINUS (Castor-Oil Plant). Pictur-	1
	1
Ricinus gives to the garden magnificent semi- tropical effects. Grown as a specimen it makes	ļ
a perfect pyramid of gigantic leaves; a dozen plants in a large bed show a glorious mound of	
glistening colors and may be admired from a	l
long distance; planted thickly it soon forms a handsome screen or hedge; the lower-growing,	ĺ
dark-leaved sorts are beautiful for dotting	ĺ
here and there among Cannas, scarlet Pelar- goniums, etc. Tall varieties grow from 8 to 10	۱
ft. high, with leaves several feet across and	
beautifully lobed. Half-hardy annuals.	l
borboniensis arboreus. Green foliage; Pkt. 15 ft	
15 ft	
hybridus Panormitanus. Cross between	
Cambodgensis and zanzibariensis. Huge, dark brown leaves, blue-powdered stems;	1
	ш
upright habit	
upright habit	
upright habit	

RICINUS—Continued	
Collections of Ricinus, Imported, includin	g— Pkt.
12 vars. choicest sorts	$\frac{45}{25}$
ROCKET (Sweet Rocket; Hesperis). Spr	ing
flowering, hardy herbaceous perennials;	tra-
grant: easily grown in light soil; transplant	fre-
quently; very free blooming.	7 01 .
matronalis. Purple; 3 ft. 1/4 oz. 20c., oz. 50c76880	Pkt. 5
" alba. White: fine cut-flower:	U
3 ft	5
" nana candidissima. Pure	
white; very compact; early	10
flowering; 1 ft76900	10
ROMNEYA Coulteri (California Tree, or Matilija Poppy). This beautiful, half-	
hardy, perennial Poppy should have a	
sheltered position in the garden. Fine,	
fragrant, white flowers; 4 ft76930	25
ROSA polyantha nana multiflora	
(Int / 2 warr) comparer same	
covered with small, single and double	
blossoms in various colors. These Roses flower the first season from seed; 2 ft.	
76960	10
ROSE CAMPION. See A grostemma coronario	
ROSE OF HEAVEN. See Agrostemma Cali-ros.	a.
ROSE OF SHARON. See Hibiscus syriacus.	
RUDBECKIA (Coneflower). Attribute and compact-grow	rac-
plants, most suitable for beds and borders	low
clumps among shrubs; showy, large, yel flowers with dark central cones; easily gro	wn.
amplexicaulis (hA). Pure golden yellow;	Pkt.
2½ ft	5
2½ ft	
stems; 2 ft	5
shades: 21% ft (nP). Various yellow	10
shades; 2½ ft	10
3 ft77030	10
SAINTPAULIA ionantha (The Usambara	
Violet). A lovely greenhouse perennial,	
Violet-like in appearance; large, deep blue flowers; 6 in	25



Salvia Bonfire-See page 120

SALPIGLOSSIS (Painted Tongue).	
These showy, half-hardy annuals bear	
beautiful, funnel-shaped flowers having	
dark veins on a ground which varies	
from white to crimson, yellow, orange,	
etc., and intermediate shades. They	
are easily grown, require a light, rich, sandy loam and will respond to liberal	A COMPANY OF THE PARTY OF THE P
treatment. Bloom from late Summer	MVA AND AND
until frost; 2 ft.	
grandiflora violacea aureo-venosa. Pkt.	
Lilac, veined golden	A CONTRACT OF THE PARTY OF THE
yellow; fine large flow-	
ers	AVI AVIANCE IA
" Extra Choice, Mixed.	
A fine assortment of	
colors77160 10	
" superbissima, Yellow.	
Cheerful flowers. 77170 15	
" superbissima, Light	
Blue77190 15	
" superbissima (Empe- ror), Mixed. Finest	
strain of very large	
flowers77210 15	
Tall Mixed	
Dwarf Mixed	
SALVIA (Flowering Sage). The Salvia splendens is a	
standard bedding plant that keeps the garden bright with color until	
late in Autumn. For pot culture,	Salpiglossis
for cutting and for borders, etc., it	SALVIA Splendens—Continued
is very valuable. In this climate sow seed in	Early Dwarf Zurich. Grows only 12 to 15 Pkt.
window-boxes or frames in March or April,	in. high, with many fine, erect, slender
and set the plants outdoors the latter part of	spikes to each plant, borne well above
May; or sow outdoors not before June 1, and protect from heavy rains and strong winds.	its handsome foliage. Color brilliant scar-
The plants grow and bloom profusely in any	let; splendid bedding variety; earliest of
light, rich soil. Both the tender and hardy	all
perennial sorts bloom the first year, and all	Lord Fauntleroy. Only 18 in. high; very
are treated as annuals.	compact, with the brilliant scarlet flower spikes standing clear above the foliage.
argentea (hP). Silvery leaved; flowers Pkt.	Fine for bedding in masses or for borders
white; blooms in Spring; 3 ft77300 5	around beds of taller plants; also fine
farinacea (hA). Light blue flowers in great	for pots. Very early flowering77420 25
abundance; good for cutting; forms a	O 1 Dl / . N 1) 77495 05
neat bush; 3 ft	Ostrich-Plume, (see Novelties).77425 25
patens. A handsome, tender perennial,	Scarlet Dragon. A superb bedding plant
with erect spikes of rich, blue flowers; fine	for Summer and Autumn; flowers are
for borders or the greenhouse; 2 ft 77330 25	nearly twice the size of the old Scarlet
SPLENDENS (Scarlet Sage) (hhP). These are the	Sage; when full grown the plants form
well-known bedders, single plants of which	bushes about 3 ft. in height, and the same in diameter, and are a mass of bloom.
carry many long, flaming flower spikes open	The brilliant scarlet effect is gorgeous.
at one time, keeping up the display until	77430 25
frost.	Silverspot. Rich, green leaves elegantly
grandiflora, Scarlet. A rich-flowered Pkt.	spotted with yellow. The intense, bright
bedder; long spikes; 3 ft77360 10	scarlet flowers are large and lavishly borne;
Ball of Fire. Very dwarf and compact,	neat and compact; $2\frac{1}{2}$ ft77440 25
ball-shaped variety, especially suitable for pot culture. The plants are about	SANTOLINA. Valuable for its distinct foliage and
for pot culture. The plants are about	is used for large specimens in shrubberies
2 ft. high to the top of the flower spikes,	. 1 1.1 1
and about the same in diameter tolor	or as a carpet-bedding plant.
and about the same in diameter. Color dull red: large spikes, similar to No. 77410.	Chamæcyparissus (Lavender Cotton). Pkt.
dull red; large spikes, similar to No. 77410. 77390 25	Chamæcyparissus (Lavender Cotton). Pkt. (hP). Attractive, silvery gray foliage and
dull red; large spikes, similar to No. 77410. 77390 25	Chamæcyparissus (Lavender Cotton). Pkt. (hP). Attractive, silvery gray foliage and yellow flowers; 1½ to 2 ft77460 10
dull red; large spikes, similar to No. 77410. 77390 25 Bonfire. Our well-known, compact Salvia	Chamæcyparissus (Lavender Cotton). Pkt. (hP). Attractive, silvery gray foliage and yellow flowers; 1½ to 2 ft77460 SANVITALIA procumbens fl. pl. Beauti-
dull red; large spikes, similar to No. 77410. 77390 25	Chamæcyparissus (Lavender Cotton). Pkt. (hP). Attractive, silvery gray foliage and yellow flowers; 1½ to 2 ft77460 10

SAPONARIA. Pretty, dwarf bedding plants,	
especially adapted for edgings and borders;	
long and profuse bloomers; 1 ft. Pkt.	
calabrica (hA). Red	
" alba (hA). White77520 5	
" Scarlet Queen (hA). Very brilliant	
ocymoides (hP). Rose-colored flowers; trailing; blooms early; fine for rockwork;	
6 in	
SAXIFRAGA Mixed Perennial Species. Interesting little	
cies. Interesting little	
plants, especially prized for all kinds of rockwork; also for hardy borders; 9 in.	
SCABIOSA (Mourning Bride; Scabious, etc.). Well-established gar- They grow about 2 ft. high,	
den favorites They grow about 2 ft high	
and flower through the Summer until frost.	
The flowers are borne on long stems and last	3/1
a long time when cut. Fine for beds or borders.	
Sow seed outdoors in Spring when danger	
from frost is past.	
caucasica (Blue Bonnet) (hP). This hardy Pkt.	
perennial should be in every garden.	
The flowers are large and semi-double, of pale lavender color, growing on long	
stems; splendid for cutting77590 10	
HARDY ANNUALS—	
candidissima fl. pl. (Snowball). Double;	
white	
minor aurea fl. pl. Double; golden	21 11 11 20
yellow	A SHARWAY AND
Tall Black Purple .77620 5 " Flesh Color .77630 5	
atropurpurea maxima. Very double,	A CONTRACTOR OF THE PARTY OF TH
mixed	
Mixed, Tall. Large flowers of bright	
colors	
Mixed Dwarf	
SCHIZANTHUS Very beautiful and showy, hardy annu-	Scabiosa
als, fine for beds and borders in the Summer	SEDUM—Continued Pkt.
garden; grown in pots in early Spring in the	cæruleum (hA). Blue; 4 in77910 10
greenhouse they become elegant foliage	Maximowiczii (hP). Yellow flowers; erect
plants, with masses of flowers; 1½ to 2 ft.	growth; 1 ft
Grahamii. Light red77740 5	Mixed (hP). Many species; 9 in77930 5
papilionaceus. Purple, yellow and crim-	SENECIO. See Jacobæa.
son	
pinnatus, Mixed. Floriferous77760 5	SENSITIVE PLANT. See Mimosa pudica.
retusus. Red; splendid	CII FNF (Catchfly). Bright-colored and
" albus. White, inside yellow; very	SILENE (Catchfly). Bright-colored and free-flowering hardy annuals, suit-
fine	able for rockwork or garden beds and borders,
" trimaculatus albus. Blotched,	blooming all Summer; succeed finely in any
white and golden yellow; large	light, loamy soil; 1 ft. Pkt.
flower	Armeria. Red
Wisetonensis. Light shades; long and pro-	pendula. Red
fuse blooming; fine pot-plant77810 25	" Double Rose
Mixed	" Bonnettii. Dark purple; dark
SEDUM (Stonecrop). Showy and useful little	stems
plants for carpet bedding, edgings, rockwork,	" Mixed78020 5
stone walls, etc. Will do well in any soil and	‡SMILAX (Myrsiphyllum aspara-
dry situations.	Solded / It would have the green
acre (Golden Moss) (hP). Green foliage; Pkt.	house climber, with small, dark green
yellow flowers; good for covering graves;	foliage; of great value in floral work; 8 ft.




growth; 1 it	10
Mixed (hP). Many species; 9 in77930	5
SENECIO. See Jacobæa.	
SENSITIVE PLANT. See Mimosa pudica.	
SILENE (Catchfly). Bright-colored hardy annuals, s	
able for rockwork or garden beds and bord	ers,
blooming all Summer; succeed finely in	any
light, loamy soil; 1 ft.	Pkt.
Armeria. Red	5
" alba. White77970	5
pendula. Red	5
" Double Rose77990	5
" Bonnettii. Dark purple; dark	·
stems	5
" Mixed	5
SMILAX (Myrsiphyllum aspara- goides). A well-known green-	
house climber, with small, dark green	
foliage; of great value in floral work; 8 ft.	
78050	10

SNAPDRAGON (Antirrhinum). The Snapdragon is one of

our finest perennials, flowering the first year from seed. Its bright-colored, curiously formed flowers always excite interest. The rich spikes are beautiful for cutting, and keep fresh a long time. Flower profusely through Summer until frost. For early flowers, sow under glass in February or March, and transplant into beds of warm, dry soil moderately enriched. The Snapdragon is treated as an annual and the seed sown every year. Average height, 2 ft.

TALL VARIETIES—	
	Pkt.
album. White	5
atrococcineum. Dark scarlet78090	5
Coral Red	10
Delicate Rose	10
Fairy Queen (Firefly). Orange, white	
throat	5
luteum. Yellow	5
Romeo. Violet rose with pale lip 78140	5
picturatum, Mixed. Blotched78150	5
Mixed 1/4 oz. 20c., oz. 50c 78160	5



Snapdragon, Antirrhinum

SNAPDRAGON—Continued	
TALL, LARGE-FLOWERING VARIETIE	S.
Blood Red. Fine color78170	Pkt. 10
Delilah. White and carmine78180	10
Firefly. Scarlet and white78190	10
Galathee. Crimson and white78200	10
Queen Victoria. Pure white78210	10
Striped. Odd and pretty78220	10
Venus. Delicate pink, with white throat.	15
White. Beautiful for cutting78230	10
Yellow. A pure, soft color78240	10
Large-flowered, Mixed. Fine. 1/4 oz. 25c., oz. 75c78270	10
SEMI-DWARF VARIETIES. Plants of t	
section make excellent bedders, as they blo	om
extra profusely and are only about 15 in. hi	gh.
Black Prince. Nearly black78310	Pkt. 10
BONFIRE. Lovely orange pink78320	15
COTTAGE MAID. Pale coral pink,	
white throat	15
Crimson King. Bright crimson; a deeper	- F
color than Scarlet King78340 grandiflora, Golden Queen. Yellow.	15
78350	10
Queen of the North. Pure white; small	
Rose Dore. Pretty, self-colored salmon	10
rose	25
Scarlet King. Brilliant scarlet; tall spikes	
of flowers	15
picturatum, Mixed. Blotched varieties.	10
Fine Semi-dwarf Mixed78400	10
Tom Thumb, Finest Mixed. Very dwarf strain; 6 in	
	10
Collections of Snapdragon, Imported, including—	
12 vars. Finest Tall	45
6 vars. Finest Tall	25
SOLANUM (gP). The Solanums are vornamental, fruit-bear	ery
plants, and thrive best in light, rich s	ing
Fine for Winter decoration in the house	or
conservatory. If used in Summer garden g	ive
very warm situation; 1 to 3 ft. capsicastrum (Jerusalem Cherry). Scarlet, 1	D1 .
globular berries; fine for pots; 1 to 1½ ft.	Pkt.
78480	10
giganteum. Small, round, red berries; large, handsome variety78490	10
Hendersoni. Orange-scarlet berries of	
olive form; fine	10
‡Seaforthianum. Beautiful climber; egg-shaped, yellowish red fruit; 8ft78510	10
Warscewiczii. Pale yellow fruit; smooth	
and shining; handsome sort78520	10
SPHENOGYNE speciosa. Elegant, hardy	
annual, with showy yellow flowers; 1 ft. 78560	10
SPIRÆA (Astilbe) Davidii. Beautiful, hardy	
perennial, with tufted leafage and rose-	
purple flower spikes; very strong grower, easily raised from seed; flowers in	
eighteen months; 6 ft78580	25

CATALOGUE OF H	IGH-CLASS SEEDS 128
STACHYS lanata (Lamb's Ears) Orna- Pkt. mental hardy perennial, with silvery white, woolly leaves; used for edgings and borders; easily grown; 1½ ft78600 5	STOCKS—Continued DRESDEN PERPETUAL OR BRANCH- ING. "Cut-and-Come-Again" ("Princess Pk
STATICE (Sea Lavender). Pretty plants for the Summer garden in beds or borders; good for rockwork also; much valued when dried as Everlastings for Winter bouquets; 1 to 2 ft. Pkt.	Alice"), White. Profuse and perpetual-blooming; double, white flowers, fine for cutting
Bonduellii (hA). Golden yellow78630 5 sinuata (hA). Blue; very fine78640 5 "candidissima (hA). White; fine for edging78650 5	trusses; of true pyramidal growth; height 24 in
Suworowii (hA). Spikes of bright rose flowers; free bloomer; very handsome. 78660 10 incana hybrida nana (hP). Dwarf; mixed	DWARF, GERMAN BOUQUET, Mixed. 79150 2 WINTER "NICE" VARIETIES, LARGE- FLOWERING—
colors	Abundance. Carmine-rose; profuse. 79310 2 Beauty of Nice. Flesh-color; extra-large flowers
STEPHANOPHYSUM longifolium (†gP). A pretty, free-flowering greenhouse plant, growing readily in any light and rich soil; flowers scarlet; 2 ft	Pure White
STEVIA serrata (†gP). Greenhouse perennial; bears very elegant sprays of tiny white, fragrant flowers which are splendid for cutting; 2 ft	tractive flowers resembling semi-double Asters fine for cut-flowers; 2 ft. Pk Cyanea. Lavender-blue; handsome 79610 1 Cyanea Mixed
STOCKS (Matthiola). Stocks have good habit, fine leaves, beautiful and fragrant flowers, a long season of bloom and adaptability to many conditions of culture. They are unsurpassed for bedding, edging, pot culture and for cutting. For fine early flowers sow under glass in March or April, transplanting the seedlings when an inch high into other pots or boxes, or into fine soil spread over some discarded hotbed. In May transfer to garden beds of deep, rich soil, setting the plants a foot apart. Transplanting several times in the early stages of growth tends to make them more dwarf and compact. For later flowers sowings may be made in the open ground in May. If plants that begin to bloom late are carefully potted in Fall they will flower finely all Winter in a	STONECROP. See Sedum, SUMMER CYPRESS. See Kochia trichophylla

10

10

10

10

10

10

house that is tolerably cool and moist. Average

Dwarf Large-flowering. Long, splendid

GERMAN TEN WEEKS. Half-hardy annuals. Large-flowering Dwarf Pyramidal.

Blood Red. Very rich......78880


Dark Blue. Beautiful.......78910

Light Blue. Exquisite.......78930 Rose. Very dainty, light color. .78940

Violet......78960

spikes; large, double flowers. Bright Red......78870

height, 1 to 11/2 ft.



Stocks, Beauty of Nice



Sweet William (Dianthus Barbatus)

SUNFLOWER (Helianthus). V stately and decora	ery
hardy annuals, with great masses of yel flowers. Among shrubbery, and for be grounds and screens, nothing could be fit Their long stems and wonderful lasting quities make them valuable as cut-flowers. Tare said to be good for absorbing the mia of low grounds. Plant the seed in the organden in Spring, and thin the plants to st 3 to 4 ft. apart.	llow ack- ner. ali- hey sma
handsome silvery foliage and a profusion of small, elegant, single flowers; 4 ft.79670	Pkt.
cucumerifolius. Of pyramidal growth; small, bright orange, single flowers; 3 ft. 79680	5
" Diadem. Light citron- yellow with black cen- ter; large-flowered. 79690	10
" Stella. Handsome; large- flowered; primrose-yel- low79700	10
"Orion. A very handsome variety, with petals twisted like those of the best Cactus dahlias; long, stiff stems; excellent for cutting79710	10
" hybridus fl. pl. A splen- did mixture of double and semi-double sorts. 79720	10
" Single Fine Mixed. ½ oz. 25c., oz. 75c79730	10

111102/11 51., 11217 10111
UNFLOWER—Continued Pkt. Double California. Dark yellow; 5 ft.
" Dwarf. Beautiful, Dahlia-like
flowers, 3 in. across
bright vellow. Very fine. 79760 5
"Globe-flowered. Ball-shaped; blooms late; 3 ft 79770 5 "Green-centered. Odd and attractive; 3 ft
Primrose-colored. Graceful flowers of a lovely color; beautiful for cutting; 5 ft.
79810 5 Sutton's New Red. Of freely branching
habit, producing numerous well shaped.
dark centered, brilliant flowers, banded with bright chestnut red, merging to yellow at tips of the petals
SWAINSONA (gP). Valuable greenhouse plants of easiest culture; do best in sandy, peaty soil;
continuously in bloom; Sweet-Pea-like flowers
in sprays; 2 ft. Pkt. Mixed Species
SWEET PEAS (Lathyrus odoratus). See page
74. SWEET SULTAN. See Centaurea moschata.
SWEET WILLIAM (Dianthus Barbatus). The
splendid old-fashioned hardy biennial, pro-
ducing large heads of beautifully colored, sweet-scented flowers in abundance; easily
grown, flowering the second year from seed; 1½ ft.
Single Auricula-flowered oculatus mar- Pkt.
ginatus (Hunt's Perfection). Various shades, with white eye and
white bordered
chamois
very fine
" White
Double Auricula-flowered oculatus mar- ginatus. Handsome flowers in
large clusters79980 10
" Crimson
" Mixed80010 10
TACSONIA manicata (Scarlet Passion Vine) (hhP). A magnificent perennial climber,
producing an abundance of large scarlet blossoms. Start the seed in pots, and
blossoms. Start the seed in pots, and transplant; 25 ft80060 25 See, also, Passiflora.
TAGETES (hA). Pretty, dwarf-growing, single-flowering Marigolds; fine
for beds and especially so for edgings.
lucida. Yellow; fragrant; good for cutting; Pkt. 1 ft
1 ft
See, also, Marigolds. FASSEL FLOWER. See Cacalia.
FECOMA Smithii (gP). Splendid green-
house shrub; winter blooming; fine for pots; large heads of innumerable flowers, lemon
with orange; 6 ft80130 25

THUNBERGIA alata, Mixed. A Pkt. very pretty, rapid-	
very pretty, rapid-	
growing, tender perennial climber that is usually grown as an annual. Prized for	
window-boxes, vases, hanging-baskets,	
trellises, etc.; 6 ft80160 10	
TOAD FLAX. See Linaria.	35355
TORENIA. Beautiful tender annuals that, started	
early in the Spring in heat, will bloom continuously all Summer until frost; fine for vases,	
baskets and the Summer garden: 10 in.	
Fournieri. Sky-blue, with purple spots Pkt	
and yellow throat	
white with yellow throat.	
80200 25	
Fine Mixed. Very choice. 80210 25 Baillonii. Golden yellow, deep red throat.	
80220 25	
†TRACHELIUM cæruleum (hhP). An at-	
tractive late-flowering perennial suited	
to culture as an annual; pale blue flowers; good in garden or greenhouse; 1 ft80240 10	
TRACHYMENE cærulea (Didiscus). An	
erect-growing, half-hardy annual; clear	47/1/200
blue flowers; continuously in bloom. Very	
distinct in beds or borders; 1½ ft80260 10 tTRICHOSANTHES colubrina (Snake	
Gourd, or Serpent Cucumber). Rapid-	
growing, climbing, half-hardy annual,	
with slender fruit, often 3 ft. long, turning	
carmine when ripe; 10 ft80280 5 See, also, Cucumis and Gourds.	
TRIFOLIUM suaveolens (hA). An orna-	
mental, trailing clover with purple flowers;	
very sweet-scented; makes pretty beds.	
TDITOMA (Red-Hot-Poker Plant).	
This splendid half-hardy per-	
ennial is also well known as Torch Lily; has	Tritoma
gorgeous spikes of bloom; easily grown; should be largely planted. Fine in late Summer and	
Fall.	VENIDIUM calendulaceum. A graceful, Pkt.
Uvaria grandiflora. Fiery orange flower- Pkt.	single-flowered, half-hardy annual; cov-
spikes, large and showy; 3 to 4 ft80330 10	ered for several months with black-eyed golden blossoms, resembling those of the
TROLLIUS Mixed Hybrids (Globe Flower). Desirable hardy perennial with large, but-	pot marigold. Fine for cutting; good in
tercup-like blossoms; free-flowering	pots as well as garden; 2 ft80500 10
through the early Summer; do well in any	
soil. Flowers vary from pale yellow to	VENUS' LOOKING-GLASS
deep gold, bordering on vermilion; 1½ to 2 ft	
TROPÆOLUM. See Nasturtium.	(Specularia). A pretty little hardy annual, blooming profusely in Spring and Summer,
TROPÆOLUM canariense. See Canary-Bird	and desirable for edging flower-beds and
Flower.	borders; of easy culture; 9 in. Pkt.
†TROPÆOLUM (gP). Showy climbing vines;	Blue80530 5
bright-colored flowers; fine for culture in pots; 10 ft.	Double Blue. Gives about 50 per cent of
pentaphyllum. Greenish red flowers; Pkt.	double flowers
fine80390 15	White
†TYDÆA hybrida grandiflora (gP). Well-	grandiflora, Mixed. Large-flowered 80570 10
known and very popular greenhouse plants allied to Gesneria and Achimenes.	
Hybrids from a choice collection; 1 to 2 ft.	VENUS' NAVELWORT (Cynoglossum lini-
80430 50	folium). An elegant hardy annual for beds or edgings; of easiest culture; glau-
tVALERIANA (Valerian). Very hand-	cous green leaves and white flowers;
that have been too much neglected; bloom all	blooms all Summer; 10 in80590 15
Summer. Fine for borders, wild gardens and	VERBASCUM pannosum. A stately and
rockwork; of easiest culture; 2 ft. Pkt.	decorative hardy perennial, with large,
alba. White	white, woolly leaves and splendid spikes of sulphur-yellow flowers; fine for back-
Mixed	grounds; 4 to 5 ft80610 10



Verbena Hybrida

VERBENA (hhA). In rich soil, single plants of this pretty annual creeper will carpet a space 3 to 4 ft. in diameter. For beds, borders, mounds, window-boxes, etc., it is particularly fine, and is frequently used as an undergrowth to tall plants like Lilies. Plants raised from seed are cheaper, more vigorous and produce more flowers than those grown from cuttings. For early Spring bloom, sow under glass in February, for later flowers sow in March or April. Soak the seed a few hours in tepid water and sow in boxes filled with light, rich soil; cover one-fourth of an inch deep, press down firmly and water sparingly. When the seedlings are about an inch high, transplant into other boxes. Use a liberal amount of manure in the beds, and set out 10 to 15 in. apart each way in May in a sunny situation. The plants bloom from early Summer until frost.

Sunny situation. The plants bloom from ea	arry
Summer until frost.	
ybrida auriculæflora. Brill antly colored	Pkt.
flowers of fine size, each with a	
large, white eye80630	10
" Black-Blue, White Eye80640	10
" candidissima. Large trusses of	
purest white flowers80650	10
" cærulea. Bright blue in various	
shades80660	10
" Defiance. Intensely brilliant scar-	
let; fine for bedding80670	10
" italica striata. Brightly striped.	
80680	10
" Scarlet. Different shades80690	10
" Yellow. Primrose-color80700	10
" Mixed. ½ oz., 25c80720	5
" Finest Mixed. Extra choice.80730	10
	10
" Grandiflora, Helen Willmott.	
Bright salmon-rose with white	25
eye	20
" Mammoth, Rose Queen. Bril-	
liant rose-colored flowers, 1 to	
1½ in. across when well grown,	
produced in magnificent large	25
umbels80750	25

ERBENA—Continued	D1 .
hybrida Mammoth, Blue80752	Pkt. 25
" Pink80754 " Scarlet Defiance.	25
Scarlet Deliance.	25
" Striped80757	25
" White80758	25
" Mixed. Plants and flowers are unusually large; extremely floriferous, and borne in large heads80760	10
" Improved Mammoth, Mixed Auricula-flowered. Best of all	25
erinoides. Small, violet; heavy bloomer; pretty80810	10
" alba. Dazzling white; large; profuse bloomer; excellent. 80820	10
venosa. Blue; fine for groups and for edg- ings80830	10
citriodora (Lemon-scented Verbena). An attractive greenhouse shrub, grown for the delightful citron scent of its light green leaves80840	10
VERONICA (Speedwell), Mixed Perennial Species. Splendid, hardy border plants of the easiest culture; bear bright-colored flowers all Summer; 1 to 2 ft80890	10
VINCA (Madagascar Periwinkle). (tP).
Handsome, bushy bedding plathat flower luxuriantly and most profusely Summer from seed sown in February or Main heat; fine also for pot culture in wingarden or greenhouse. 1 to 1½ ft.	y all arch
rosea. Red80940	10
" alba. White, with rose center; dainty flowers80950	10
" alba pura. Pure white; makes brilliant contrast with the dark green, shining foliage80960	10
" Mixed	10
VIOI ET Sweet Scented (Viola odora	ata)
(hhP). Much prized for Sp	ring
blooming. All the varieties have great bea are very fragrant and quite hardy; 6 Violet seed takes a long time to germinate	in.
Blue	Pkt. 10
The Czar. Very large; dark blue81010	10
White81020	10
VIULA Splendid free-blooming plants	ıP). for
partially shaded situations; with a little Win protection will be permanent for years; blo continually all the season until frost; 6 in.	nter
cornuta, Purple Queen81040	10
" Mauve Queen	10
white reflection81000	10 10
" Mixed	25

VIRGINIAN STOCK (Malcomia maritima).	
maritima).	
Early and very free-flowering, dwarf, hardy	
annuals of easy culture; bright blossoms; most	
effective for edgings or beds; 1 ft. Pkt. Crimson King. Very fine	
Red	
White	
Mixed	
VISCARIA. Abundant-blooming, hardy annuals, flowering all Summer until frost; very effective	
for massing in beds and borders; easily grown;	
1 ft. Pkt.	
elegans picta. Rose and scarlet81150 5	
oculata. Rose, with dark eye81160 5	
" alba. White81170 5	
" candida. Pure white; fine 81180 10	
" cærulea. Sky blue, dark center	
** Mirred Dright release \$1200 5	
" Mixed. Bright colors81200 5	
WALLEI OWIED (Cheiranthus	
WALLFLOWER (Cheiranthus Cheiri). Well-known,	
half-hardy perennials of delightful fragrance,	
bearing in Spring and early Summer long spikes	
of bright flowers. Start the seed early in the	
season in heat, protect by coldframes during	
the following Winter and plant out for bedding	
in Spring. Fine also for blooming in green- house; 2 ft.	
	I
SINGLE-FLOWERING VARIETIES—	ı
Eastern Queen. Very distinct shade, Pkt.	ı
bright chamois, changing to salmon red. 81240 10	ı
Feltham Early. Large; brown-red; fine.	ı
81250 10	1
Golden King. Very large, golden yellow	١
flower	ı
flower	١
Rose Queen. A lovely terra-cotta pink.	ı
81270 10	ı
Ruby Gem. Very rich ruby color 81280 10	I
Vesuvius. New. Orange, scarlet and bronze	ı
bronze	ı
flowers of dwarf, compact habit81290 10	ı
Single-Flowering Dwarf Sorts Mixed.	ı
81300 10	ı
Fine Mixed. Very showy mixture. 81320 5	ı
ANNUAL, Mixed. This annual or extra-	1
early flowering strain, if started early	1
in heat, will bloom the same season; 1 to	ı
1½ ft	ı
DOUBLE-FLOWERING VARIETIES—	۱
Double Tall Branching, Mixed. 2 ft.	1
81370 25	ı
WHITLAVIA Easily grown, hardy an-	ı
nuals of compact habit;	1
excellent for beds or borders; bears in pro-	ı
fusion all the season pretty, bell-shaped flow-	ı
ers; 1 ft.	ı
gloxinioides. Blue, with white throat. Pkt.	
81480 10	ı
grandiflora. Blue	1
	ı
*WIGANDIA (hhP). Imposing decorative plants	1
with very large and beautifully veined leaves;	
prized for subtropical gardening and groups	
on lawns. Start the seeds very early in the season in heat to produce good plants for Sum-	1
mer beds; 6 ft. Pkt.	1
caracasana. Grand foliage81530 10	L
Vigieri. Very large leaved81540 10	

Vigieri. Very large leaved........81540 10

KERANTHEMUM This well-kno hardy annual	wn,
one of the oldest and prettiest of the "Everland"	ast-
ing" flowers, and in Winter bouquets ret their color and form for years. Fine for b	ain
and borders; in bloom all the season u	ntil
frost; $1\frac{1}{2}$ to 2 ft.	Pkt.
Double Purple	10
" Rose81580	10
" White81590	10
" Mixed81600	10

YUCCA filamentosa (Adam's Needle).
One of the best Summer ornamental, hardy perennial plants, when both foliage and bloom are considered; elegant spikes of creamy white, fragrant flowers; broad, sword-like leaves; 5 to 6 ft

ZINNIA (Youth and Old Age). Few flowers are so easily grown from seed, or bloom so abundantly and continuously, as this hardy annual. Sow the seed in the open ground early in Spring. From July until the first hard frost Zinnias are incomparably bright; the plants grow a foot or more in height and are covered with large, double



Wallflower

ZINNIAS—Continued	,
flowers. Fine for beds and borders; in fact, in any location.	
TALL MAMMOTH FLOWERING DOUBLE. A distinct and splendid class of this ever- popular flower, producing extra large, double blooms; 2½ ft. Crimson	
Flesh-Color	
Violet .81710 15 White .81720 15	
Mixed	
TALL DOUBLE. For borders and groups; 2 ft.	Comment of the commen
Carmine	
Flesh-Color	
Lilac	
Rose81810 5	
Scarlet 81820 5 Striped 81830 5	
White81840 5	Harburn
Yellow, Sulphur	The orbit
Mixed	
DWARF DOUBLE. More compact and of neat-	Zinnias, Tall Mammoth Mixed
er habit than the tall varieties; 15 in. Pkt.	DWARF DOUBLE—Continued Pkt.
Bright Scarlet	Tom Thumb, Mixed82030 10
Crimson 81950 10 Purple 81960 10	Lilliput, Scarlet Gem
Salmon 81970 10 White "Snowball" 81980 10	" Mixed 82070 10 Mixed Pompon 82090 10
Yellow, Golden81990 10	Haageana, Double Mixed. 11/2 ft.82110 10
Mixed	Curled and Crested, Mixed. 2 ft.82130 10
	FLOWER SEEDS
broadcast.	hardy annuals in the greatest variety for sowing Oz.
Mixed Tall	
Mixed Annuals for Bees	
Mixed Annual Japanese or Paradise Mixture. A	fine mixture of over 50 intermediate annuals in small gardens, composed of early flowering and
	82345 25
MIXED PERENNIA	
Tall Hardy Sorts, Mixed	82360 25 82380 25
For Choice COLLECTIONS of	
PALM	SEEDS
Chamærops elegans argen- Pkt. 100 seeds	Pkt. 100 seeds
tea	Latania borbonica25 seeds \$0 10 \$0 30 Musa Ensete (Abyssinian
Cocos australis	Banana)
Corypha (Livistonia) aus-	Pandanus utilis (Screw
tralis (Čabbage Palm)10 " 10 75 Dracæna australis20 " 15 50	Pine)
indivisa25 " 10 25	dactylifera (Date Palm)15 " 10 50
Draco 30 " 25 50 Kentia Belmoreana 15 " 25 1 25	reclinata 8 " 10 80
Canterburyana (Umbrella	rupicola
Palm) 8 " 50	G 6 11: 1 9 " 10 75

CYCAS REVOLUTA STEMS (SAGO PALM) per pound 15 cts. We receive these throughout the year direct from Japan, in various sizes,

Forsteriana......15

25 1 50 | Seaforthia elegans...... 8

10

75

ORNAMENTAL GRASSES

The Ornamental Grasses are very attractive to use in mixed flower-beds or borders, and for grouping by themselves give fine effects. Many of them, if cut before they are entirely ripe, will be found very useful, when dried, in the formation of Winter bouquets, in connection with the "Everlastings."

Not less than one ounce of the cheaper sorts at ounce rate.

*AGROSTIS (Cloud Grass) (hA). Very fine for bases and bouquets,	*EULALIA (hP). Among the most beautiful and ornamental of the tall-growing Grasses; 4 to 6
nebulosa. Very delicate and graceful; Pkt. 18 in	ft. japonica. Long, dark green leaves; fine Pkt. for groups 1/4 oz. 20c83030 10
*ARUNDO (Great Reed) (hP). Well adapted for	" zebrina (Zebra Grass). The dark green leaves are barred
large clumps; stately and ornamental; 10 ft.	with creamy white; variega- tions run across foliage 83040 10
Donax foliis variegatis. Green leaves Pkt. striped with white82660 10	FESTUCA glauca (Fescue Grass) (hP).
AVENA sterilis (Animated Oats) (hA). Drooping, curious and very graceful; 2 ft. 82680 5	Pretty, dwarf Grass; leaves silvery blue; fine for edgings; 1 ft
BRIZA (Quaking Grass) (hA). Well-known,	GYMNOTHRIX. Curious and ornamental; single specimens are of striking effect; 3 ft.
graceful species; very fine for bouquets; 1 to 1½ ft.	japonica (hA). Long, narrow leaves; bears Pkt. cylindrical spikes
geniculata	latifolia (hP). Very ornamental; bears nodding spikes83140 10
gracilis	*GYNERIUM (Pampas Grass) (hhP). Noblest of
BRIZOPYRUM silicum (hA). Dwarf	the tall-growing, ornamental Grasses. Bears magnificent plumes; needs protection in
species of Spike Grass; fine for edgings; 10 in	Winter; 4 to 6 ft. argenteum. Long, silvery white plumes; Pkt.
BROMUS (hA). Fine varieties for large Winter	splendid 1/4 oz. 20c 83160 10
bouquets; 2 to 2½ ft. Pkt. brizæformisoz. 25c82770 5	" roseum. Rose-colored plumes. 83170 10
macrostachyusoz. 25c82780 5	jubatum. Silvery red plumes 83180 10
madritensis. Very fine for dyeing . 82790 5	HORDEUM jubatum (Squirrel-tail Grass) (hA). Bushy panicles; very effective for
chloris barbatus vera (hA). Very neat species; for groups, baskets or edgings;	bouquets; 1½ to 2 ft
1 ft	JOB'S TEARS. See Coix Lacrymæ. LAGURUS ovatus (Hare's-tail Grass) (hA).
for edgings; silky plumes that become golden as they mature; 10 in82840 5	Small, silvery gray plumes; good in dried bouquets; 1 ftoz. 25c83270 5
colx Lacrymæ (Job's Tears) (hA). Seed resembles a tear-drop; fine for massing;	LASIAGROSTIS argentea (hP). Beautiful, silvery white panicles; fine for Winter bouquets; 2 to 3 ft
2 to 3 ftoz. 15c., lb. 50c82860 5 ELEUSINE (Crab, or Yard Grass) (hA). Highly	PANICUM sulcatum (hP). Very showy;
interesting species. Pkt.	palm-like in form; 4 ft
barcinonensis. 1 ft	groups and bouquets.
indica (Wire Grass). 2 to 3 ft82920 5	longistylum (villosum). Graceful, green- Pkt. ish white plumes; good in beds; 2 ft.
ELYMUS giganteus (hP). Splendid for groups; 5 ft82940 5	oz. 30c83370 5 Rueppellianum. Violet-purple plumes;
ERAGROSTIS (hA). Pretty Grasses growing a	fine for edging beds of tall plants like
foot or more high, and characterized by their beautiful dancing spikelets; all are handsome	Cannas; 2 to 3 ft
for bouquets. Pkt.	Grass for edgings and bouquet-work; 2 ft. 83400 5
abyssinica. 2 to 3 ft	*STIPA (hP). Popular and graceful species;
elegans (Love Grass). 1 ft. oz. 25c 82980 5	splendid for bouquets; 2 ft. Pkt. elegantissima. Very pretty plumes 83460 10
maxima. 2 ft	pennata (Feather Grass). Delicate, sil-
†*ERIANTHUS Ravennæ (Plume Grass) (hP). Very stately and ornamental, fine,	very white, feathery plumes; a favorite sort
silvery plumes, splendid in lawn groups. Resembles closely the Pampas Grass;	TRICHOLÆNA atropurpurea (hA). A very pretty species; particularly good in
6 to 8 ft	dried bouquet work; 2 to 3 ft83500 5

sh

GLADIOLI

ALL EXTRA-SELECTED, LARGE BULBS, NO SECOND SIZE If to be sent by mail, add postage at zone rates—10, 1 lb.; 100, 8 lbs.

Gladioli are very easily grown. Any good soil suits them. Plant the bulbs as soon as all danger from frost is past, about 3 inches deep and 7 or 8 inches apart. By planting at intervals up to the first of July, these fine flowers can be had in bloom all through the Summer and Fall—the later flowers being the best. About the end of October, when the leaves begin to wither, the bulbs should be taken up, dried in the open air, and then stored in a dry place, free from frost, for planting next Spring. It is a mistake to plant Gladioli without some suitable subject to hide the surrounding soil; to do this we suggest planting lower growing plants such as Saponaria calabrica, Nigella Miss Jekyll, Violas and Dwarf Godetias. Those marked with an asterisk (*) are used extensively for forcing.

DWARF GLADIOLI

Early flowering type of most exquisite tints and	*Cardinalis Queen of Holland.	
hades; fine for bedding.	White with carmine 10	100
Cardinalis Ackermanni. Salmon-	blotch\$0 35	\$3 00
orange with white 10 100	". Mixed 25	2 00
blotch\$0 35 \$3 00 "Blushing Bride. Beau-	*Colvillei rubra	3 00
tiful ivory-white, with	" alba, "THE BRIDE."	
crimson flakes 30 2 50	White 30	2 50
Crimson Queen. Deep	*Ramosus, Ne Plus Ultra. Crimson	
" Peach Blossom. Beau-	and white blotch 60	5 00
tiful rose	" in Mixture 35	3 00

THORBURN'S EXTRA-FINE MIXED HYBRIDS

(From our Trial Grounds)

Containing only finest named sorts in a wide range of colors and markings. 65 cts. per 10, \$4.50 per 100, \$40 per 1000.

PRIMULINUS Hybrids. Hybrids of a South African species, with many related species and choice garden varieties. Extremely vigorous and healthy growers, blooming in July and August. Grow 3 to 5 feet high, with long spikes or richly colored blooms, varying in color from clear yellow to crimson, the latter with large, soft orange or golden throats. 50 cts. per 10, \$4 per 100.

PRIMULINUS Type. 15 cts. each, \$1.40 per 10.

VARIOUS MIXED GLADIOLI

25 at 100 rate, 250 at 1000 rate. Mixed Varieties of Red and Scarlet. A splendid assortment of fine 10 100 1000 quality; large flowers......\$0 25 \$2 00 \$18 00 White Grounds, Extra. All extra 35 3 00 28 00 large blooms... Striped and Variegated. Pleasing to the eye in the broadest sense. 35 3 00 28 00 A charming lot. Pink and Rose. Colors vary

from the most delicate pink to gaudy rose, Every one a vigorous grow-

er.....

25 2 00 18 00



Thorburn's Extra-Fine Mixed Hybrid Gladioli

VARIOUS MIXED GLADIOLI—Continued				
Mixed	Yellow and Orange. No color shows up more charmingly, either singly or in contrast with the more vivid shades\$	10 0 50	100 \$4 00	1000 \$36 00
46	Gandavensis. Extra fine bulbs from the best varieties. A superb mixture of the various colors, in which no one color plays the predominating part. Very fine quality	20	1 50	12 00
"	Goff's Hybrid Seed- lings. This mixture is the well-known and distinct race resem- bling the Lemoine Hy- brids, but showing greater diversity of colors in the flowers.	25	2 00	18 00
"	Lemoine's. Their remarkably bright, rich colors and odd orchidlike markings account, in a way, for their being popularly known as the Butterfly Gladiloi. A most desir-			
46	able sort			18 00 20 00
66	beautifully colored Excelsior. Selected strain of Gandavensis seedlings, mostly light			
44	shades	25	2 25	20 00
	ture	25	2 25	20 00


FINE NAMED HYBRID GLADIOLI

Not less than 10 of a kind, 25 at 100 rate except where quoted otherwise

Albion. A beautiful white variety, with a tinge of carmine deep in the center		100 \$4 00
*America. A beautiful flesh pink,	00	ψī UU
tinged with lavender. Very vigorous with large, spreading blossoms on spikes 2 to 3 feet long	30	2 50
Attraction. A deep, rich crimson,		
with a center that shows prominent above all	40	3 50
*Augusta. Pure white, with a laven-		
der-tinted throat. A splendid sort	30	$2 \ 50$
Baron Hulot. (Lemoine.) Without a doubt the finest blue Gladiolus. It is a rich, deep color of an indigo		
shade	30	2 50
*Brenchleyensis. A fine old vermil-		
ion scarlet variety	30	2 50
Canary-Bird. Finest yellow. 20c. each 1	50	12 00

FINE NAMED HYBRID GLADIOLI—Continued

and fine. Brilliant crimson and white, freely mottled and inter- 10 100 mixed	Capt. C. B. Tanner. Extra large		
mixed	and fine. Brilliant crimson and		
mixed	white, freely mottled and inter-	10	100
purplish rose		1 00	\$9 00
purplish rose	*Ceres. Pure white, spotted with		
freely blotched and penciled with bluish purple. Throat freely mottled	· · ·	40	3 50
bluish purple. Throat freely mottled	Columbia. Light orange scarlet,		
tled	freely blotched and penciled with		
Dawn. Rose pink; large flowers, tall spike	bluish purple. Throat freely mot-		
spike20c. each 1 75 15 00 Electra. Bright scarlet, shaded rich	tled	50	4 50
Electra. Bright scarlet, shaded rich	Dawn. Rose pink; large flowers, tall		
·	spike20c. each	1 75	15 00
rose pink with a light cream band	Electra. Bright scarlet, shaded rich		
	rose pink with a light cream band		
and a central scarlet blotch on inner	and a central scarlet blotch on inner		
petal	petal,	90	8 00



Augusta


FINE NAMED HYBRID GLADIOLI—Continued

Emma Thursby. White, striped and blotched\$0 75	\$6 00	Mrs. Frank Pendleton. (Kunderdi.) Very large, graceful blossoms of		
Empress of India. Deep, velvety maroon	3 00	lovely, bright pink, with rich car- mine blotches on the lower petals;	10	100
Eugene Scribe. Very large and wide;		very beautiful20c. each \$: Nezinscott. Bright blood scarlet,	1 50	\$13 00
tender rose, blazed carmine red. Exceptionally fine for florists' use		with deep velvety crimson blotches	75	7 00
15c. each 1 00	8 00	and white mottlings	75	7 00
Faust. Deep purplish carmine, with white markings on lower petals 40	3 50	ly tinged with rose pink in throat	75	6 00
F. L. Oakley. Bright scarlet-tinted		Octoroon. A beautiful salmon pink 20c. each	1 75	16 00
salmon, with pure white center. A very fine show variety	7 00	Panama. Beautiful, deep rose self;	40	0.50
George Paul. Deep crimson, stained		Peace. Large flower, white, with	40	3 50
yellow, spotted purple 15c. each 1 00 Glory of Brightwood. Scarlet, with	8 00	lilac blotch on lower petal	75	6 00
lemon throat	7 00	*Pink Beauty. Bright carmine rose, with darker blotch on lower petals;		
Glory of Holland. Very fine white, tinted rose	3 50	early; fine cut-flower Pink Perfection. Soft, rosy pink,	40	3 50
Golden West. Orange red, overlaid	9 90	with white stripe in center of each		
with gold; yellow blotch with red	6.00	petal; very beautiful Portland. Rosy red, penciled dark-	75	6 00
spots on lower petals; fine 75 Halley. Large flowers of a lovely sal-	6 00	er; mottled throat15c. each	1 00	8 00
mon pink, lower segments blotched		Princeps. Glowing crimson, with white flakes on lower petals	30	2 50
yellow, with carmine markings. An excellent variety; early 30	2 50	Red Emperor. Enormous flowers,		
Hohenzollern. Beautiful rosy orange flushed chamois, deep red		glowing orange scarlet red, tinted carmine30c. each	2 50	22 00
blotch on lower petals 40	3 50	Rosella. (Lemoine.) Large, well-		
Hollandia. Rosy nankeen; late 40	3 50	opened flowers of light rose, stained purple and white20c. each	1 50	12 00
*Isaac Buchanan. Very fine yellow; large flowers15c. each 1 00	8 00	Rosy Spray. White, beautifully		6.00
Jessie. (Lemoine.) Fine velvety red;		sprayed rose; large and fine Salem. Fine salmon pink, with	7 5	6 00
long spike of flowers	. 3 50	maroon blotches Scarsdale. (Lemoine.) Large, pink-	7 5	7 00
blotched throat	6 00	lavender flowers shaded to dark		
Klondyke. Light yellow, maroon blotches in throat 40	3 50	Schwaben. Light yellow, deep red	75	7 00
Kunderdi "Glory." Each lower	0 00	blotch	60	5 00
petal is exquisitely ruffled and fluted. Stalks grow 4 to 5 feet tall, and		tinted white, freely striped carmine.	1 00	0.00
produce from eight to twelve beau-		*Shakespeare. White, suffused	1 00	8 00
tiful flowers, which expand wide open and are delicate cream pink with a		with carmine rose; large, rosy blotch	75	7 00
neat crimson stripe through the center of each lower petal. 15c.each 1 00	8 00	Spot. White, freely spotted and		
Lamarck. (Lemoine.) Salmon, with		mottled rose	1 00	8 00
crimson and yellow spots. 15c. each 1 00 L'Immaculee. Fine, pure white,	9 00	canary-yellow throat, mottled vel-	75	7 00
slightly lilac-tinged center; very	9.00	Superb. Enormous flower and spike,	7 5	1 00
fine	8 00	one of the very largest; pink, flaked and striped with salmon pink	75	7 00
frilled edge, slightly tinted rose;	4 00	Taconic. Bright, lively pink, flecked		
large flower	4 00	and striped with shades of the same color	7 5	7 00
throat15c. each 1 00	7 50	Victory. Clear primrose yellow; large, open flower	50	4 50
Madame Lemoiner. (Lemoine.) White, tinted lemon; large crimson		War. Blood red, shaded crimson		
*Madame Moneret. Delicate rose;	6 00	black. White Excelsior. (Syn., Reine d'Au-	50	4 50
fine large spike	6 00	jon) (Radium); excellent, pure white for cutting; very slightly tinted		
*May. A lovely, pure white, finely flaked rosy crimson	5 50	throat	35	3 00
Mrs. Francis King. Light scarlet;		Willy Wigman. Delicate rose-tinted cream, with large carmine red		0.50
very large flowers on a long spike 40	3 50	blotch	40	3 50

DAHLIAS, Double 5 of a kind at 10 rate

If ordered to be sent by parcel post, add postage at zone rates. Weight per 10 6 lbs. (including packing), for largest-size roots as offered below. Postage on single roots 5 cts. each.

CACTUS DAHLIAS			
T. G. Baker. New. Bright yellow; very	ach		10
large, finely formed flowers held on long, stiff stems	20	\$1	80
Comrade. Fawn color at base, gradually shading to pink at tips	20	1	80
Exquisite. Shades of gold and amber			80
Floradora. Beautiful, pure garnet; splendid form and a free bloomer	20	1	80
General Buller. Rich velvety maroon			
General Buller. Rich velvety maroon tipped white. Sometimes called the Cactus "Frank Smith"	20	1	80
Harbor Light. Immense size, with long, incurved petals, deep yellow, mar-			
gined crimson; very effective	20	1	80
H. Shoesmith. Brilliant vermilion scarlet; long, slender, quilled petals. The			
best bright red Cactus Dahlia Juliet. Rosy pink; very large, with long	20	1	80
incurved petals	20		80
Libelle. Dark purple, profuse bloomer Marjorie Castleton. Rosy pink,	20	1	80
tinted lighter toward center and tips	20	1	80
Miss D. Oliver. Soft primrose, shading to light yellow; daintily formed, and			
profuse bloomer Perle Hilde. A delicate shell-pink sort	20	1	80
of Kriemhilde	20	1	80
Pius X. A superb snow white; a strong grower and free bloomer	20	1	80
Standard Bearer. Bright, clear scarlet:	20	1	80
very profuse			
Striped Kriemhilde. A striped sport	30	2	50
of Kriemhilde; white, very prettily	25	9	25
striped pink The Pilot. Yellow, heavily tipped bright			
terra cotta	20	1	80



Cactus Dahlia



Decorative Dahlia

DECORATIVE DAHLIAS		
Crimean Ciant Dishest slawing aring	1	10
Crimson Giant. Richest glowing crim-	. @9	25
son	04	20
Delice. Bright rose pink; entirely distinct; very beautiful in form 2!	5 2	25
Jacque Rose. The best crimson for gar-		
den or cutting	5 1	25
Lyndhurst. Brightest vermilion. An		
early, free and continuous bloomer,		
with long, straight stems	5 1	25
Minnie McCullough. Soft, golden		
yellow, tipped bronze red. Especially		
effective under artificial light. Perfect		
form, on long, erect stems 20) 1	80
Mrs. Charles Turner. Very large,		
clear canary yellow) 1	80
Orange King. Richest shade of orange;		
very profuse bloomer 20) 1	80
Professor Mansfield. A giant Decora-		
tive of the most unique coloring—a		
pleasing combination of yellow, red		
and white) 1	80
Sylvia. Deep pink, tinting to flesh pink		
at the center. Long, stiff stems; large		
and perfect in form. Fine for cutting		
or garden	1	25

DAHLIAS—Continued

SHOW AND FANCY DAHLI			
A. D. Livoni. Clear, bright pink, quilled			10
petals. The best Show Dahlia\$0 Arabella. Soft primrose, shaded and	20	\$1	80
Arabella. Soft primrose, shaded and		_	~ ~
tipped rose. One of the loveliest Emily May. Yellow, blotched bronzy	15	1	25
red reliow, blotched bronzy	20	1	80
Penelope. White, flaked rosy lake;			
beautiful and chaste	20	1	$\begin{array}{c} 80 \\ 25 \end{array}$
Queen Victoria. Rich golden yellow	15	1	25
Red Hussar. Dazzling cardinal red; strong, vigorous grower and free			
bloomer, on long stems. Best red Show			
Dahlia for cutting	15	1	25
POMPON DAHLIAS			
Ea	ch		10
Allie Mourey. Light pink, tipped deep			
pink\$0 Klein Domitea. Bright, golden terra	20	\$1	80
Klein Domitea. Bright, golden terra	20	1	80
cotta; very profuse	20	1	00
pon	20	1	80
Sunshine. Richest vermilion scarlet.			0.0
Splendid little flowers on long stems	20	1	80
PAEONY-FLOWERED DAHL	IAS	5	•
Ea	ich		10
Big Chief. Enormous size; rich crimson,			
margined maroon. A very strong,	90	Ø 1	90
vigorous plant, with fern-like foliage\$0 Canary. Fine canary yellow; very large,	20	ФΤ	80
on long, graceful stems; early	30	2	50
Geisha. The most striking color com-			
bination; golden yellow, changing to			
bright scarlet at the center of the petals			
and back to gold at the tips. Giant flowers on long, wiry stems	50	4	50
Mrs. Carter Lewis. Pale lilac, suf-			
fused with rose	30	2	50



Peony Flowered Dahlia



Cardinal Century. Very large; rich cardinal red. The best deep red\$0	20	\$1 :	20
Eckford Century. Probably the largest	20	का (30
single Dahlia. Immense flowers of pure white, spotted pink and penciled crim-			
son; produced on long, stiff stems	20	1	80
Fringed 20th Century. The first of a			
new race, with cleft or serrated petals. A bright, rosy crimson, with lighter			
markings	20	1	80
of immense size and beautiful form.			
Produced in almost endless profusion			
on long, graceful stems	30	2	50
Rose-Pink Century. The largest and best deep pink. Enormous flowers on			
long, 3-ft. stems. A sure and continu-			
ous bloomer; vigorous plant	15	- 1	25
the brilliant, rich scarlet of the old			
Wildfire. Acknowledged the best com-	20	1	20
mercial scarlet	20	1	ðU
Burg Siefurch. Large, dark velvety red,			
tipped violet. Light yellow collar Comte Nodler. Purple, with purple	30	2	50
and white collar; very large	30	2	50
and white collar; very large Madame Viger. Richest garnet. Collar petals white, faintly suffused car-			
mine	30	2	50
Mons. L. Ferard. Rich rosy crimson,			
edged and marked white; very large	30	2	50
collar of same colorSINGLE DAHLIAS	90	4	00
Edith Lemon. Lemon vellow, reflex			00
amber; distinct and pleasing	20	1	80
band of red around the yellow center	20	1	80
Praxitelles. Deep velvety maroon, each petal tipped white. The plants are			
dwarf, branching and profuse bloomers.			
The colors distinct and striking. This is undoubtedly the richest and most			
effective of all fancy single Dahlias	45	4	00
St. George. The best clear canary yellow single Dahlias			
low single Dahlias	45	4	00

Each

10

100

CANNAS, Dwarf, Large-Flowering French

Not less than 5 of a kind at 10 rate, 25 at 100 rate. If wanted by mail, add 15 cts. per 10 for postage.

Cannas do well in almost any kind of soil, but they well repay liberal treatment. For the best results they should be planted in good loam that has been well mixed with an abundant supply of well-rotted stable or other manure. The beds should be spaded 2 feet deep, or more, and the soil well pulverized. Water should be applied abundantly at all times, but good drainage is essential.

Cannas are most effective when planted in masses, either alone or in combination with Salvia (Scarlet Sage) and bordered with Coleus or other dwarf-growing bedding plants. They are also frequently used with some of the tall-growing ornamental grasses, with which striking combinations can often be secured. They do best in sunny situations, and should be set out about 2 feet apart each way.

ALL OF THE FOLLOWING ARE DORMANT ROOTS

GREEN-FOLIAGED CANNAS PINK-FLOWERING

Annie Laurie. 3 ft. Clear, silvery pink, with cream throat\$6) 10			
Louise. 5 ft. Soft rose pink, delicately dappled with red	10 10			8 00
Mlle. Berat. 4 ft. Deep rose pink	10		90	8 00
Venus. 4 ft. This is one of the prettiest Cannas in existence. The flowers are a gay rosy pink, with a well defined border of creamy yellow; blooms all the time	10		90	8 00
RED-FLOWERING				
Alphonse Bouvier. 5ft. Clear crimson flowers borne in large clusters. Black Prince. 5 ft. Deep velvety maroon, mahogany-colored stems	10 10		80 90	7 00 8 00
Crimson Bedder. 3½ ft. Without exception the most conspicuous and satisfactory	10		90	0 00
red bedding Canna on the market. Duke of Marlboro. 4 ft. Dark rich, velvety crimson; fine shapely flowers	15 10	1	90 90	9 00 8 00
Jean Tissot. 5 ft. Brilliant vermilion, bright orange shadings	10		90	8 00
Louisiana. A bright crimson scarlet of the orchid-flowered type; grows 5 to 6 feet high, with immense spikes of bloom. Individual flower 5 inches across with correspondingly				
broad petals. Very showy in beds or as a center for more dwarfer varieties	10		90	8 00
Paul Marquant. 3½ ft. Salmon-red flowers in large clusters Pennsylvania. 5 to 6 ft. Large, orchid-flowered scarlet, overlaid with orange	10 10		90 90	8 00 8 00
Tarrytown. 3½ ft. Grand crimson variety	15	1	00	9 00
YELLOW-FLOWERING				
Austria. 4 ft. Bright yellow, with crimson in the throat; orchid-flowered	10			8 00
Burbank. 4½ ft. Canary yellow, with throat spotted crimson	10 10		90 90	8 00
Indiana. 6 ft. Orchid-flowered sorts, with rich, golden orange flowers, often 7 inches	10		00	0 00
across. Richard Wallace. 4 ft. Flowers large; color pure yellow. Fine for bedding	15	1		8 00 10 00
VARIEGATED-FLOWERING				
Allemannia. 5 ft. Orchid flowering, bright scarlet, with broad, yellow border, beau-	10		00	0.00
tifully mottled and variegated	10 15	1		8 00 9 00
Italia. 5 ft. Orchid-flowering type; brilliant red, bordered yellow	10		90	8 00
Mad. Crozy. 3½ ft. Vermilion, with gold border; very pretty	10		90	8 00
BRONZE-FOLIAGED CANNAS				
RED- AND YELLOW-FLOWERING				
Brandywine. 3½ ft. Flowers red. Splendid for mass planting	10		90	8 00
crimson spots	10		90	8 00
Evolution. 4 ft. Rich pink, with a golden tint	10 10		80 90	7 00 8 00
King Humbert. 4 ft. Bears immense, brilliant orange-scarlet flowers streaked with	15	1		
crimson, in gigantic trusses. A massive, sturdy grower, of stately habit Mount Etna. 3 ft. Leaves of rich bronze; large, crimson flowers	15 10	1		10 00 8 00
Shenandoah. 4 ft. Flowers beautiful, rosy pink, borne in large clusters. The foliage is very beautiful, being veined and tinted, having a tropical appearance	10		90	8 00
Wyoming. 7 ft. Immense umbels of massive orange flowers; bronze-purple foliage.				
A splendid bedder	10		80	7 00

PAEONIES

If to be sent by mail, add postage at zone rates

Double Pæonies are too well known to require description. Their present popularity is due to the great improvement in them in recent years, their easy culture, the handsome appearance of the plant, and the brilliant and striking effect of their massive, finely formed and richly colored flowers. The attention given to them in Europe and in America has resulted in the production of many notably fine new varieties. Among hardy, herbaceous perennials, the Chinese Pæonies rank about first for lawn or flower-border, or shrubbery decoration.

Our assortment includes some of the best and most distinct sorts, new and old. There are many kinds, including varieties showing but trifling variations, which we omit.

HERBACEOUS CHINESE PAEONIES

Mailing rate 1 lb. each

Agida. Violet rosy, half double flow-	ach	I	0
ers\$0	35	\$3	00
Alba plena. Pure white; fragrant	35	3	00
Beaute Francaise. Rose and car-			
mine	50	4	50
Boule de Neige. Sulphury white;			
center petals with rosy borders	50	4	50
Charlemagne. Creamy white, cen-			
ter lilac and chamois	50	4	50
Comte de Niepperg. Bright car-			
mine; early	60	5	50
Cytherie. (Calot.) Flesh color, near-			
ly white, carmine-spotted	50	4	50
-y		_	.,,



Paeony Chinensis

o I ibi cacii			
Delachei. Amaranth purple red;	Each		10
fragrant\$0	50	\$4	50
Edulis superba. Bright rosy pink	50	4	50
Faust. Light rose	50	4	50
Festiva maxima. White	50		50
Humei carnea. Rose, passing to			
white	50	4	50
Jeanne d'Arc. Rose, sulphur and			
rosy white center	50	4	50
Jules Calot. Pink, center rose	50	4	50
Louis Van Houtte. Cherry color,			
with purplish reflection	50	4	50
Madame de Verneville. Silvery			
white; extra fine	50	4	50
Magnifica. Tender rosy, center			
creamy white	50	4	50
Meissonier. Purplish red	50	4	50
Modeste Guerin. Very bright pink.	50	4	50
Monsieur Krelage. Wine color	60	5	50
President Roosevelt. Carmine	60		50
Queen Perfection. Yellowish white,		_	
center yellow	50	4	50
Oueen Victoria. Rose; dark rose			
center	50	4	50
Rubra Triumphans. Carmine	50	_	50
Double, Mixed, White	20	î	
" " Crimson	20	i	80
" " Rose	$\frac{1}{20}$	i	80
" " Pink	$\tilde{20}$	i	
" Carmine	$\overline{20}$	_	80

Japanese Tree Paeonies

(Pæonia arborea)

Mailing rate 2 lbs. each

These are very beautiful and free flowering, and bloom two or three weeks earlier than the herbaceous sorts. We are importing an assortment of eight fine named varieties. State color wanted and we will make fine selection. Each \$1.50.

Paeonia Officinalis Mailing rate 2 lbs. each

Anemonæflora. Large; crimson; Each	10
single Anemone-flower shape\$0 50	\$4 50
Atro-rubra plena. Dark red 20	1 80
Mutabilis plena. Tender rose; pass-	
ing to white; double	2 50
Rosea plena. Pink 50	4 50
Tenuifolia, Single-flowering. Rich	
crimson; narrow leaved, feathery	
foliage	3 00
Single-flowering. Mixed 60	5 50

LILIES

If to be sent by mail, add postage at zone rates

Lilies are easily grown and require little care. They do best in a light, well drained soil. Some peat or leafmold may be used to advantage. They also prefer partial shade, and the taller sorts must have protection from high winds. L. auratum cannot bear manure, but thrives in ordinary light soil.

LILIUM HARRISII

(Bermuda Easter Lily)

The large, handsome, pure white, trumpet-shaped flowers are very sweet-scented and of great substance, lasting a long time after cutting. They are easily grown and can be forced into flower in a remarkably short time. They require rich soil but without manure.

Each 10 100 75 86 00

5 to 7 in. circum\$0	10	\$0	75	\$6	00
7 to 9 in. circum	20	1	50	12	00
9 to 11 in, circum	35	3	00	25	00

LILIUM LONGIFLORUM

(White Trumpet Lily)

This is among the most beautiful and valuable of garden Lilies. It grows from 1 to 4 feet high, and bears many trumpet-shaped, sweetly scented, waxy white flowers. A well-drained, light loam enriched with leafmold suits it best. Each 10 100

white flowers. A well-drained, light	loam e	nriched
with leafmold suits it best. Each	10	100
7 to 9 in. circum, 3 lbs.		
10\$0 10	\$0 75	\$ 6 00
9 to 10 in. circum., 4 lbs.		
	1 25	10 00
Formosum. Very large,		
white flowers. Grows $2\frac{1}{2}$		
to 4 ft. high.		
7 to 9 in. circum., 3 lbs.		10.00
10	1 25	10 00
9 to 11 in. circum., 5 lbs.		45 00
10 20	1 75	15 00
Multiflorum.		
7 to 9 in. circum., 3 lbs.	1 0"	10.00
10 15	1 25	10 00
9 to 10 in. circum., 4 lbs.	1 77	15 00
10 20	1 75	15 00
Multiflorum giganteum.		
6 to 8 in. circum., 2 lbs.	75	e 00
10 10	75	6 00
7 to 9 in. circum., 3 lbs.	1.05	10.00
10 15	1 25	10 00
9 to 10 in. circum., 4 lbs.		

BEAUTIFUL JAPAN LILIES

10.....

25

2 00 15 00

We import our supply direct from Japan every year. Every garden should have some of them.

Auratum (Gold-banded Lily).			
The grandest of all hardy			
Lilies; 3 to 6 feet high; flow-			
ers white, spotted maroon,			
having a bright yellow band			
through the center of each			
	Each	10	100
8 to 9 in. circum. Mail-			
ing rate 3 lbs. 10	80 15	\$1 00	\$8 00
9 to 11 in. circum., 5 lbs.			
10	20	1 50	12.00
11 to 13 in. circum.			
Mailing rate 8 lbs. 10.	35	3 00	25 00
13 to 15 in. circum	50	4 50	35 00
Auratum pictum. Flowers			
beautifully spotted crimson.	30	2 50	20 00

BEAUTIFUL JAPAN LILIES-Continued

Auratum rubro-vittatum.					
Enormous flowers, white,					
beautifully spotted, with a					
deep crimson stripe through					
each petal; very fragrant. Ea			0	_	00
4 lbs. 10\$0	40	\$3	50	\$30	00
Auratum platyphyllum					
(Improved Auratum). Flow-					
ers are similar in color to					
the Auratum, with much					
broader petals, spots more					
heavily marked and very beautiful	30	9	50		
	30	2	50		
Speciosum album Kræt- zeri. Pure white, large flow-					
ers; 2 to 4 ft. high.					
7 to 9 in. circum., 4 lbs.					
	20	1	50	12	00
	$\overline{25}$		00		
9 to 11 in. circum., 5 lbs.					-
	30	2	50	20	00
Speciosum rubrum. White,					
shaded rose, and spotted					
red.					
7 to 9 in. circum., 4 lbs.					
	15	1	00	8	00
9 to 11 in. circum., 5 lbs.	0=	0		10	00
	25	2	00	18	00
Speciosum rubrum Mel-					
pomene. Dark crimson					
spotted flowers; 2 to 4 feet high, and blooms profusely.					
11 to 13 in. circum., 7 lbs.					
	30	2	50	20	00
	-	_			-



Lilium auratum

BEAUTIFUL JAPAN LILIES—Continue	d		
Batemanni. Unspotted, bright apricot flowers; beautiful variety. 3 to Ea	ach		0
4 feet high. 1 lb. 10\$0	20	\$1	
Elegans Incomparable. Deep red,	20	ФТ	30
enotted black	20	1	50
spotted black	20	1	90
red	30	2	50
red	00	2	00
crimson spots 2 to 3 feet high	30	2	50
	00	_	00
VARIOUS LILIES			
Bloomerianum. Orange, spotted			
dark maroon, spots circled with			
crimson. 1 lb. 10	40	3	50
Bolanderi. Bell shaped, deep crimson			
flowers, dotted with purple. Grows			
1 to 3 feet high. Rare. 1 lb. 10	60	5	50
Brownii. Flowers of immense size;			
inside creamy white, outside shaded			
chocolate purple. 2 lbs. 10	40	3	50
Canadense (Meadow Lily). Droop-			
ing, vellow flowers, spotted red;			
1½ to 3 ft	15	1	00
1½ to 3 ft	15	1	00
Colchicum (Monadelphum). Citron,			
black spots; a splendid Lily; 2 feet			
high 1 lb. 10.	40	3	50
Columbianum (Oregon Lily). Orange flowers, dotted maroon; fra-			
ange flowers, dotted maroon; fra-			
grant, 1 lb. 10	45	4	00
Croceum. Orange, with purple spots:			
upright flowers. 2 lbs. 10	25	2	00
Excelsum (<i>Testaceum</i>). Lovely cream			
colored flowers, tinged with apricot;	0.0	_	
very fragrant; 5 feet high. 3 lbs. 10.	60	5	50
Giganteum. Grows 6 to 10 feet high,			
bearing many large, funnel-shaped			
flowers 5 to 6 inches long; white,			
with purple throat. Extra large	00		
bulbs. 2 lbs. 10 3	00		



Lilium Speciosum, Superbum and Tigrinum

VARIOUS LILIES—Continued		
Henryi (Orange Yellow Speciosum).		
Very tall growing veriety, doep B	Cach	10
Very tall growing variety; deep orange-yellow flowers. 3 lbs. 10\$0		
Kelloggii Slander stoms with from	90	\$4 50
Kelloggii. Slender stems with from 3 to 15 flowers with pink revolute		
5 to 15 nowers with pink revolute		
petals; fragrant; 3 to 4 feet. 8 oz.	00	F F0
10	60	5 50
Wagnincum (Humboldtii). Bright		
orange red, with dark spots. 1 lb.		
Martagon. Purple; 2 to 3 feet. 8 oz.	60	5 50
Martagon. Purple; 2 to 3 feet. 8 oz.		
10	25	$2\ 00$
Parryi. Large, handsome, pale yel-		
low flowers; very rare. 8 oz. 10	75	7 00
Pardalinum. Large, showy flowers;		
richly colored and spotted. 1 lb.		
10	25	2 00
Parviflorum. Small flowers; bright		
orange, spotted with purplish dots	35	3 00
Parvum. Orange yellow, spotted pur-		0.00
ple	50	4 50
" luteum. Clear yellow flow-	00	1 00
ers	45	4 00
Philadelphicum. Bright orange red,	10	7 00
with block and to 0 feet bink 0		
with black spots; 2 feet high. 8 oz.	4 =	1 00
2 10	15	1 00
Superbum (Turk's Cap Lily). Orange		
red, spotted; 4 feet	15	1 00
Tenuifolium (Siberian Coral Lily). Rich scarlet; 1½ feet. 8 oz. 10		
Rich scarlet; 1½ feet. 8 oz. 10	20	1 50
Thompsonianum. Rose	40	3 50
Thunbergianum biligulatum	20	1 50
"Kikak. Apricot		- 00
yellow, spotted		
black	20	1 50
" Prince of Orange.	20	1 00
Orange yellow; 1	05	9.00
toot	25	$\begin{array}{cccc} 2 & 00 \\ 3 & 50 \end{array}$
van nouttei	40	3 50
Tigrinum splendens (Tiger Lily).		
Rich scarlet, black spots. 2 lbs. 10.		
Per 100, \$8	15	1 00
Tigrinum fl. pl. (Double Tiger Lily).		
Orange red, black spots. 2 lbs. 10.		
Per 100, \$9	15	1 00
Umbellatum erectum. Red and		
orange. 4 lbs. 10	20	1 50
" grandiflorum. Or-		- 00
ange. 3 lbs. 10	20	1 50
	15	
" Mixed. 3 lbs. 10	19	1 00
Wallacei. Orange red, maroon spots;	0.0	0.70
late. 8 oz. 10	30	250
late. 8 oz. 10		
large trumpet-shaped flowers, pure		
white, tinged purple; fragrant; 4 to		
white, tinged purple; fragrant; 4 to 7 ft. 2 lbs. 10	60	5 00

LILY-OF-THE-VALLEY

If ordered sent by mail, add postage at zone rates.

Clumps. Fine, large clumps, with many flowering pips on each. Fine for planting outside in shaded positions and for naturalizing by the side of streams or wooded walks. 3 lbs. each, 30 cts. each, \$2.50 per 10, \$20 per 100.

Pips for Forcing. \$1.00 per bundle of 25, \$3.00 per 100, \$25.00 per 1,000. 2 lbs. each bundle of 25.

Berlin and Hamburg Cold-Storage Pips. From cold storage; the very highest quality. Price on application.

JAPAN IRIS (Iris Kaempferi)

If ordered sent by mail, add postage at zone rates,

SUPERB COLLECTION OF LARGE-FLOWERED SORTS

We are importing from Japan a large supply of the following twenty of the best of these magnificent Irises, which are remarkable for the beauty of their colorings and stateliness of habit. Some of them send up ten to twelve spikes, 3 feet high, each bearing two to four enormous blossoms, 8 to 10 inches across. are most valuable for cut-flowers and table decoration—as handsome as Orchids. Supply water liberally when growing. Cut in the early morning or after sunset. The descriptions given are those furnished us by the growers in Japan.

30 cts. each, \$2.50 per 10, \$20 per 100. The following may be ordered by number; mailing rate 1 lb. each

- 13 Boteki-no-Koe. Pure white, heavily veined lavender, with pale primrose blotches; standard lavender, with pale primited visiting, wine color. Three large petals. Striking, Three
- 26 Date-dogu. Claret red, yellow blotches. petals.
- 89 Fuyoho. Large; pure white, yellow blotches.
- 31 Gei-Sho-Ui. Claret red, veined white; standards shaded lavender, darker edges, yellow blotches.
- (Ho-o-cas-4 Ho-o-jo tle). Ruby crimson, primrose blotches; standards white and lavender.
- 37 Katsuraotoko. White, veined lavender; standards white, suffused with lavender, darker
- edges. Six petals.

 15 Momiji-no-Taki. Ruby red, yellow blotches; standards white, spotted toward edges pale wine color. Six petals.
- 30 Noboro-Ryu. Intense Tyrian blue, with yellow blotches; standards white, edged violet.
- 9 Ran. Royal purple, edged lavender, with large primrose blotches; standards wine-red. white at base. large petals.
- 34 Sassa-no-Koe. White, veined wine red and blotched yellow; stan-dards lavender. Three netals.
- 20 Senjo-To. Light wine color, spotted and shaded to dark red, suffused with white, yellow blotches.
- 40 Shiguremoniji. Blush pink, darker toward edges, splashed wine red; primrose blotches. Three petals.
- 21 Shikainami. blue, to dark blue edges, white veined, yellow blotches. Very handsome. Six petals.

- 6 Shippo (Cloisonné). Rich Tyrian blue, edged
- purple and veined white, yellow blotches.

 14 Shiraga. Deep purple, heavily veined white; standards lavender, yellow blotches. Six large petals.



Japan Iris

M. THORBURN & CO., 53 BARCLAY ST., NEW YORK

JAPAN IRIS—Continued

140

- 17 Suibijin. Claret red, darker toward edges; standards white veined, and stigmas wine color. Three petals.
- 44 Ujigawa. Rich, vinous purple; standards blush pink; stigmas lavender, canary-yellow blotches. Three immense petals.
- **Ushio-no-Iro.** Violet, veined white; standards white, edged sky blue, yellow blotches. Seven 50 Ushio-no-Iro. or eight petals.
- 7 Yamato-Nishiki. Pale lavender, blotched and flaked dark purple, large primrose blotches. Three petals.
- 8 Yodokuruma. Pale wine color, veined darker; large orange blotches; standards very erect. Three petals.

GERMAN IRIS (Iris Germanica)

Will thrive in almost any good garden soil, except one that is wet.

Fine Mixed. 75 cts. per 10, \$6 per 100. Mailing rate, 6 oz. 10, 3 lbs. 100.

VARIOUS IRIS

Alata (The Scorpion Iris). Sweet-			
scented, sky-blue flowers; also fine	10	I	00
for pots\$0	75	\$6	00
Cristata. A native species 3 inches			
high; amethyst blue	40	3	00
Florentina alba. Beautiful, satiny			
white flowers	40	3	00

10

\$7 00

4 50

2 00

AMARYLLIS

If to be sent by mail, add postage at zone rates

The Amaryllis produces, under the simplest conditions, one to three spikes 2 or more feet high, crowned with from two to six large and beautiful, trumpet-shaped blooms lasting long in good condition. They should be planted as soon as received, in pots an inch or so larger than the diameter of the bulb.

The most suitable soil is good loam, with one-fourth part of leafmold or pulverized manure, and some sand. Good drainage is very important. The growing season is from early Spring until September. Manurewater during this time is essential.

Belladonna major. Violet and	liant scarlet with white stripes; Each
white; in large um-	large flowers. 4 lbs. 10\$0 75
bels; fragrant. 4 lbs. Each 10 10	Johnsoni (Spice Lily). Large flowers; crimson, striped white. Large bulbs.
" speciosa purpurea 75 7 00	
Empress of India Seedlings. Bril-	Vallota purpurea

ANEMONE, or WINDFLOWER

Very ornamental, hardy perennials, producing beautifully colored flowers in Spring and Summer. They do best in rich soil and in a sheltered and well drained position.

Mailing rate 6 oz. 10, 3 lbs. 100

CORONARIA or POPPY-FLOWERED ANEMONE

Caen, Mixed (Giant French or Poppy- 10	100		10	100
flowered Anemone). Finest colors\$0 25	\$2 00	King of the Scarlets. Double\$0	35	\$3 00
Chrysanthemistora Perle Ange-		Scarlet, Feu Superbe. Bright scar-		
vine. Pure white; very beautiful,		let; double	35	3 00
full double white flowers of Chrys-		Scarlet, Double, Mixed	30	2.50
anthemum type15c. each 1 00	8 00	" Single, Mixed	25	2 00
Blue, Double, Mixed	2.50	St. Brigid. Semi-double; gracefully		
" Single, Mixed	2 00	incurved flowers	35	3 00
His Excellency. A beautiful, large-		White, Ceres. Double; tinted rose	30	2.50
flowering Poppy Anemone; a deep		" The Bride. Single; pure		
scarlet shade, thick, strong petals		white	25	2 00
and long stems	7 00	Double. Mixed colors	25	2 00
King of the Blues. Double 35	3 00		20	1 50

ANEMONE SPECIES

Less quantities	than	quoted,	10	cts.	each	1
-----------------	------	---------	----	------	------	---

	10	100
Apennina, Blue. Early. Charming, clear blue, star-shaped flowers; fine for naturalizing	ing\$0 30	\$2 50
" White	30	2 50
Fulgens. Single, scarlet flowers very early in Spring	50	4 00
Japonica alba. Large, pure white; invaluable for cutting	50	4 00
" Queen Charlotte. Semi-double; pink	75	7 00
" rosea. Large; rosy carmine	50	4 00
" rubra. Rosy crimson	75	7 00
"Whirlwind. Large, semi-double, pure white. Splendid for cut-flowers	75	7 00
Sylvestris (Snowdrop Windflower). Beautiful, pure white	75	7 00

BEGONIAS

Tuberous-Rooted

Five of a kind at 10 rate, 25 of a kind at 100 rate

Mailing rate 1 lb. 10, 7 lbs. 100

Splendid pot plants for the house or for bedding. For bedding they should be started in hotbed in March and April. The hollow end of the bulb should be uppermost and but slightly covered. Water sparingly until the plants are grow-

mg.	10	100
Single, Scarlet	.\$0 75	\$7 00
" Rose	. 75	7 00
" White	. 75	7 00
" Yellow	. 75	7 00
Double, White	. 1 00	8 00
" Yellow	. 1 00	8 00
" Rose	. 1 00	8 00
" Crimson	. 1 00	8 00
Double and Sing	le, all	colors

BEGONIA CRISPA (Single Fringed Begonias). These comparatively new Begonias have beautifully shaped, gracefully frilled and crested flowers. borne above the foliage on long and erect stems. An

per 100.

mixed, 10c. each, 90c. per 10.



Begonia Crispa

exceedingly fine strain. RED, ROSE, WHITE, YELLOW and SALMON. \$1.25 per 10, \$10

CRINUMS

The most suitable soil is a compost of turfy loam, cow manure and sand. They should be grown in large pots or tubs, about three-fourths of the bulbs being out of the soil. In late Fall remove to a cool house and allow to rest till new leaves begin to appear in February. If placed outside when warm weather begins, they will flower through the Summer, making splendid lawn or veranda plants.

Amabile, Giant Pink. Extra large; bright
pink, with white stripe; splendid flower. Each
Enormous bulb. Mailing rate 11 lbs \$4 00
Kirki. Large umbels of beautiful, pure white
flowers, with purple stripe in center of each
petal; very fine. Mailing rate 1 lb.
\$2 for 10 25

Powelli. Produces long stems, bear-			
ing at the top five to eight large,			
dark rose, bell-shaped flowers, 3 to 4			
inches long, of great beauty in form E	Cach	1	0
and color. 2 lb. rate\$0	30	\$2	50
Powelli album. Pure white; very			
beautiful sort	60	- 5	00

GLOXINIAS

Mailing rate 1 lb. 10, 7 lbs. 100

Beautiful greenhouse plants, remarkable for the intensity and variety of their colorings, and the exquisite manner in which they are often blotched, mottled, penciled and blended. They thrive best in a soil composed of leaf-mold and peat, in equal parts, with a little sand added. When growing give plenty of water, but it should always be tepid.

			100			10	
Crassifolia erecta	Red\$0 15	\$1 25	\$10 00	Crassifolia erecta, White.	\$0 15	\$1 25	\$10 00
11 (1	Spotted, 15	1 25	10 00	" " Blue	15	1 25	10.00

MONTBRETIAS

Treat same as Gladioli Mailing rate 6 oz. 10, 2 lbs. 100

Summer-flowering, bulbous plants that are becoming more popular every year. They should be planted in groups. Ordinary garden soil and a sunny position suit them.

• .			
Crocosmæflora	(type). Fine scarlet and yellow\$	10	\$1 50
	•	0 20	ФТ 90
44	aurantiaca. Deep golden yellow; fine spike	35	2 00
44	Bouquet Parfait. Large, bright vermilion flowers, with deep yellow centers	25	2 00
44	Etoile de Feu.		
	Bright vermilion, with deep yellow center; large flow-	0.5	0.00
	ers	25	2 00
44	Germania. Large, orange scarlet; very beautiful	50	4 00
4.4	Golden Sheaf. Bright yellow	25	2 00
u	Meteor. Yellow inside, deep red out-		
	side	25	2 00
44	Pluie d'Or. Golden yellow; extra	25	2 00
44	Talisman. Purple vermilion	25	2 00



Tigridia Pavonia conchiflora

Crocosmæflora			10	1	00
	with yello	ow disc in :\$0	25	\$2	00
44	Tigridie.				
44		own	$\frac{25}{20}$		$\begin{array}{c} 00 \\ 50 \end{array}$
TIGRII	DIAS (Re	eady in Ma	arch)	1	

Add 5 cts. per 10. for postage

These very handsome, Summer-flowering bulbs should be planted in the Spring. They will flower profusely all Summer. The plants grow about 2 feet high, with large and finely colored flowers.

avonia	alba immaculata. Pure	10	100
	white, unspotted\$0	50	\$4 00
44	canariensis. Very hand- some; light yellow, with		
	brown spots	35	3 00
4.6	conchiflora. Bright yellow	50	4 00
44	lutea immaculata. Pure yellow; handsome and		
	striking	50	4 00
**	Red. Distinct from Pa-	35	3 00
	vonia speciosa	99	5 00
4.6	speciosa. Scarlet	40	3 50

HARDY PHLOX

(Decussata)

(
Mailing rate 4 lbs. 10.			
A flower of more than usual beauty succeed in almost any kind of soil or climbe planted in the Spring or Fall.	tha ate. ach	M	will Iay 10
Astier Rehn. Purple, white center\$0	25	\$2	00
Aquillon, Carmine	25	2	00
Boule de Feu. Dark carmine; extra fine	25	2	00
Coquelicot. Bright, fiery red, with a center of beautiful rose	25	2	00
Eclaireur. Beautiful rose color, with a band a shade lighter running	25	2	00
Falcon De Neige. Pure white	25		00
Flambeau. Brilliant red, with eye of			
still darker color	25	_	00
Martha. Wine color	25	2	00
Pantheon. A delightful salmon rose, with a pale border running around			
the eye	25	2	00
Pecheur d'Island. Fiery red, with white center	25	2	00
Suffruticosa, Snowdown. Ever- blooming; beautiful, white form; dwarf-growing	25	2	00
Each sort, \$18 per 100			

MISCELLANEOUS BULBS AND ROOTS

If ordered sent by mail, add postage at zone rates according to weight indicated

			CDOCCOSTALL (T.		
	Lovely 10	100	CROCOSMIA aurea (Tri- Each	10	100
greenhouse pot-plants		\$4 00	tonia). Beautiful; half-		
ALSTRŒMERIA aurea (aur			hardy; orange flowers. 1	00.00	
aca). Orange yellow, spotted	black.		lb. 10\$0 25	\$2 00	
2 lbs. 10	40	3 00	CYCAS revoluta Stems		
brasiliensis. Deep red, with	black		(Sago Palm). In various		
spots. 2 lbs. 10		5.00	sizes. 15 cts. per lb.		
ANOMATHECA cruenta. Cr					
flowers; dwarf habit; fine for			CYCLAMEN, Coum. Crim-	0 70	
dow garden. 2 lbs. 100	15	1 25.	son, round leaved 40	3 50	
ANTHERICUM liliago. 1 lb. 1		5 00	Europæum roseum. Very		
liliastrum major	50	4 00	showy, rosy red, hardy 20	$2 \ 00$	
Antholyza Mived Like Cl	adioli	1 00	Persicum giganteum.		
Antholyza, Mixed. Like Gl.		4 50	Rose 20	$2 \ 00$	
Take up in Fall	50	4 50	" " Dark crimson 20	2 00	
APIOS tuberosa. Hardy cli			" "White, "Mont		
with clusters of fragrant purple		9.00	Blanc'' 25	2 00	
ers. 1 lb. 10		3 00	" " Mixed 20	2 00	
ARUM Dracunculus. 5 lbs. E.			Hederæfolium Album		
10\$0	15 1 00		(Neapolitanum). Ivy-		
cornutum (Red Calla). 5					
lbs. 10	20 1 50		leaved Cyclamen; quite		
crinitum. 3 lbs. 10	30 2 50		hardy in sheltered situa-	9 00	
italicum (Dragon Flower).			tions 20	2 00	
Creamy white. 1 lb. 10	20 1 50		Repandum. Rosy red,	2 00	
maculatum. 1 lb. 10	15 1 00		purple eye	2 00	
palæstinum sanctum	10 2 00		DARLINGTONIA (Pitcher		
(Black Calla). 2 lbs. 10	30 2 50		Plant). 2 lbs. 10 50	4 00	
BRODIÆA. See our Bulb	50 2 50		DICENTRA spectabilis		
			(Bleeding Heart). Hardy		
Catalogue for various					
sorts			perennial; also forcer. 1 lb. each, 8 lbs. 10, 30	.9 00	\$15 00
CALADIUM esculentum.	f*			2 00	\$10 00
Average mailing rate 2			ERANTHIS hyemalis (Win-		
lbs.			ter Aconite). Flowers yel-		
9 to 11 in. circum	20 1 50	10 00	low, hardy, perennial. 1		
11 to 12 in. circum	25 1 75	15 00	lb. 100	30	$2 \ 00$
12 in. circum. and up-			EREMURUS himalaicus.		
wards	25 3 00	25 00	White 1 25		
CALLA Æthiopica (White			robustus. Rose. 1 lb. each 1 25		
Calla, or Lily-of-the-Nile).					
			ERYTHRONIUM. See our		
Large, white, trumpet-			Bulb Catalogue.		
shaped flowers.			EUCHARIS amazonica.		
1st size. Mailing rate	25 2.00	99 00	Fine, white-flowered		
4 lbs. 10	35 3 00	28 00	greenhouse plant. Mag-		
2d size. Mailing rate	00 0 70	00.00	nificent. 2 lbs. 10 35	3 00	
3 lbs. 10	30 2 50	$20 \ 00$	FRITILLARIA Meleagris		
Elliottiana, Yellow; Spot-			alba (Guinea fowl flow-		
ted Leaf. Dark green			White	20	1 50
leaves, spotted silvery			er). White	15	1 25
white. 2 lbs. 10	30 2 75		Meleagris. Mixed colors	10	1 20
CALOCHORTUS (Mariposa			FUNKIA alba marginata.		
Lily). See our Bulb Cata-			Green foliage, margined	2.00	
logue for full list.	* *		white. 1 lb. each 25	2 00	
CAMASSIA Cusickii. Very			GERANIUM sanguineum.		
large leaves and lovely,			Hardy perennial. Crim-		
			son-purple flowers. 1 lb.		
pale sky-blue flowers, pro-			10	2 00	
duced in racemes 2 to 3	15 1 00		HÆMANTHUS albifolia.	2 00	
feet long	15 1 00				
esculenta. Pretty violet-			White 50		
blue flowers. Fine for cut-			coccineus. Scarlet 1 00		
ting. 3 lbs. 100	20	1 50	puniceus. Orange red 1 00		
CINNAMON VINE. First-			HELLEBORUS Niger		
size roots	15 1 00	7 00	(Christmas Rose). Pure		
CLEMATIS coccinea.			white 50	4 00	
Hardy, flowers rich scar-			HEMEROCALLIS, Apricot.		
	15 1 95	9 00			
let. 1 lb. 10	15 1.25	9 00	Distinct, rich apricot. 5	1 00	
COOPERIA Drummondii			lbs. 10	1 00	
(Evening Star). White.		0. 50	flava. Clear yellow 10	75	
2 lbs. 100	35	2 50	fulva. Coppery orange 20	1 50	
pedunculata. White, fra-		2	Kwanso fl. pl. Coppery		
grant,	35	2 50	orange; double 20	1 50	

Miscellaneous Bulbs and Roots-Continued

HEMEROCALLIS, Sieboldi. Handsome reddish orange		\$0 75	100	SPIRÆA hybrida, Wash- ington. Extra large flow-	Each	_	10	100
HYACINTHUS candicans. 5 lbs. doz		35	\$3 00	ers; fine forcer\$(japonica. Pure white flow-	15		25	\$10 00 8 00
INCARVILLEA Delavayi.		•	40 00	japonica compacta mul- tiflora. Neat and com-	10	1	20	3 00
Large; rosy purple; splen- did, hardy perennial, with				pact. Pure white flowers. TRICYRTIS hirta. Beauti-	15	1	25	8 00
handsome foliage. 6 lbs. 10	15	1 00		ful; Fall flowering; hardy. 3 lbs. 100	15	1	50	10 00
MADEIRA VINE. Roots		40	3 50	TRILLIUM Erectum. Dark	10	Ť	60	5 00
NERINE Sarniensis (True Guernsey Lily). Flowers				purple; erect habit grandiflora (Giant Ameri- can Wood Lily, or "Wake	10		00	3 00
brilliant crimson, in large clusters	20	1 50		Robin.") Large, white flowers and easily grown in				
ORNITHOGALUM arabi- cum. White, with black				shaded position	10		60	5 00
centerpyramidale. Showy spikes		35	3 00	strong plant 1 foot high, with the separate leaves				
of white flowers umbellatum (Star of Beth-	10	75		$5\frac{1}{2}$ inches long by $4\frac{1}{2}$ inches wide and the petals				
lehem). Outside green and white, inside satiny white.		15	1 00	3½ inches long. Flowers pure white, with purple	20		.	10.00
OXALIS Bowei. Crimson		25	2 00	center; very fragrant sessile rubra. Same as cali-	20	1	50	10 00
Lasiandra. Violet purple, large flower		20	1 50	fornica, with narrow pet- als; deep maroon purple to reddish purple	20	1	50	10 00
Multiflora alba Rubella. purple		$\frac{25}{25}$	$\begin{array}{ccc} 2 & 00 \\ 2 & 00 \end{array}$	sessile, Snow Queen. Flowers pure white, with	20	1	90	10 00
Mixed		15	1 00	creamy centers and with broad petals	20	1	50	10 00
PANCRATIUM calathinum (Basket Flower). 2 lbs.	15	1 00		TRITOMA Pfitzeri. Large spikes of flame-colored		Ī		
maritimum (Sea Daffodil). Delightfully fragrant	10	1 00		flowers. 2 lbs. 10 MacOwani. Dwarf variety;	35	3	00	
white	20	1 50		bright orange red uvaria grandiflora (Red-	20	1	50	
RANUNCULUS. Soak in water two days before plant-				Hot-Poker Plant). Half- hardy	20	1	50	12 00
ing. Persian Mixed		15	1 00	Tritonia Crocata. Summer flowering. To be handled			0.5	0.00
Turban Mixed		15	1 00	like Gladioli			35	3 00
SPIRÆA America. Rosy	20	1 50		low. 5 lbs. 10	25	2	00	
Astilbe Arendsi, Ceres. Bright, rosy lilac. 2 lbs.				lar, golden yellow flowers. 5 lbs. 10	30	2	50	
each	20	1 50		TROPÆOLUM tricolor (Jarrattii). Fine green-	0.5	0	00	
Astilbe Naarden. Large, pink flowers. Early bloomer; fine forcer	35	3 00		house climber; for pots speciosum. Brilliant scar-	25 15		00	
astilboides floribunda.	00	3 00		TUBEROSES, Dwarf Double	19	1	00	
Very large, pure white plumes. Neat habit; abundant bloomer	15	1 25		Pearl. Mailing rate 2 lbs. 10			30 50	$\begin{array}{c}2 \ 50\\4 \ 50\end{array}$
hybrida, Mont Blanc.	19	1 20		Variegated Leaf			50	4 50
Large plumes of purest white	30	2 50		showy, golden scarlet and spotted.	15	1	00	
hybrida, W. E. Gladstone. Snow-white plumes, long				WATSONIA Ardernei (O'- Brieni). Large, beautiful,				
stems; fragrant. Fine for-	20	1 50	10 00	snow-white Gladiolus-like blooms over 3 inches in				
hybrida, Queen Alexan- dra, Pink. A pink variety,				diameter. Fine forcer or for planting outdoors in	00		F.C.	10.00
in habit similar to Glad- stone, but flowering three				Spring. 2 lbs. 10 ZEPHYRANTHES candida.	20	1	50	12 00
weeks later. Beautiful	20	1 50	10 00	White, greenish base	10		40	3 00

Insecticides and Remedies for Plant Diseases

ALL SUBJECT TO CHANGE IN PRICE WITHOUT NOTICE Postage, Express or Freight charges to be paid by purchaser

ANT-DESTROYER. Will positively destroy ants. 14-lb. tins	"ELECTRIC" WORM ERADICATOR. For killing all grubs, insects and worms that do their destructive work at the roots of plants and trees, and infest lawns, golf-courses, etc. For most pests, four ounces to each four gallons of water; for cutworms, four ounces to two gallons of water. 4-oz. bottle \$0 25 1 gal \$4 00 8-oz. bottle \$0 5 gals 17 50 24-oz. bottle 1 00 10 gals 34 00 FIR-TREE OIL. Dilute one pint to twenty gallons of water. Apply with vaporizer or syringe. 1/2 pt \$0 55 Qt \$1 75 Pt 1 00 1/2 gal 3 00 Gal 5 50 FIR-TREE-OIL SOAP. Mix at the rate of one
It is white, and shows just where it has been applied. It does not injure tender foliage. Lb\$1 10	ounce to a gallon of water, and apply with a bellows or syringe. 1/2-lb. tin\$0 25 2-lb. tin\$0 75
BORDEAUX MIXTURE, or FUNGIROID. For all fungous diseases. Dry— Per Lb. Per Lb. 1-lb. can. \$0 40 5 lbs. cans and over 30 50 lbs and over. 26 Liquid— Qt. \$0 35 Gal. \$1 00 5-gal. keg. 4 00 BUG DEATH. This is a fungicide, insecticide and plant food combined, and contains neither Paris Green nor Arsenic. 1 lb. \$0 20 5 lbs. \$0 75 3 lbs. 50 12½ lbs. 1 50 100-lb. keg. 8 50	FISH-OIL SOAP. (Formerly called Whale-Oil Soap.) For washing trees and destroying all insects on the bark. 1 lb
COPPER SOLUTION, Ammoniated. Prevents black and brown rot, mildew and other grape diseases, Pear and Apple scab, leaf blight, Tomato rot, Potato blight, Melon blight, etc. Dilute one part to 100 parts of water; spray lightly. Qt	HELLEBORE. Apply dry or mix in water—one ounce to three gallons. 1 lb
CUTWORM FOOD. Kills the worms; simple and easy to use; specially prepared for bringing young plants through the critical period. 1-lb. pkg\$0 30 5-lb. pkg	scale on trees, caterpillars, Melon lice, Rose bugs, etc. Dilute 25 to 50 parts. Qt
CUTWORM PREVENTIVE. Of inestimable value. Cutworms will not infest soil mixed with this preparation. 5-lb. can\$0 50 10-lb. can\$0 90	containing a powerful weed killer. Will exterminate Dandelion from lawns. Easy to use. Each 50 cts. Extra tubes of powder for re-charging, 25 cts. each.

INSECTICIDES AND REMEDIES FOR PLANT DISEASES-Continued

LAWN COMPOUND, Sterlingworth. A non-poisonous powder to destroy Plantain, Dandelions, Chickweed, and most other weeds having a broad, hairy surface, without killing the grass. Five pounds will dress 500 to 1,000 square feet, according to condition of the lawn. 5-lb. can\$0 60 50-lb. keg\$4 00 10-lb. can 1 00 100-lb. keg 7 50 LEMON OIL. For destroying scale, caterpillar, mealy bug, etc. Directions on can.	SLUG-SHOT, Hammond's. Excellent for destroying Cabbage, Turnip and Beet flies, Potato bugs, Currant worms, etc. Lb
½ pt. \$0 25 Qt. \$0 75 Pt. 40 Gal. 2 00 LIME-SULPHUR SOLUTION, California Wash.	Cartons, large size (8 to 10 lbs.)
For San José scale. One gallon makes fifteen by adding water. Qt	against mildew on Grapes, Roses, etc. Lb\$0 10 10 lbs\$0 60 TOBACCO DUST—
NICO-FUME LIQUID. For fumigating or spraying. Effective against green fly, mealy bug, etc. Does not stain or injure blooms, and leaves no disagreeable odor. For spraying, one to two teaspoonfuls to a gallon of water. Lamps, 60 cts. each. 24 lb. \$0.50 4 lbs. \$5.50 lbs. 1.050	Regular Kind. Highest grade for dusting. Lb
NICO-FUME TOBACCO PAPER. For fumigating. Does not injure blooms. In tins. 24 sheets\$0 85 144 sheets\$4 00 288 sheets	25 lbs
NICOTICIDE. For fumigating or spraying. Effective against green fly, mealy bug, etc. Does not damage foliage or flowers. Sold in cans as follows: 14-pt. can, for 8,000 cubic feet of space \$0 60 12-pt. can, for 16,000 cubic feet of space 1 00 1-pt. can, for 32,000 cubic feet of space 2 00 1-qt. can 4 00 12-gal. can 7 75 1-gal. can 725 1-gal. can 14 50 Fumigators, 60 cts. each.	about 100 lbs., at \$1 50 per 100 lbs. TREE TANGLEFOOT. A sticky substance applied directly to the bark to protect trees against climbing insect pests. One application remains sticky, fully exposed to weather, three months. One pound will make a band 7 to 8 feet long and about 6 inches wide. 1-lb. tin\$0 35 10-lb. tin\$3 00 3-lb. tin\$5 50
PARIS GREEN. Mix at rate of one pound to two hundred gallons of water. Effective against all chewing insects. 1/4-lb. can	VERMINE. A soil sterilizer and germicide for all soil vermin, such as cut, eel, wire and grub worms, slugs, maggots, ants, etc. 1/4 pt \$0 25 Pt \$0 65 ½ pt
PYROX. The best and safest all-round spray for all insects, blights and fungus troubles. Kills Potato bugs. Sticks like paint. 1 lb\$0 30 10 lbs\$1 85 5 lbs\$1 00 25 lbs\$4 50	WEED-KILLER, Pino-Lyptol. This fluid absolutely destroys all the weeds and other growth wherever applied. Mix one part Pino-Lyptol with ten to fifteen parts water.
READE'S EARTHWORM KILLER. For de-	1 gal
stroying earthworms on golf-greens, tennis-courts, lawns and bowling-greens. A safe, non-poisonous to animals, powder, which acts also as a fertilizer to the grass. Twenty-five pounds will cover 450 square feet. 25-lb. bag \$2 00 50-lb. bag \$3 75 100-lb. bag 6 00	WEED-KILLER, Sterlingworth. A powerful powder for destroying vegetation of all sorts on gravel walks. Also excellent for destroying Poison Ivy. 1-lb. box\$0 50 5-lb. box\$2 00
SCALECIDE. For San José scale. Petroleum oil that mixes at once with cold water and stays mixed. No hot water necessary. Add one gallon for every fifteen to twenty gallons of water. Qt\$0 40 Gal\$1 00 5 gals	X-L-ALL LIQUID INSECTICIDE. An efficient preparation for spraying. Purely nicotine; harmless to very delicate plants; kills mealy bugs, red spider and all insect pests. Pt

High-Grade Fertilizers

ALL NET CASH-PRICES SUBJECT TO CHANGE WITHOUT NOTICE

COMPLETE MANURE

Guaranteed to contain ammonia, 2 per cent.; available phosphoric acid, 9 per cent.; actual potash, 1 per cent.; sulphate of magnesia, soda, lime, sulphuric acid, etc. Adapted for use on all crops, such as Corn, Tomatoes, Peas, etc., and is especially suited for grain crops. Use 1,200 to 1,500 pounds to the acre.

In	167-lb.	bags,	per	ton\$40	00	Bag of 100 lbs\$2	75
44	44	"	"	half-ton	00	50 lbs 1	65
"	"	64	11	quarter-ton 11	00	25 lbs 1	00
						10 lbs	

Lawn Fertilizer

Guaranteed to contain ammonia, 5 per cent.; available phosphoric acid, all soluble, 8 per cent.; actual potash, 1 per cent.; lime, sulphate of magnesia, soda, sulphuric acid, etc. Specially prepared for lawns and meadows as a top-dressing. Apply broadcast at rate of 1,000 to 1,500 lbs. to the acre. In 167-lb. bags, per ton. ...\$50 00 " " " " half-ton. ... 27 00 " " " quarter-ton. ... 15 00 Single bag of 167-lbs. ... 5 50 Bag of 100 lbs. ... 3 75 50 lbs. ... 2 00 25 lbs. ... 1 25 10 lbs. ... 60

Potato Manure

Guaranteed to contain ammonia, 4 per cent.; available phosphoric acid, 9 per cent.; actual potash, 1 per cent.; sulphate of magnesia, soda, lime, sulphuric acid, etc. This manure is for special use on the Potato crop, and is also adapted to Sweet Potatoes, Vines, Fruit Trees, etc. Use broadcast, about 1,500 lbs. to the acre.

In	167-lb.	bags,	per	ton\$46 0	0
"	44	"	4.6	half-ton	0
44	**	41	4.6	quarter-ton	0
Sin	gle bag	s of 1	67 1	bs 5 0	0
Ba	g of 10	lbs.			0
25	lbs			1 0	0
10	1bs			5	0

Agricultural Salt

For asparagus beds, etc. In bags of about 200 lbs.

Bag.........\$1 50 | Ton, about.....\$12 00

Not less than one bag sold.

Mak-Gro

A concentrated, odorless plant food for in and outdoor plants. The best dressing for potted plants and out-of-door plants of all kinds.

4 11		00 OF
I-lb. can.	 	

Bowker's Ammoniated Food for Flowers

Excellent for use on house plants, being entirely odorless.

Small package.....\$0 15 | Large package...\$0 25

Canada Hardwood Ashes

Highest grade unleached. For top-dressing lawns, especially if the soil is stiff or sour, one and one-half to two tons to the acre.

Bag of 100 lbs\$1	75 1/2	ton	.\$14 00
Ton			. 26 00

Clay's Celebrated Fertilizer

One of the best manures for all horticultural purposes, either in greenhouse or garden. Splendid for mixing with potting soil and as a top-dressing. Notwithstanding its apparently high price, it is quite economical.

PRICES IN BAGS

½ cwt. (14 lbs.)	.\$2	50
½ cwt. (28 lbs.)	. 2	50
½ cwt. (56 lbs.)	. 4	50
1 cwt (112 lbs.)	. 8	00

HIGH-GRADE FERTILIZERS-Continued

Thomson's Vine Manure

Unrivaled for Vines, Tomatoes, Cucumbers, Fruit Trees and all foliage, flowering and fruit-bearing plants, also for vegetables and outdoor plants of every description. The result of many years' practical experience.

½ cwt. (56 lbs.)....\$4 00 | Cwt. (112 lbs.)...\$7 00

Thomson's Special Chrysanthemum Manure

$\frac{1}{2}$ cwt.(56 lbs.) .	\$8 00
----------------------------	------------	--------

Pulverized Sheep Manure

(Sheepshead Brand)

A rich, pure, natural manure. Excellent as a topdressing for lawns. Its effect is immediate and lasting. Apply at the rate of 1,500 lbs. per acre. There is nothing better for mixing with the soil for greenhouse plants—one part manure to six parts soil. It is recommended for the vegetable-garden, promoting a steady and rapid growth. It makes a rich and safe liquid manure—one pound to five gallons of water.

1-lb. pkg\$0	10	100 lbs \$2	50
5-lb, pkg	35	$\frac{1}{4}$ ton	00
25 lbs 1	00	$\frac{1}{2}$ ton20	00
50 lbs 1	60	Ton36	00

Pulverized Limestone

A product that has an exceedingly wide sale among intelligent agriculturists, with the best of results. As a crop-producer we hardly believe it has an equal. It is made from the purest crystalline white limestone obtainable, and analyzes about 97 per cent. carbonate.

Bag of 100) lbs	. \$0.75	$\frac{1}{2}$ ton	 \$7 00
Ton				 12 00

Bone Fertilizers, Etc.

Prices subject to change
Pure Ground Bone Meal No. 1. Finely pulverized; excellent for Rose-culture. It decomposes very rapidly, and is more quickly effective than the coarser grades. It is excellent for mixing with the soil for potting.

the son for potting.	
5 lbc \$0 40	100 lbs
9 IDS	1 100 1DS
10 lba 75	1/ + 1/ 00
10 IDS	74 toll
95 1k - 1 95	1 17 + 00 00
40 IDS 1 Zi) ½ ton
FO 11. O 00	TO 00
50 IDS 2 UC	1 10n
25 lbs 1 25	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

Ground Bone, No. 2. Coarser than the above; for top-dressing for lawns, and for garden and field crops

crops.			
100 lbs \$3	25	1/2 ton\$28	50
½ ton14	50	½ ton\$28 Ton55	00

 Ground Bone, No. 3. A little coarser than No. 2.

 100 lbs.
 \$4 25 | ½ ton.
 \$30 00

 ½ ton.
 16 00 | Ton.
 58 00

Thorburn's Special Raw Bone

This is composed of medium, fine and coarse bone, good for general crops, the finer portion acting at once, while the coarse bone keeps up the supply of food for the plant for a long time. Contains 4 per cent. ammonia, 3.30 per cent. nitrogen.

 Pure Raw Bone Meal, Swift's. Contains 4½ per cent. ammonia, 23 per cent. phosphoric acid and over 3½ per cent. nitrogen.

 100 lbs.
 \$4 50
 ½ ton.
 \$31 00

 ½ ton.
 60 00

Leaf-Mold. Indispensable for Azaleas, Rhododendrons, etc. Bbl. \$2.

Moss, Sphagnum. For filling Orchid baskets, etc., and for mixing with potting soil to conserve moisture. Bale of about 50 lbs., \$3.50.

Peat, Orchid. For potting Orchids, etc. Barrel of about 50 lbs., \$2.

Peat, Rotted. Fine for mixing with soil for potted plants such as Azaleas, Palms, etc. Barrel of about 140 lbs, \$2.

Other Fertilizers

Prices subject to change

ACID PHOSPHATE)
TANKAGE (Blood and Bone Fertilizer)	Prices on
IMPORTED SCOTCH SOOTBag of about 112 lbs.	}
NITRATE OF SODA	application.
MURIATE OF POTASH	}
FARMOGERM See page 61 Price garden size 50 cts 1-acre bottle \$1.50: 5-acre	bottle \$5

Alphano Humus

A plant food and Nature's soil builder; suitable for the vegetable and flower garden, lawn, shrubbery, golf links, etc.; excellent used as a top dressing for all grass; being quite odorless, it forms an ideal mixture for the greenhouse—three parts soil to one of Humus. Guaranteed analysis: Nitrogen, 1.25 to 2.50 per cent.; ammonia, 1.50 to 3 per cent.; available phosphoric acid, 0.50 per cent.; potash, 0.50 per cent.; balance humus vitalizers, lime and moisture. Price, \$1.50 per 100-lb. bag, \$15 per ton.

HORTICULTURAL IMPLEMENTS AND GARDEN REQUISITES

ALL NET CASH

POSTAGE, EXPRESS OR FREIGHT CHARGES TO BE PAID BY PURCHASER PRICES NOT GUARANTEED, SUBJECT TO CHANGE



ASPARAGUS | BUNCHER, Acme. The most popular make. \$2.50.

ASPARAGUS KNIVES

English. (Saw Blade). Granite State. 35 cts.

ATOMIZER. Large, \$2.75. Small, 2.25.





BELLOWS, Woodason's Double-Cone, Powder. \$4.00.



Single-Cone, Large. \$2.75.

Small, \$1.60.

JUMBO POWDER GUN. It is 4 inches in diameter, holds 4 ozs. of pow-

der, and



BILL AND BRUSH HOOKS. For heavy pruning.— English. S-handle. \$2.75. American. Long handle, \$1.00

BORDER SHEARS. See p. 152.



PORTS. Made of light wire, galvan-

Per doz.....\$0.60 Per 100..... 4.50 Per 1,000.....40.00

Per 1,000.....45.00 CORN KNIFE. Worthington, No. 2. \$0.25 (See also Grass Hooks)

DIBBLES. IBBLES.
All Iron. 35c.
Wood Handle, brass point,
60 cts. Iron point, 35 cts.

DANDELION PULLER



EDGING, KNIVES, Grass, English. Ea. 8-in.......\$1.75 9-in 2.00 10-in... 2.25 Without handle. Handles, 25c. extra.

FLOWER-POTS. See page 154.

FORKS, Digging or Spading. Best quality, spear point, diamond-back tines. Strapped handle, Long or D. Each 4-tine.....\$1.50 5-tine. 1.60

Hay, or Stable. Firstquality oval tines. Extra-long strapped handle. 2-tine..... 3-tine..... 1.00

Manure, Long or Shorthandled. Strapped handle.



Ladies' Weeding Fork. American short handle. .30 Boys' Spading, 4-tine....

FRUIT-PICKERS, Handy Andy. A simple device of two wire jaws bound in the form of a square cage with burlap. The jaws open and close with a spring on the end of the pole. A cloth tube is affixed to the pole, the end of which can be held in a box or barrel or other receptacle to catch the fruit, as it runs down. \$1.50.

Perfect. Galvanized steel wire, attaches to pole of any length. Price, without pole, 40 cts. **Poles**, for above, 30 cts. each.

FUMIGATING LAMP, "Defiance." For all vaporizing liquids. No glass. Burns kerosene. 60 cts.


FUMIGATOR, "Eureka." For fumigating with tobacco stems. best quality, Very heavy galvanized tin. Each

No. 1 holds ½ pk.\$1.50 No. 2 holds 1 pk. . 2.25 No. 3 holds ½ bus. 2.75

ARDEN LINES, Fig. Braided. 100 feet, 75 cts. GARDEN Finest

GARDEN REELS. For garden lines. Wrought-iron. Holds 100 feet, 65 cts.; larger size, \$1.10.

GARDEN TOOLS for Ladies. Set of 3 pieces (spade, hoe and rake), \$1.25.




GLAZING POINTS, The Tiger. 60 cts. per 1,000. Pincers, for above. 55 cts.

GLASS CUTTER, "Red Devil." Hand-honed wheels. Standard of the world. 10, 15, 25 and 50 cts, each.

GLOVES, Gardeners', Goat-skin. For men only. \$2.

GRAFTING	WAX.	The b	est
grade.			
1/4-lb. pkg.		\$0	15
½-lb. pkg.			20
1-lb. pkg			30



GRASS HOOKS, English Riveted Back. Thin, sharp blades, strengthened by a riveted back; light and rapid-ly handled. 60 cts.

With Trowel Shank. handle is raised from the blade, making it possible to cut close without bruising the knuckles. 50 cts.

HOES, Garden-Draw, or Corn. 5-in. 60 cts., 6-in. 70 cts., 7-in. 80 cts.

English Scuffle. Finest-quality steel. 5-in.....\$0 60 6-in..... 65 70 7-in..... 8-in..... 75 80 9-in.... 85 extra.

"Baby" Warren. 40 cts. each.

Solid Warren. steel socket, used in drilling seed. 95 cts. and \$1.10 each, with handle.





HOSE, Rubber. ¾-in. Electric. In 25-ft. and 50-ft. lengths, 22 cts. per ft.

Thorburn Standard. X, 6-ply, 14 cts. per ft. XXX. Best red, 7-ply, 18 cts. per ft.

Our hose is carefully selected, made of first-class material and coupled at both ends. In 25- or 50-ft. lengths. HOSE END, No. 1. For connecting hose with ordinary fau-50 cts. each. cets.

HOSE COUPLERS, Siamese. With these several sprinklers can be used at the same time. 3/4-inch, 75 cts. each.

HOSE COUPLINGS-½-in.....\$0 20 ³⁄₄-in..... 40

HOSE NOZZLES, Graduating Lawn Hoze Nozzle. Will throw coarse or fine spray, or solid stream. 34-in., 50 cts. each.

Boston Hose Nozzle. For 3/4in. hose. 75 cts.

Fountain Brass Hose Nozzle. 25 cts.

"Bordeaux" Spraying Noz-zle. For 1/4-in. pipe, \$1 each.

Shower Spray Nozzle. A perfect spray nozzle

made of brass; noncorrosive-will not clog. Has both fine and coarse sprays. \$1.25 each.

Stott Spray Nozzle. Gives an exception-

ally fine spray. Impossible for it to get out of order. Single Spray, for 34-in. connection. \$1.50 each. nection. \$1.50 each. Double Spray. \$2 each.

Vermorel Spray Nozzle. 85 cts.

HOSE BANDS, for couplings. To fit ½-in. hose, 75c. per doz. To fit ¾-in. hose, 85c. per doz. To fit 1-in. hose, \$2 per doz.

HOSE MENDERS, Cooper's. Brass; will not rust or wear. No fastening required. For hose with ½-in. bore, 10 cts. each, \$1 per doz.

For hose with 3/4-in. bore, 12 cts. each, \$1.25 per doz.

HOSE REELS, Tubular Iron. Never break or wear out. No. 10 will hold 100 ft. of 3/4-in. hose, \$4. No. 20 will hold 150 ft. of 3/4-in. hose, \$5. No. 30 will hold 500 ft. of 3/4in. hose, \$6.

HOTBED SASH. Best quality. Packing at cost.

Unglazed. 3x6 ft. for 10x12 glass. \$1.50 each, \$17.50 per doz.

Glazed and Painted. 3x6 ft... 10x12 glass. \$5 each, \$50 per doz.

Glazed and Painted. 3x6 ft., 10x12, extra-heavy glass. \$5.75 each, \$60 per doz.

HOTBED MATS for Covering



Sash e s Made of jute. stitched through; a n d hemmed,

thickly padded; size, 76 in. by 76 in.; one mat covers two sashes.

No. 1. Burlap both sides. \$3 each, \$30 per doz.

KNIVES, Saynor's Celebrated English. Best make.



No. 938 No. 196 No. 187 No. 312 No. 80 \$2.00 \$2.50 \$1.75 \$1.75

No. 400 \$2.25. No. 401, \$2.10

Saynor's No. 343. Budding. 2 blades. \$2.25.

Saynor's No. 403. Budding. Long-handled. \$2.25

Wostenholm's Pruner only, \$1.

H. & B. Budders, 2 blades. \$1.25.

LABELS, Wooden, Pot and Garden-

Plain Painted 100 1000 100 1000 3½-in.. \$0 15 \$0 65

4-in 80 \$0 15 \$1 05 15 4½-in... 15 90 20 1 15 1 00 25 1 25 20 5-in... $\frac{1}{3} \frac{10}{75}$ 6-in.... 25 30 1 50 8-in.... 55 4 25 50 12-in.... 75 6 00 24-in.... 2 50

LABELS, continued Wooden, Notched Tree Plain Painted

3½-in.

100 1000 100 1000 cop. wire\$0 20 \$1 40 \$0 25 \$1 70

3½-in. 10 70 15 no wire ... 6-in. 30 2 60 40 3 00 no wire...



MASTICA GLAZING \$1.45. MACHINE.

MASTICA. For use in the above machine. Qt. 40c., gal. \$1.40.

MOLE TRAPS, Olmsted's Improved. A short trap, suitable for lawns or coldframes. Made from good-quality steel. Practically indestructible. \$1.50 each.



The Reddick. A powerful trap used principally on lawns, easily set. Made of gal-vanized iron. It will catch moles when they are quite deep in the ground. As the points of the pin are

con-

stantly

in the ground, they cannot injure chickens or domestic animals. \$1 each, \$9.50 per doz.

PENCILS. For writing garden labels.

Black, 5 cts. ea., 50 cts. per doz. Wolf's Indelible. Imported from England. 15 cts. each, \$1.50 per doz.

PLANT DUSTER, Norton's. \$1.

PLANT STAKES, Round, Painted Green. Doz. 100

2 feet\$0	40	\$2	50
3 feet	70	4	90
4 feet 1	20	7	50
5 feet 1	35	8	75
5 feet, extra heavy 1	75	12	00
6 feet, extra heavy 2	00	14	00

Heavy, Square, Tapering,

Painted Green.—									
Doz.	100								
2 feet\$0 30	\$2 00								
3 feet 65	4 75								
4 feet 90	6 50								
5 feet 1 25	8 50								
6 feet 1 50	10 50								

Dahlia Poles, Painted Green, White Tops.—

D	DUL.		,,,
2 feet \$0	55	\$4	00
3 feet	75	6	00
4 feet 1			
5 feet 1	30	10	00
6 feet 1	50	11	00

Plant Stakes, Galvanized Wire, for Roses, etc.-

,	Doz.	100
2 feet	\$0 30	\$2 00
3 feet	40	2 25
4 feet		2 50
5 feet		2 75

Japanese Bamboo. Bundles of 100 only. 6 ft., \$1.25.

PRUNERS, Waters' Long-handled Tree.

Each		ach
4 feet\$0 75	8 feet\$1	00
4 feet\$0 75 6 feet 85	10 feet 1	15
12 feet		
Extra Blades.		25

PRUNING KNIFE

Kansas. Automatic, strong, durable and a good timesaver. Has compound leverage, which greatly increases the power. \$3 each.

PUTTY GLAZING, FOR Twemlow's Old English. Can be used with machine or bulb. \$2 per gal.; 5- and 10gal. buckets at \$1.75 per gal.



RAFFIA, for tying. Per lb. 30 cts.

RAKES, English or Daisy. 16 teeth, \$3.



18 teeth, \$3.25. 20 teeth, \$3.50. Each

75

Hay Rake, 3-bow. Wood \$0 50 The "Lawn" King Rake. Wood. Teeth very close. Will not tear sod. 50 26-teeth size..... 60 38-teeth size.

Automatic Self-Cleaning Lawn Rake. Backward motion clears the teeth.

Steel Garden Rake.— Each Fach 10-teeth....\$0 60 | 14-teeth.\$0 80 12-teeth.... 70 | 16-teeth. 90 1 00 18-teeth... Wire Lawn Rakes. Will not scratch the lawn. With

60 handle.... Wooden Lawn Rake. 3-60 bow.....



SAWS.

Little Giant Saw and Pruner The knife is Combined. operated with a cord, and is thrown back automatically with a spring. Without pole. \$2.

"One-Edge" Pruning. Narrow blade, gets among close branches; upper edge smooth, does not cut the upper limb.





Adjustable-Blade Pruning. Can be adjusted and used at any angle; cuts cleanly and rapidly; light and strong. \$1.85.



Double-Edge Lightning Pruning.— 16-in.....\$0 90

Saynor's Socket Pruning Saw. 18-in....\$1 75



SAUCERS, Flower-Pot, Indu-rated Wood-Fiber. Light Light and durable. Not porous; will protect tables on which plants stand.

	Lach		$ \nu$	oz.
6-in	\$0	18	\$1	80
8-in		25	. 2	50
10-in		30	3	00
12-in		35	3	50
14-in		40	4	50

SEEDERS, Cahoon. With prac-

tically a minimum of labor will sow all kinds of grass and grain seeds. Will throw heavy seeds 20 feet each side of operator. \$3.50 ea.

Little Giant. THE LITTLE GIANT A smooth-SEEDER running, well- made mach ine, \$1.

SCYTHES .-English Lawn, Riveted Back.

Light and thin, broad blades. 32-in., \$1.50; 36-in., \$1.75; 34-in., 1.60; 38-in., 1.85.

SCYTHE-SNATH, or Handle. Patent Loop Heel. \$1.

SCYTHE STONES .-

Round Dressed Talacre.

								Ea	ich
	Doz.	\$2 .					 	.\$0	20
N	orton	ı's[l	Em	ery	, .	٠.	 		15



SCISSORS,

Grape-Thinning, English.

0-111		•	٠	٠	•	•	٠.	•	٠	٠	٠	۰	44.1	20
. PT :													1	50
7-in			,							,				90
0 *													- 1	75
8-in													T	-70

SCISSORS, continued
English
Flower-
gathering.
Will cut and hold the flower.
Each
7-in
8-in 2 50
SHEARS,
Pruning.

Watch-Spring. Imported \$1.75. TOTAL DELINE Perfection Pruning. Each ..\$2 00 .. 2 25

	Lacii
No. 1, $6\frac{1}{2}$ in	.\$2 00
No. 2. $7\frac{1}{2}$ in	. 2 25
No. 3, 8½ in	. 2 50
No. 4, 9½ in	. 3 25
Wiss Solid Steel Prun	
D. a.t.	-
Amer-	9 1
can	
Shear	
Detachable blades.	Each
9-in	. \$2 50
10-in	
Swedish Pruning. No	
538	
American, Japanne	d
Handle	

English Hedge. Plain Notch 2 25 9-in.... 10-in..... 2 50 Ladies'. Nickel-plated, Pruning. 75 cts. each.

English Border. trimming grass around edges of paths, etc. Blades made of very high-quality steel. Handles 3 feet long.

	Ea	ach
8-in,	\$2	50
9-in	3	00
10-in	3	50
⇒	-	



"Trowel-Shank." Grass, American, full-polished, ex-Trowel-like cellent steel. handles keep your knuckles out of the dirt. 90 cts. each.



English Lopping. For lopping off limbs and branches of trees, not over 11/4 inches in diameter. Each No. 4. 4 50

Double	(STAT	adich)		
23-in 30-in			$ \begin{array}{ccc} $	25 50



S	HOVELS-	
_	Square Point Ea	ach
	No. 2. Regulation long or	
	D handle\$1	00
	Ames No. 2. Long or	
	D handle 1	
	Boy's. D handle	90

Round Point .-No. 2. Long or D handle 1 00 Ames No. 2. Long or D handle..... 1 50



SPADES. Square Point No. 2.
Regulation long or D Each handle..... Ames No. 2. Long or D handle..... Boy's Spade. D handle.



SCOOP, Vegetable. The best shovel for handling Potatoes, apples, etc. Will not cut; dirt sifts out. Light weight. \$2.

SPRAY PUMPS. See p. 155.





~	Cach
Straightneck. 6-oz \$0	
10-oz	90
Angleneck. 6-oz	70
10-oz 1	00
Peck's Impro	ved
Lawn Spri	

May be attached to the hose and placed anywhere on the lawn. Stands 4 feet high and distributes water an area over from 60 to 100 \$3.50 each; 8-

4-arm, feet. arm, \$3.75 each.

SPRINKLERS, continued

The "New"
Comet.
An adjustable revolving
Sprinkler, Will sprinkle from 5 to 30 feet.
Easily moved.
The two

arms may be set upright or at any angle. Weight, $4\frac{1}{2}$ lbs. \$3.50 each.

Water Witch No. 3.
Scatters the water in fine drops and evenly over a circular area of from 25 to 40 feet.
40 cts. each.

Water
Witch No.
4. Similar
No. 3, but having a stand instead of spike for holding it upright. 90c.



Ring Sprinkler. Has no revolving parts. The simplest Lawn Sprinkler. Made of good-quality brass. 80c. ea.

A utomatic
Lawn or Garden Sprinkler.
Nickel - plated,
on 4-ft. stand.
Sharpened iron
bottom for
sticking into
soil, and hose
connections
complete. \$3.50
each.

Hotchkiss Lawn Sprinkler No. 55. The most popular 3-arm Sprinkler on the market; made of brass, nickelplated, with malleable iron

runners. Will cover an area 30 feet in diameter. \$1.25 each.

SPRINKLERS, continued

Hotchkiss Lawn
Sprinkler No.
65. This combination Sprinkler and fountain is beautiful as well as useful. Brass and nickelplated, with malleable iron

malleable iron runners. Will cover an area 40 feet in diameter. \$1.90 each.



Shower Sprinkler.

Mounted on holder
forsprinkling lawns
or can be attached
directly to garden
hose for washing sidewalks,
etc. Cannot clog
or get out of order; will not

der; will not rust. Standard ¾-in. hose connection. 10 in. high. Holder and nozzle complete. \$2.25.

SYRINGES. See pages 154, 155.



TROWELS, Solid Steel. Cheapest trowel in the long run; light, strong, durable and perfect "hang," handle cannot come off. Each 5-in. blade. \$0 45 6-in. blade. 50 7-in. blade. 60




Transplanting. A perfect trowel for transplanting and putting in bulbs; solid steel. 6-in. 15 cts.; 7-in., 20 cts.



THERMOMETERS.—
Oxidized Metal
Scale, Polished
Back. A thermometer for house use, durable and well made.
Tube magnifies and is easy to read.

	I	Ξa	ich
8-in	.\$	0	75
10-in		1	00
12-in		1	25

THERMOMETERS, continued



Self-Registering, Polished Back. For indoor use; will register extremes of heat and cold; made of hard wood. A magnet is used to draw back the indicating points.

				Each		
10-in				. 9	32	00
12-in					2	50



Self-Registering, Japanned
Case. The same as preceding
with tin case for outside use.
Enameled case and porcelain
scale. Each
8-in. \$2 75
10-in. 3 25

12-in..... 3 75




Japanned Tin Case. A cheap thermometer for greenhouse use; all metal. 10-in., 40 cts. each, \$4 per doz.

Mercury Bath, or Hotbed. New. Quick-acting; all of metal. Cannot rust or break. \$2.

Hotbed and Mushroom Bed.
Brass-tipped point incloses
the temperature bulb; it is
simply thrust into the soil or
bed. Best grade (made of
boxwood), \$1.75.

Standard Grade (made of soft wood), \$1.25.

TOMATO SUPPORTS. Made of heavy wire, galvanized. 25c. each, \$2.25 per doz.



36 in. Wood. high, 16 in. wide. Solidly made of clear, straight wood. Can be taken apart and stored when not in use. Will last for years. 25 cts. each, \$2.50 per doz.

TORCH, Asbestos. Very useful and simple. The only sure way to get rid of caterpillar nests on trees. Large size, 40 cts. each.

TREE BRUSH, Small Size. Fine wire bris-



Tree Brush, Wire. For older trees; can be used with long handle. Complete, \$2.

TREE SCRAPER. For scraping diseased bark from trees, removing insect eggs, etc. 50 cts. each.

TREE-TUBS, New York Style. Made of cedar timber, painted green.



No.		Height	
1.	12 in.	.105/8 in	.\$1 40
2.	13 in.	$12\frac{3}{4}$ in.	. 1 75
3.		143/4 in.	
$3\frac{1}{2}$		15¾ in.	
4.		165/8 in.	
5.	$22\frac{1}{2}$ in.	18½ in.	. 3 70

TWINE, Green Smilax. In 2-oz. balls, 75 cts. per lb.
Florists' Linen (Silkaline)—
Green or Gray. In 2-oz. reels, \$2.00 per lb.

VASES, Flower. Indurated wood fiber; for cut flowers. Diam. Depth No. In. In. Each Doz. 3..4 6..\$0 60 \$6 00 $\frac{3..4}{2..4\frac{1}{2}}$ 9... 65 $1..5\frac{1}{2}$ 10... 75 8 00 0..8 13.. 85 9 00 For receptacles for holding

above, see Saucers, p. 152.

WATERING POT, French Model. Model. Long spout, with brass joints, fitted with, coarse and fine nozzles. Made of heavy galvanized iron reinforced with steel rim.

Each 6-qt....\$2 50 8-qt.... 2 75 10-qt.... 3 00 12-qt..... 3 25

WATERING POT, The "Phila-delphia." With brass joints and two copperfaced roses. Each 6-qt.....\$2 25 8-qt..... 2 50 10-qt..... 2 75 12-qt..... 3 00

WHEELBARROW, Thorburn's Garden. None better made. Iron braced and bolted. Finished in natural wood, red or green. Steel wheel, if deoi green. Steel wheet, it desired, 50 cts. extra. Each No. 2, Small. \$3 50 No. 4, Medium. 4 50 No. 5, Large. 5 50



Excelsior Finger. Useful for loosening and pulverizing the soil. 10 cts. each, \$1 per doz.

Lang's Hand. A strap over the finger keeps the tool in the hand while operator's fingers are left free. 20 cts. each, \$2.25 per doz.

Eureka Hand. The prongs of solid forged steel are thin and long; fine for loosening soil. Short handle. 40 cts. each, \$4.25 per doz. /



Magic. Combined Weeder and hoe. Fingers of tempered steel. hoe is useful in loosening hard ground. 40 cts. each, \$4.25 per doz.

Norcross Adjustable Cultivator. Made of first-class ma-Astill tur. terial, teeth forged from solid steel. Can be entirely taken piece being apart, every piece being detachable. Works between the rows, or center tooth can be removed to straddle row.

Flower-Pots

85 cts. each.




Best make. sizes 2 to 3 in. we do not sell less than 100; of larger sizes not less than a dozen. We pack carefully in the best manner, but will not be responsible for breakage in transit.

Size,	Doz.	10	00	1,0	00
2 in		\$0	90	\$7	00
$2\frac{1}{2}$ in		1	25	10	00
3 in		1	50	13	00
4 in	\$0 40	2	40	20	00
5 in	60	4	00	36	00
6 in	. 80	6	00	54	00
7 in	1 50	10	00		
8 in	2 00	14	00		
9 in		20	00		
10 in		27	00		
11 in					
12 in					
BULB PANS.				D	07
C:-				@A	00

12 111		
BULB PANS.	D	oz.
6 in	\$0	80
8 in	2	00
10 in	3	75
12 in	7	00
All prices subject to char	nge	

Syringes



No. A. One spray rose and one jet. Length of barrel 12 in., diam. 1 in. \$2.75 each.



No. G. One spray rose and one stream jet, side attachment and elbow-joint for sprinkling under foliage. Length of barrel 16 in., diam. 1½ in. \$5.25 each.

No. H. Sheet brass with fixed spray rose; length of barrel 16 in., diam. 1½ in. \$3.25 each.



spray rose, and one jet, side attachment. \$4.75 each.

SYRINGES, continued



No. 3. Large size. Has one stream and two spray roses, with side pieces on barrel. Length of barrel, 18 in., diam. 11/2 in. \$7 each.

No. 4. Large size. Has jet and three rose sprays, two of which are kept in the handle. Length of barrel, 18 in., diam. 11/2 in. \$7.50 each.


No. 6. Large size. Has one spray rose and goose-

neck angle joint, turning in all directions for washing the under surface of the leaves of plants and flowers, cleansing them from insects, etc. Length

of barrel, 18 in., diam. 11/2 in. \$8.50 each.

Spray Pump, Bucket

Being made of brass, it is not affected by the arsenites used for spraying. Easily operated; throws a solid stream 50 feet. It is provided with a combination nozzle. and also with a sprinkler for flowers. For spraying large trees, an 8-foot pipe extension is supplied for 60 cts. extra. This pump is also valuable for washing windows. \$4.



Operates on the compressed air principle and throws a continuous spray. Interchangeable brass nozzle-one to throw the spray straight ahead, and one to spray up or down. Capacity, one quart.

Each Tin...........\$1 00 | Brass.................\$1 75

"Pomona" Spray Pump

Of large capacity and exceptionally powerful. It is easily operated by one person when necessary, but is especially built for spraying with two leads of hose. The airchamber is rather large. and enough air is stored up for a continuous spray for time. Plunger, valves and all working parts are made of very

"POMONA" SPRAY PUMP, continued

good quality brass. It can be quickly inserted or removed from the barrel. Its paddle agitator is far superior to the old return-discharge method of stirring. Adjustable to different-sized barrels. Pump only with agitator, \$16.50.

Outfit C. Pump, agitator, 15 feet of discharge hose and spray nozzle, \$20.00; fitted to barrel, \$23.50

Outfit D. Pump, agitator, two leads of discharge hose and two spray nozzles, \$23.00; fitted to barrel, \$26.50.


"Fruitall" Spray Pump

Same as Pomona, but smaller. Pump with agitator and one lead of 15 feet of 1/2-in. discharge hose, with spray nozzle, \$13.75; fitted to barrel, \$18.25.

Vaporizing Spray Pump, Hand

A very useful sprayer for a small garden. Simple and effective; no valves to get out of order. Made of tin or brass.

Each Each ..\$0 50 | Brass.....\$1 00



"Auto-Spray" Spray Pump

A self-operating Sprayer of simple construction, durable, easy to carry and to work. Made of galvanized iron or solid brass, with 4-ply rubber For spraying trees, cleaning windows, etc. perfect pump.

With brass tank and stopcock nozzle, hose and fittings,

With galvanized iron tank and stop-cock nozzle, hose and fittings, \$5.

Either kind of tank fitted with Auto-Pop nozzle, in-

stead of stop-cock nozzle, 50 cts. extra. Brass extension pipes, 2 feet long, 60 cts. Auto-Pop nozzle, if sold alone, \$1.50.

Knapsack Spray Pump FOR VINEYARD, ORCHARD AND FIELD SERVICE

Made entirely of brass and copper, with ball valves and metal plunger all easily accessible. The

discharge is at the bottom, and the pump can be entirely drained of the liquid. should be carried on the back with the straps crossed in front. The reservoir is made of heavy copper and will hold about five gallons. Complete with 31/2 feet of 3/8-inch discharge hose, Vermorel nozzle and lance for degorger, \$18.



Truck and bar Truck and bar Sprinkler attac

Hand-cart box Leaf-rack, extr Extra trunnion Truck and tru Truck and tru



Water-Barrel, Truck and Barrel

CAN BE MADE INTO SPRINKLER. LEAF-RACK AND HAND-CART

The barrel is easily disconnected from the truck, either while full or empty. The following extra attachments can be furnished if required: (1) Box with trunnions and spring

catch, forming a dumping hand-cart. (2) Sprinkler for watering walks and lawns. (3) Leaf-rack.

			(0)	ar recore		
er-Barrel, Truck and Ba	arrel				Ea	ch
rrel, wooden wheels, 3-	in. tires				 \$12	75
rrel, steel wheels, 3-in.	tires	,			 16	00
chment, extra					 5	00
k, extra					 4	50
ra					 6	50
ns, per pair						50
innions, wooden wheel						
innions, steel wheels, v	vithout ba	rrel			 12	75



Used as a Leaf-Rack



Used as a Hand-Cart

The "Velvetlawn" Grass Seeder

18 inches wide

The use of a machine in the seeding of new lawns or grass plots, the re-seeding of old lawns, the drilling of grass seeds into putting-greens, and the renewing of grass plots every month or so has proved a decided success wherever it has been tried. The machine to do this work is the "Velvetlawn" Grass Seeder.

Price \$20 net cash.

The Thorburn Century Ball-Bearing Lawn Mower


Thorburn's Century Ball-Bearing Lawn Mower is a marvel of simplicity, as one screw adjusts both bearings. It has a simple, self-adjusting device, which keeps the bearing properly adjusted for a long time, and a double interchangeable ratchet. By shifting handle bails from the front to the rear lugs on the side frame, the Mower can be made to cut terraces and steep banks.

While cheaper mowers are sold all over, they will be found far dearer in the end. It pays to get a good mower.

	NET PRICES	Each
14-in. cut		\$10 50
16-in. cut		11 50
18-in. cut.		12 50
20-in. cut.		13 50



Manufactured expressly for us, and is, in every respect, the BEST LAWN MOWER ever made.



Lawn Trimmer

4 blades 6 blades

Chain Roller or Golf Mower

This mower is made to meet the demand for a machine that will more perfectly cut borders, verges, etc., and yet retain all the other features necessary in a mower for general work. Its great advantage is the substitution of a bicycle chain for the gears generally used in this style of mower. This reduces

the friction to a minimum. The machine with six blades is highly recommended for work on putting-greens.

Not Drigge

The Best for Putting-Greens

1100111005	Diades	o brades
12-in. cut	\$13 00	\$14 00
14-in. cut	14 00	15 00
16-in. cut		
18-in. cut	17 00	18 00

Grass-Catcher


14-in\$1 85	18-inch\$2 15
16-in	20-inch

Improved Horse Lawn Mower

This well-known standard mower has side draft attachment, to enable the horse to walk on the cut grass only, and caster-rollers which will not mark the lawn. Eveness of cut is assured by an adjustment which raises or lowers the two sides at the same time by means of a simple lever movement; the same lever serves the purpose of raising the knives from the ground when driving over gravel walks or roads.

NET PRICES, free on board, New York

Of in out		4 1 1 . 1			Ea	ch
20-in. cut,	no shafts,	4 blade	es	 	. \$53	00
30-in. cut.	complete.	44				
	complete,					
				 	. 101	00
40-in. cut,	complete,	44		 	.128	00
						00





Coldwell's Combination Roller and Motor Lawn Mower

This machine cuts a swath 40 inches wide, is equipped with a two-horse-power motor capable of propelling the mower through almost any height of lawn grass, and up grades as steep as 25 per cent. Price \$475.

Horse Boots

Prevent Cutting up the Turf

Made of very strong, heavy leather, closely riveted. Price per set of four, \$12.00

Water-Ballast Roller


Weight

Roller-Bearing. Can Be Filled without Turning on End, with Either Water or Sand

Suitable for Lawns, Tennis-Courts and Putting-Greens, Seams are Electric-welded, not Riveted

One- or two-section "Water Weight" Rollers without counter-balancing handle-weights.

	Diam.	Length	Sec-	empty	filled with	filled with sand, 50% heavier	
No.	in.	in.	tions	lbs.	water, lbs	sand, 50 % heavier	Price
WB3	14	20	1	60	175	"	\$11 00
WB5	18	24	1	85	300	44	
WB7	24	24	1	110	500	44	
WB11.	18	24	2	100	300	"	
							24 00
		If handle	-weight is	desired add	\$1.50 to abo	ove prices.	




Clark's A5 Double-Action Cutaway Harrow

This Harrow will cut and reduce the toughest sod to plant-food without the aid of a plow. It will cut from 28 to 30 acres or will double-cut 15 acres in a day. It can be set so as to move the earth but little, or at so great an angle as to move all the earth one foot. It keeps the surface true and the machine runs true in line of draft. Price, \$45 net, f. o. b. factory (Conn.).

Cutaway Grading or Smoothing and Leveling Harrow

With this tool any field can be made smooth and the soil pulverized fine enough for a flower-bed. Will smooth an acre in twenty minutes. It is adjustable with a lever, by which the entire action is controlled by the driver, and he can remove at will all the earth possible for the team to haul, taking it from hills or uneven places and putting it into hollows, to level up field. No. 6, for one horse (6 feet wide), \$19.50. No. 8, for two horses (8 feet wide), \$22, f. o. b. factory (Conn.).





"Planet Jr." Farm and Garden Tools

Illustrated catalogue describing fully many other "Planet Jr." tools mailed on application. Prices are quoted net F. O. B. New York.



"Planet Jr." No. 16

"Planet Jr." No. 16 Single-Wheel Hoe, Cultivator, Rake and Plow

This Single-Wheel hoe has a very full set of tools, several of them being of new design, such as have been found to work in the very best manner. It has 11-inch wheel, with broad face; is very light, strong and easy running. It has adjustable handles and quick-change frame.

2 6-inch Hoes 3 Cultivator Teeth

EQUIPMENT 1 7-inch Rake 1 4-inch Rake Weight, 27 lbs. Price, \$7.25

1 Large Garden Plow 1 Leaf Guard

"Planet Jr." No. 17 Single-Wheel Hoe

2 6-inch Hoes 3 Steel Cultivator Teeth 1 Leaf Lifter
Weight, 22 lbs. Price, \$6.25
Each
"Planet Jr." No. 3. Hill and Drill Seeder. Efficient hill dropping outfit. Complete\$12 50
"Planet Jr." No. 4. Seeder, Wheel Hoe, Cultivator and Plow. Complete
As a seeder only
"Planet Jr." No. 8. Horse Hoe and Cultivator. 11 50
"Planet Jr." No. 11. Double-Wheel Hoe, Cultivator and Plow. Invaluable for use on all
small crops
"Planet Jr." No. 12. Double-Wheel Hoe, Cultivator and Plow. Identical with No. 11, except
fewer attachments 8 75
"Planet Jr." No. 18. Single-Wheel Hoe. Equipped with Hoes only. 4 50
"Planet Jr." No. 25. Combined Hill and Drill Seeder, Double-Wheel Hoe, Cultivator
and Plow. Large enough for field use
"Planet Jr." Twelve-Tooth Harrow, Cultivator and Pulverizer. Complete
With Lever Wheel only 9 50
Without Wheel or Pulverizer. 7 75
"Planet Jr." No. 31. Combined Drill Seeder and Single Wheel Hoe. Complete
"Planet Jr." No. 33. Single Wheel Hoe (without seeder)
Times of the solution (without seeder)
Stevens Hand Fertilizer Sower 10 00
Champion Root Cutter No. 1. 7 00
The Lion Feed Cutter No. 3. 20 00
20 00

INDEX

Page	Page	Page	Page	Page
Abies	Beggarweed64		Dendromecon 94	Furze, Gorse or
Abronia 78	Begonia82, 141	Chicory 26, 28, 65	Deutzia 69	Whin65, 70
Abrus 78	Begonia82, 141 Bellflower78, 85, 115	ChineseWoolflower7.87	Dhoura 66	Gaillardia 97
Abutilon 78	Bellis	Chionanthus 69	Diamond Flower101	Gallega97
Acacia 78	Benincasa 82	Chorizema 88	Dianthus 86, 114, 115,	Gamolenia 07
Acanthus 78	Berberis 69	Christmas Rose . 99, 143	124	Gamolepis. 97 Gas Plant 94 Gazania 8, 97
Acer 69	Bcrseem 62	Chrysanthemum8, 88,	Dicentra143	Gazania 8 97
Achillea 78	Betula 69	89,92	Dictamnus 94	Genista 97
Achimenes143	Bidens 82	Cinnamomum 69	Didiscus125	Gentions
Aconite143	Birch	Cigar Plant 91	Digitalis 96	Genista. 97 Gentiana. 97 Geranium. 97, 143
Aconitum 78	Bird Seed 51	Cinnamon Vine143	Dimorphotheca8, 94	Gerbera 97
Acroelinium 78	Bitternut 69	Cineraria89, 90	Diospyrus 69	Geum 97
Adam's Needle 68, 127	Bitternut 69 Bittersweet, Cl 69	Citrus 69	Dirca 69	Gilia
Adlumia 79	Blanket Flower 97	Cladrastis 69	Dockmackie 70	Gerbera. 97 Geum. 97 Gilia. 97 Gladioli,, 130, 131, 132
Adonis 79	Bleeding Heart143	Clarkia 90	Dogwood 69	Glaucum
Æsculus 69	Bocconia 83	Clary 90	Dolichos 94	Gleditschia 69
Agapanthus 79	Bokhara 62	Clary	Downingia 90	Glaucum 98 Gleditschia. 69 Globe Flower 125 Gloxinia. 8, 98, 141
Agathæa 79	Books52, 53	Clethra	Dracæna 94	Glovinia 8 98 141
Ageratum 79	Borage 19	Clintonia 90	Dracocephalum 94	Godetia 98
Agrostemma 79	Borecole 29	Clitoria 90	Dragon Flower143	Godetia
Ailanthus 69	Bouvardia 83	Clovers 62	Dusty Miller 90	Golden Feather 119
Alfalfa 62	Brachycome 83	Cobæa	Dutchman's Pipe 69, 81	Golden Wave 84
Allegheny Vine 79	Broccoli 19	Cockscomb 87	Echeveria 94	Golden Wave 84 Gomphrena 98 Gourd91, 98, 125
Allspice, Carolina 69	Brodiæa143	Coffee Tree 69, 70	Echinocystis 94	Gourd 91 98 125
Alonsoa 79	Broom Corn 64	Coleus 90	Echinops 94	Grammanthes 98
Alsike 62	Browallia 83	Collections of Flow-	Eggplant 28	Grammanthes 98 Grass Seed 55, 61
Alsine 79	Brussels Sprouts 19	Collections of Flow-	Elægnus 69	Grape 70
Alstræmeria79,143	Bryonopsis 83	er Seeds 12	Elder 70	Grevillea 98
Althæa100	Buckwheat 63	Collections of Vege-	Elm69, 70	Gum
Alyssum7, 79,80	Burning Bush 69	table seeds11, 12	Elsholtzia 94	Gum, Sweet 70
Amaranth, Globe 98	Butternut 70	Collinsia 90	Emmenanthe 94	Gumbo 35
Amaranthus 80	Buttonball 70	Collomia 90	Emmer	Gunnera 99
Amaryllis140	Cabbage, Cow 29, 65	Columbine 81	Endive 28	Gymnocladus 69
Amethyst 83	Cabbage, Cow 29, 65	Commelyna 91	Epacris	Gypsophila 99
Ammobium 80	Cacalia 83	Coneflower 119	Eranthis143	Hæmanthus143
Amorpha 69	Cactus 83	Convolvulus 91	Eremunis143	
Ampelosis 69	Caladium143	Cooperia143	Erigeron 8	Halesia 69
Anagallis 80	Calampelis 83	Coreopsis 84	Erinus 94	Hamamelis 69
Anchusa 80	Calandriania 83	Corn, Field 63	Erodium 94	Haw, Black 70 Hawkweed 99
Anemone80, 140	Calandriania	Cornflower 88	Eryngium 94	Hawthorn 69
Andromeda 69	Calendula 83	Corn, Kaffir 66	Erysimum 95	Hawthorn 69
Angelica Tree 69	Calla83, 143	Corn Salad 26	Erythronium143	Hazel
Angelonia 80	Callicarpa 69	Corn, Sweet 5, 24, 25	Eschscholtzia 95	Hedge Plant Seeds. 70
Anomatheca143	Calliopsis 84	Cornel 69	Esculent Plants and	Hedysarum 99
Anthemis 80	Callirhœ 84	Cornus 69	_ Roots 51	Helenium 99
Anthericum143	Calochortus143	Corylus 69	Esparsette 65	Helianthus
Antigonon 80	Calycanthus 69	Cosmidium 91	Eternal Flowers 99	Helichrysum 99
Antirrhinum. 7, 80, 122	Camassia143	Cosmos8, 91	Eucalyptus 69	Heliopsis 99
Antholyza143	Camellia 69	Cotton. Lavender 120	Eucharidium 95	Heliotrope 99
Apios143	Campanula84, 85	Cowpeas 65	Eucharis143	Heliotropium 99
Apple, Balsam106	Camphor 69	Cowslip 91	Euonymus 69	Heliotropium 99
Apricot 70	Campion Rose 79	Cratægus 69	Eupatorium95	Helipterum
Aquilegia7, 81	Canary-Bird Flower 85	Crepis 99	Euphorbia95	Hemerocallis 143 144
Arabis81	Candytuft85	Cress 26	Eutoca95	Hemlock 68
Aralia 69	Canna85, 135	Cress, Rock 81	Evening Glory101	Hemp, Giant 85
Arborvitæ 68	Cannabis 85	Crinums141	Evening Star 143	Herbs 50
Arbutus 68	Canterbury Bells. 84	Crocosmia143	Evergreen Tree and	Hesperis 119
Arctostaphylus 68	Canterbury Bells. 84 Gardinal Climber. 7	Crosswort 91	Shrub Seeds 68	Heuchera 99
Arctotis	Cardinal Flower 101, 103	Crucianella 91	Fagus 69	Heuchera
Ardisia	Cardiospermum 82	Cryptomeria 68	Farmogerm 66	Hickory Shellbark 69
Argemone	Cardoon	Cryptomeria 68 Cucumber5, 27, 28 Cucumber, Serpent.125	Fennel	Holly 70
Aristolochia69, 81	Carnation 86	Cucumber, Serpent.125	Fenzlia 95	Holly
Arnebia	Carpenteria 69	Cucumber, Squirt-	Ferns	Honesty100
Artichoke	Carpinus 69	ing	Fertilizers 147, 148	Hop 100
Arum143	Carrot	Cucumber Tree 70	Fetticus	Hop100 Horn of Plenty92
Asclepias	Carya	Cucumber, Wild 94	Feverfew105	Horticultural Books.
	Cassia 87	Cucumis 91	Fir	52, 53
Asimina	Castanea 69 Castor-Oil Plant10, 65,	Cucurbita 91	Flame Flower 113, 114	Horticultural Imple-
Asperula	87, 119	Cup-and-Saucer 84 Cuphea 91	Flax	ments and Gar-
Astilbe122, 144	Catalpa 69		Flower of Joye 70	den Requisites.
Asparagus1381	Cataipa 09	Cuprėssus 68	Tiowel of Jove 13	149, 158
Auricula82	Catananaha 87	Current . 70	Flower Seed Novel-	
	Catananche 87	Currant 70	Flower of Jove 79 Flower Seed Novel-	Humulus100
Azalea 69	Catchfly121	Currant	ties and Special-	Humulus100
Azalea 69	Catchfly	Currant	ties and Special-	Humulus 100 Hunnemannia 100 Hyacinthus 100, 144
Azalea	Catchfly	Cyclamen 8, 92, 143	ties and Special- tics7–10 Flower Seeds78–128	Humulus 100 Hunnemannia 100 Hyacinthus 100, 144
Azalea	Catchfly 121 Cauliflower 5, 20 Ceanothus 69 Cedar 68	Cycas	ties and Special- tics7–10 Flower Seeds78–128	Humulus 100 Hunnemannia 100 Hyacinthus 100 144 Hypericum 100
Azalea 69 Baby'sBreath 99 Balloon Vine 82 Balm 94	Catchfly 121 Cauliflower 5, 20 Ceanothus 69 Cedar 68	Cycas	ties and Special- tics7-10 Flower Seeds78-128 Forage, Economical and Miscellane-	Humulus
Azalea 69 Baby'sBreath 99 Balloon Vine 82 Balm 94 Balsam 82	Catchfly 121 Cauliflower 5, 20 Ceanothus 69 Cedar 68	Cycas	ties and Special- tics	Humulus
Azalea	Catchfly 121 Cauliflower 5, 20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5, 23 Celosia 7, 87	Cyclamen 8, 92, 143 Cycas 143 Cydonia 69 Cynoglossum 125 Cyperus 92	ties and Special- tics	Humulus
Azalea 69 Baby'sBreath 99 Balloon Vine 82 Balm 94 Balsam 82 Baptisia 82 Barley 63	Catchfly 121 Cauliflower 5, 20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5, 23 Celosia 7, 87	Cyclameli 8, 92, 143 Cycas 143 Cydonia 69 Cynoglossum 125 Cyperus 92 Cypress 68	ties and Special- ties	Humulus
Azalea 69 Baby'sBreath. 99 Balloon Vine. 82 Balm 94 Balsam. 82 Baptisia. 82 Bartous. 63 Bartouia. 82	Catchfly 121 Cauliflower 5, 20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5, 23 Celosia 7, 87	Cyclameli 8, 92, 143 Cycas 143 Cydonia 69 Cynoglossum 125 Cyperus 92 Cypress 68	ties and Special- tics	Humulus 100 Hunnemannia 100 Hyacinthus 100, 144 Hypericum 100 Iberis 85 Ice Plant 100, 105 Ilex 70 Impatiens 100 Incarvillea 100, 144
Azalea 69 Baby'sBreath 99 Balloon Vine 82 Balm 94 Balsam 82 Baptisia 82 Barley 63 Bartonia 82 Basket Flower 144	Catchfly 121 Cauliflower 5,20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5,23 Celosia 7,87 Celphalanthus 69 Celtis 69 Cetts 7,87 Centaurea 7,87 88	Cyclameli 8, 92, 143 Cycas 143 Cydonia 69 Cynoglossum 125 Cyperus 92 Cypress 68	ties and Special- tics	Humulus 100 Hunnemannia 100 Hyacinthus 100, 144 Hypericum 100 Iberis 85 Ice Plant 100, 105 Ilex 70 Impatiens 100 Incarvillea 100, 144 Indian Shot 85 Indigo, False 82
Azalea 69 Baby'sBreath. 99 Balloon Vine. 82 Balm. 94 Balsam. 82 Baptisia. 82 Bartonia. 82 Bartonia. 82 Basket Flower. 144 Basswood. 70 Bean, Hyacinth. 94	Catchfly 121 Cauliflower 5, 20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5, 23 Celosia 7, 87 Celphalanthus 69 Cettis 69 Centaurea 7, 87, 88 Centauridium 88	Cyclameli 8, 92, 143 Cycas 143 Cydonia 69 Cynoglossum 125 Cyperus 92 Cypress 68	ties and Special- ties	Humulus 100 Hunnemannia 100 Hyacinthus 100, 144 Hypericum 100 Iberis 85 Ice Plant 100, 105 Ilex 70 Impatiens 100 Incarvillea 100, 144 Indian Shot 85 Indigo, False 82
Azalea 69 Baby'sBreath. 99 Balloon Vine. 82 Balm. 94 Balsam. 82 Baptisia 82 Bartonia. 82 Bartonia. 82 Basket Flower. 144 Basswood 70 Bean, Hyacinth. 94	Catchfly 121 Cauliflower 5, 20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5, 23 Celosia 7, 87 Celphalanthus 69 Cetts 60 Centaurea 7, 87, 88 Centauridium 88 Centraurhus 88	Cyclameli 8, 92, 143 Cycas 143 Cydonia 69 Cynoglossum 125 Cyperus 92 Cypress 68	ties and Special- tics	Humulus 100 Hunnemannia 100 Hyacinthus 100, 144 Hypericum 100 Iberis 85 Ice Plant 100, 105 Ilex 70 Impatiens 100 Incarvillea 100 Indigo False Inula 101 Ionopsidium 101
Azalea 69 Baby'sBreath. 99 Balloon Vine. 82 Balm. 94 Balsam. 82 Baptisia. 82 Barley. 63 Bartonia. 82 Basket Flower. 144 Basswood. 70 Bean, Hyacinth. 94 Beans. 5, 14, 17 Bean. Castor. 65	Catchfly 121 Cauliflower 5,20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5,23 Celosia 7,87 Celphalanthus 69 Celtis 69 Centaurea 7,87,88 Centauridium 88 Centauridium 88 Cerastium 88	Cyclameli 8, 92, 143 Cycas 143 Cydonia 69 Cynoglossum 125 Cyperus 92 Cypress 68	ties and Special- tics	Humulus 100 Hunnemannia 100 Hyacinthus 100, 144 Hypericum 100 Iberis 85 Ice Plant 100, 105 Ilex 70 Impatiens 100 Incarvillea 100 Indigo False Inula 101 Ionopsidium 101
Azalea 69 Baby'sBreath. 99 Balloon Vine. 82 Balm. 94 Balsam. 82 Baptisia. 82 Barley. 63 Bartonia. 82 Basket Flower. 144 Basswood. 70 Bean, Hyacinth. 94 Beans. 5, 14, 17 Bean. Castor. 65	Catchfly 121 Cauliflower 5, 20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5, 23 Celosia 7, 87 Celis 69 Cettis 69 Centaurea 7, 87, 88 Centauridium 88 Centanthus 88 Cerastium 88 Cercastium 69	Cycas	ties and Special- ties	Humulus 100 Hunnemannia 100 Hypericum 100 Iberis 85 Ice Plant 100, 105 Ilex 70 Impatiens 100 Indian Shot 85 Indigo, False 82 Inula 101 Ionopsidium 101 Ipomea 7, 101 Ipomopsis 191
Azalea 69 Baby'sBreath 99 Balloon Vine 82 Balm 94 Balsam 82 Baptisia 82 Baptisia 82 Barley 63 Bartonia 82 Basket Flower 144 Basswood 70 Bean, Hyacinth 94 Beans 5, 14, 17 Bean, Castor 65 Bean, Soja 64 Bean, Velvet 64	Catchfly 121 Cauliflower 5,20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5,23 Celosia 7,87 Celphalanthus 69 Centaurea 7,87,88 Centauridium 88 Centarnthus 88 Cerastium 88 Cercidiphyllum 69 Cercis 69 Cereals 63	Cycas	ties and Special- tics	Humulus 100 Hunnemannia 100 Hyacinthus 100, 144 Hypericum 100 Iberis 85 Ice Plant 100, 105 Ilex 70 Impatiens 100 Incarvillea 100 Indigo False Inula 101 Ionopsidium 101
Azalea 69 Baby'sBreath 99 Balloon Vine 82 Balm 94 Balsam 82 Baptisia 82 Baptisia 82 Bartey 63 Bartconia 82 Basket Flower 144 Basswood 70 Basswood 70 Bean, Hyacinth 94 Beans. 5, 14, 17 Bean, Castor 65 Bean, Castor 64 Bean, Velvet 64 Bean's 78	Catchfly 121 Cauliflower 5,20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5,23 Celosia 7,87 Celphalanthus 69 Centaurea 7,87,88 Centauridium 88 Centarnthus 88 Cerastium 88 Cercidiphyllum 69 Cercis 69 Cereals 63	Cycas	ties and Specialtics	Humulus 100 Hunnemannia 100 Hyacinthus 100, 144 Hypericum 100 Iberis 85 Ice Plant 100, 105 Ilex 70 Impatiens 100 Incarvillea 100 Indian Shot 85 Indigo, False 82 Inula 101 Ionopsidium 101 Ipomopsis 7, 101 Insecticides and
Azalea 69 Baby'sBreath 99 Balloon Vine 82 Balm 94 Balsam 82 Baptisia 82 Baptisia 82 Bartey 63 Bartconia 82 Basket Flower 144 Basswood 70 Basswood 70 Bean, Hyacinth 94 Beans. 5, 14, 17 Bean, Castor 65 Bean, Castor 64 Bean, Velvet 64 Bean's 78	Catchfly 121 Cauliflower 5,20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5,23 Celosia 7,87 Celphalanthus 69 Centaurea 7,87,88 Centauridium 88 Centarnthus 88 Cerastium 88 Cercidiphyllum 69 Cercis 69 Cereals 63	Cycas	ties and Specialties	Humulus 100 Hunnemannia 100 Hyacinthus 100, 144 Hypericum 100 Iberis 85 Ice Plant 100, 105 Ilex 70 Impatiens 100 Incarvillea 100 Indian Shot 85 Indian 85 Indian 101 Ionopsidium 101 Ipomopsis 191 Insecticides and Remedies for Plant Diseases
Azalea 69 Baby'sBreath 99 Balloon Vine 82 Balm 94 Balsam 82 Baptisia 82 Baptisia 82 Bartey 63 Bartconia 82 Basket Flower 144 Basswood 70 Basswood 70 Bean, Hyacinth 94 Beans. 5, 14, 17 Bean, Castor 65 Bean, Castor 64 Bean, Velvet 64 Bean's 78	Catchfly. 121 Cauliflower 5,20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5,23 Celosia 7,87 Celphalanthus 69 Cettis 69 Cettis 69 Centaurea 7,87,88 Centauridium 88 Centauridium 88 Cerastium 88 Cercidiphyllum 69 Cercis 69 Cercis 69 Cercis 63 Champæpeuce 83 Champæpeuce 83 Cheiranthus 127	Cycas	ties and Specialtics	Humulus
Azalea 69 Baby'sBreath 99 Balloon Vine 82 Balm 94 Balsam 82 Baptisia 82 Baptisia 82 Barley 63 Bartonia 82 Basket Flower 144 Basswood 70 Bean, Hyacinth 94 Beans 5, 14, 17 Bean, Castor 65 Bean, Soja 64 Bean, Velvet 64	Catchfly 121 Cauliflower 5,20 Ceanothus 69 Cedar 68 Celastrus 69 Celery 5,23 Celosia 7,87 Celphalanthus 69 Centaurea 7,87,88 Centauridium 88 Centarnthus 88 Cerastium 88 Cercidiphyllum 69 Cercis 69 Cereals 63	Cycas	ties and Specialties	Humulus 100 Hunnemannia 100 Hypericum 100 Iberis 85 Ice Plant 100 Ilex 70 Impatiens 100 Indian Shot 85 Indigo, False 82 Inula 101 Ionopsidium 101 Ipomœa 7, 101 Ipomopsis 191 Insecticides and Remedies for

INDEX-Continued

Itea 70	Melothria105	Pea, Perennial102	Sainfoin	Tecoma70, 12
Ivy	Mignonette 106 Millet 63, 65	Pecan Nut 69 Pelargonium97, 111	Saintpaulia	Teosinte 6 Thermopsis 1
Jacobæa102	Millet63, 65	Pelargonium97, 111	Salisburia 70	Thermopsis 1
Jacob's Ladder102	Mimosa 106 Mimulus 106 Mina 106 Mina 106	Penicillaria 65	Salpiglossis120	Thistle 8
Joseph's Coat 80	Mimulus106	Pentstemon111	Salsify 43	Thorn 6
Judas Tree, Am 69	Mina106	Pepper6, 40, 68 Peppermint Tree 69	Salt Bush, Aus 64, 65	Thuja 6 Thunbergia 12
Juglans 70	Mirabilis 96	Peppermint Tree 69	Salvia 10, 90, 120	Thunbergia12
Juniperus 68	Mirabilis96 Miscellaneous Bulbs	Perilla	Sambucus 70	
Jute 65	and Roots 143, 144	Periwinkle126	Santolina 120 Sanvitalia 120	Tilia
Kale29, 65	Mockernut 69 Momordica 106	Persicaria 9 Persimmon 69 Petunia 9, 112, 113 Phlox 113, 114, 142 Photinia 68	Sanvitalia120	Tobacco Seed 5
Kalmia 70	Momordica106	Persimmon, 69	Saponaria121	Tomato6, 46-4
Kaulfussia102	Monarda106	Petunia 9, 112, 113	Saponaria 121 Sassafras Tree 70	Torenia12
Kochia102	Monkey Flower106 Monk's Hood78	Phlox113, 114, 142	Saxifraga121	Touch-me-not10
Kohlrabi 29 Kudzu Vine 102	Monk's Hood 78	Photinia 68	Scabiosa121	Two obolium 19
Kudzu Vine102	Montbretias142	Phacelia	Scabious 121	Trachymene. 12 Tree and Sbrub Seeds. 68-7 Tree of Heaven. 6 Trichosanthes. 12
Lady's Eardrops 97	Moonflower8, 101 Morning-Glory91, 101	Physalis	Sciadopitys 68	Tree and Sbrub
Lady 8 Eardrops 97	Morning-Glory, 91, 101	Physalis	Schinus 68 Schizanthus 121	Seeds 68-7
Lady's Slipper 82	Morus 70	Picea 68	Schizanthus121	Tree of Heaven 6
Lady's Thumb 9	Morus 70 Moss, Golden 121	Picotee114	Scolymus 43	Trichosanthes 12
Lamb's Ears123	Mourning Bride121		Scolymus	
Lantana102 Lantern Plant114	Mesembryanthemum	Pignut	Sedum 121	Trifolium 12
Lantern Plant 114	100, 105	Pine 68	Sedum 121 Senecio 102	Trillium 14
Larcb 10	Mulberry 60 70	Pine	Senne 87	Tritome 125 14
Larcb	Mulberry69, 70 Mushroom Spawn . 32	Pinus 69	Senna	Tritonia 143 14
Larkspur 94	Muskmelon.6, 33, 34, 48	Pinus	Segueio 69	Trolling 125 14
Lathyrus 102	Musk Plant106	Platanus70 Platycodon115	Sequoia	Troppolum
Lavateria 102	Mustard 25	Dlum 70	Silono 191	Trifolium 12 Trillium 14 Tritonia 125, 14 Tritonia 143, 14 Tritonia 125, 14 Tropisolum 85, 107, 108, 125, 14 Trumpet Creeper 7
Laurel 70	Manageria 05 06	Plum	Silene	7 Thursday Change 7
Laurel	Myrico 70	Polomonium	Smiley 191	Trumpet Creeper 7 Tsuga
Lawn Grass Seed.55, 56	Myrica	Polemonium102 Polyanthus115	Smilax	Tubersess
Layia	Musk Plant 106 Mustard 35 Myosotis 95-96 Myrica 70 Myrsipbyllum 121 Myrtle, Candleberry 70	Polyantnus115	Shapuragon7, 80, 122	Tuperoses14
Leatherwood 69	Myrtie, Candleberry	Polygonum 9 Poppy10, 65, 94, 95, 98, 116, 117, 119	Sneezewort99	Turnip. 6,4 Tydæa 125,14 Udo Salad 6 Ulex 65,70,7
Leek	70	Poppy10, 65, 94,	Snowberry 70	1 ydæa125, 14
Leptosyne 102	Nægelia108	95, 98, 116, 117, 119	Snow-in-Summer 88	Udo Salad 6
Leptosyne	Nasturtium 9, 35, 107, 108	Portulaca 117	Snow-on-the-Moun-	Ulex
Leucanthemum 8	9, 35, 107, 108	Potatoes 41	tain	
Libocedrus 68	Negunda	Potentilla117	Solanum	Umbrella Plant 9
	Nemesia108	Prayer Bean 78	Sorghum64, 65, 66	Umbrella Tree 7
Lilac California 69	Nerine 144 Nemophila 109	Potentilla	Sorrel	Umbrella Plant 9 Umbrella Tree. 7 Vaccinium. 7
Lilies	Nemophila109	Primula	Sour Wood 69	vaierian
Lilium 137, 138	Nicotiana109	9, 82, 91, 115, 118	Specularia125	Valeriana12
Ligustrum. 70 Lilac, California. 69 Lilies. 137, 138 Lilium. 137, 138 Lily. 79, 143, 144 Lily-of-the-Valley. 138	Nicotiana	Primrose	Specularia	Valeriana
Lily-of-the-Valley 138	Nigella 103	Privet 70	Sphenogyne	Vegetable Oyster 4 Vegetable Plants 5
Limponthes 102	Nolana109	Prunus 70	Spinach35, 44	Vegetable Plants 5
Limnanthes102 Linaria102, 103	Novelties and Spe- cialties in Vege-	Pueraria	Spiræa122, 144	Venidium12 Venus' Looking
Linum	cialties in Vege-	Pumpkin 40	Spruce, Hemlock 68	Venus' Looking
Liquidombor 70	table Seeds 5. 6	Pyretbrum119	Spruce, Hemlock 68	Glass12
Liquidambar 70 Liriodendron 70	Nuts. 69 Nycterinia. 109	Quercus 70	Spurry 66	Glass12 Venus' Navelwort. 12
Inflodendron 10	Nycterinia	Quince69, 70	Squash 45	Verbaseum12
Loasa	Nyssa 70		Stachys123	Verbaseum 12 Verbena 10, 78, 12
70	Oak	Radish 42	Staff Tree 69	Veronica 12
Locust	Nyssa	Rampion 43	Staff Tree 69	Veronica12
Locust	Oats	Rampion 43	Staff Tree 69 Star Flower 101	Veronica12
Locust	Obedient Plant114	Rampion 43	Staff Tree 69 Star Flower 101 Star of Bethlehem . 144	Veronica12
Locust	Oats	Rampion 43	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123	Veronica12
Locust. 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103	Oats	Rampion 43 Ranunculus 144 Rape 65 Raspberry (seed) 70 Ray of Gold 84	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123	Veronica12
Locust. 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding. 80	Oats	Rampion 43 Ranunculus 144 Rape 65 Raspberry (seed) 70 Ray of Gold 84	Staff Tree 69 Star Flower 101 Star of Bethlehem 144 Statice 123 Stenactis 123 Stephanophysum 123	Veronica12
Locust. 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding. 80	Oats	Rampion 43 Ranunculus 144 Rape 65 Raspberry (seed) 70 Ray of Gold 84 Reana 65 Red-Hot-Poker	Staff Tree 69 Star Flower 101 Star of Bethlehem 144 Statice 123 Stenactis 123 Stephanophysum 123	Veronica12
Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104	Oats. 63 Obedient Plant. 114 Œnothera 118 Okra. 35 Oleaster. 69 Onion. 36, 37 Onobrychis 65	Rampion 43 Ranunculus 144 Rape 65 Raspberry (seed) 70 Ray of Gold 84 Reana 65 Red-Hot-Poker	Staft Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 St. John's Wort. 100	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9
Locust. 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding. 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104	Oats. 63 Obedient Plant. 114 Œnothera 118 Okra. 35 Oleaster. 69 Onion. 36, 37 Onobrychis 65 Orach. 35	Rampion. 43 Ranunculus. 144 Rape. 65 Raspberry (seed). 70 Ray of Gold. 84 Reana. 65 R ed - H ot - P o k er Plant. Plant. 125, 144 Redwood, California 68	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 St. John's Wort. 100 St. Peter's Staff. 10	Veronica 12 Vetches 62, 6 Viburnum 7 Vinca 10, 12 Viola 110, 111, 12 Violet 119, 12 Virginia Creeper 6 Virgin's Bower 9 Viscaria 12
Locust 70 Locust, Honey. 69 Lophospermum 103 Lotus	Oats. 63 Obedient Plant. 114 Œnothera 118 Okra. 35 Oleaster. 69 Onion. 36, 37 Onobrychis 65 Orach. 35	Rampion. 43 Ranunculus. 144 Rape	Staft Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 St. John's Wort. 100 St. Peter's Staff. 10 Stocks. 10, 123, 127	Veronica. 12 Vetches. 62,6 Viburnum. 7 Vinca. 10,12 Viola. 110,111,12 Violet. 119,12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7
Locust 70 Locust, Honey. 69 Lophospermum 103 Lotus	Oats 63 Obedient Plant 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Orach 35 Orange Hardy Jap. Orange 0sage 65 70	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69 Star Flower. 101 Star of Bethlehem . 144 Statice. 123 Stephanophysum . 123 Stephanophysum . 123 Stevia . 123 St. John's Wort . 100 St. Peter's Staff . 10 Stocks . 10, 123, 127 Stokesia . 123	Veronica. 12 Vetches. 62,6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11
Locust 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding. 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lycbnis. 104 Maclura. 65, 70 Madeira Vine. 144	Oats 63 Obedient Plant 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Orach 35 Orange Hardy Jap. Orange 0sage 65 70	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69 Star Flower. 101 Star of Bethlehem . 144 Statice. 123 Stephanophysum . 123 Stephanophysum . 123 Stevia . 123 St. John's Wort . 100 St. Peter's Staff . 10 Stocks . 10, 123, 127 Stokesia . 123	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vits. 7 Wahlenbergia. 11 Waldmeister. 8
Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lycbnis 104 Maclura 65, 70 Madeira Vine 144 Madrona Tree 68	Oats 63 Obedient Plant. 134 CEnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 35 Orange, Hardy Jap. 69 Orange, Osage. 65, 70 Orchids 109 Ornamental Grasses129	Rampion. 43 Ranunculus. 144 Rape	Staft Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stephanophysum. 123 Steyia. 123 St. John's Wort. 100 St. Peter's Staff. 10 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68	Veronica. 12 Vetches. 62,6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11
Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lycbnis 104 Maclura 65, 70 Madeira Vine 144 Madrona Tree 68	Oats 63 Obedient Plant. 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 35 Orange, Hardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses 129 Ornitogalum 144	Rampion. 43 Ranunculus. 144 Rape. 65 Raspberry (seed). 70 Ray of Gold. 84 Reana. 65 Red-Hot-Poker Plant. 125, 144 Redwood, California. 68 Rehmannia. 9, 19 Reseda. 106 Rhamnus. 70 Rheum. 119 Rhodantbe. 119	Staff Tree. 69	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12
Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lycbnis 104 Maclura 65, 70 Madeira Vine 144 Madrona Tree 68	Oats 63 Obedient Plant. 13 Obedient Plant. 114 Œnothera 118 Okra 35 Oleaster. 69 Onion. 36, 37 Onobrychis 65 Orach 35 Orange, Hardy Jap. 69 Orange, Osage. 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum. 144 Oxalis. 144	Rampion. 43 Ranunculus. 144 Rape	Staft Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stephanophysum. 123 Steyia. 123 St. John's Wort. 100 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry. 70 Styrax. 70	Veronica. 12 Vetches. 62,6 Viburnum. 7 Vinca. 10,12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7
Locust 70 Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lupchnis 104 Maclura 65, 70 Madeira Vine 144 Madrona Tree 68 Magnolia 70 Mahogany, Mt 69 Maidenhair Tree 70	Oats 63 Obedient Plant. 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach. 35 Orange, Hardy Jap. 9 Orange, Osage. 65, 70 Orchids 109 Ornamental Grasses129 Ornitogalum. 144 Oxalis. 144 Pæonia. 109	Rampion 43 Ranunculus 144 Rape 65 Raspberry (seed) 70 Ray of Gold 84 Reana 65 Red-Hot-Poker Plant Plant 125 144 Redwood, California 68 Rehmannia 9 119 Reseda 106 Rhamnus 70 Rheum 119 Rhodochiton 119 Rhodochedron 70 119 Rhodochedron 119 Rhodochedron 110 110	Staff Tree. 69	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3
Locust 70 Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lupinus 65, 70 Madeira Vine 144 Madrona Tree 68 Magnolia 70 Mahogany, Mt. 69 Maldenhair Tree 70 Malcomia 127	Oats 63 Obedient Plant. 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach. 35 Orange, Hardy Jap. 9 Orange, Osage. 65, 70 Orchids 109 Ornamental Grasses129 Ornitogalum. 144 Oxalis. 144 Pæonia. 109	Rampion 43 Ranunculus 144 Rape 65 Raspberry (seed) 70 Ray of Gold 84 Reana 65 Red-Hot-Poker Plant Plant 125 144 Redwood, California 68 Rehmannia 9 119 Reseda 106 Rhamnus 70 Rheum 119 Rhodochiton 119 Rhodochedron 70 119 Rhodochedron 119 Rhodochedron 110 110	Staff Tree. 69	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14
Locust 70 Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lupinus 65, 70 Madeira Vine 144 Madrona Tree 68 Magnolia 70 Mahogany, Mt. 69 Maldenhair Tree 70 Malcomia 127	Oats 63 Obedient Plant 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Orach 35 Orange, Hardy Jap. 69 67 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Pæonies 140 Pæonies 136 Painted Tongue	Rampion 43 Ranunculus 144 Rape 65 Raspberry (seed) 70 Ray of Gold 84 Reana 65 Red-Hot-Poker Plant Plant 125 144 Redwood, California 68 Rehmannia 9 119 Reseda 106 Rhamnus 70 Rheum 119 Rhodochiton 119 Rhodochedron 70 119 Rhodochedron 119 Rhodochedron 110 110	Staff Tree. 69	Veronica. 12 Vetches. 62,6 Viburnum. 7 Vinca. 10,11 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7
Locust. 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding. 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 65, 70 Madeira Vine. 144 Madrona Tree. 68 Magnolia. 70 Mahogany, Mt. 69 Maidenhair Tree. 70 Maloomia. 127 Mallow. 84, 99 Mallow. 84, 99 Mallow. 7ree. 102	Oats 63 Obedient Plant 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 35 Orange, Hardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Oxalis 144	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69	Veronica. 12 Vetches. 62,6 Viburnum. 7 Vinca. 10,12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon 34, 3 Watsonia 14 Wayfaring Tree. 7 Wheat, Winter. 6
Locust 70 Locust 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Luychnis. 104 Maclura. 65, 70 Madeira Vine. 144 Madrona Tree. 68 Magnolia. 70 Mahogany, Mt. 69 Maidenhair Tree. 70 Malcomia. 127 Mallow. 84, 99 Mallow, Tree. 102 Mallow, Tree. 102 Malope. 104	Oats 63 Obedient Plant 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 35 Orange, Hardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Oxalis 144	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69	Veronica. 12 Vetches. 62,6 Viburnum. 7 Vinca. 10,12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon 34, 3 Watsonia 14 Wayfaring Tree. 7 Wheat, Winter. 6
Locust. 70 Locust. 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding. 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 8, 9, 103, 104 Lycbnis. 104 Maclura. 65, 70 Madeira Vine. 144 Madrona Tree. 68 Magnolia. 70 Mahogany, Mt. 69 Maidenhair Tree. 70 Malomia. 127 Mallow. 84, 99 Mallow. 84, 99 Mallow, Tree. 102 Malope. 104 Malya. 104	Oats 63 Obedient Plant 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 35 Orange, Hardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitogalum 144 Oxalis 144 Pæonia 109 Pæonies 136 Painted Tongue 109, 120 Palafoxia 109 Panayer 10, 116, 117	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12
Locust. 70 Locust. 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding. 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 8, 9, 103, 104 Lycbnis. 104 Maclura. 65, 70 Madeira Vine. 144 Madrona Tree. 68 Magnolia. 70 Mahogany, Mt. 69 Maidenhair Tree. 70 Malomia. 127 Mallow. 84, 99 Mallow. 84, 99 Mallow, Tree. 102 Malope. 104 Malya. 104	Oats 63 Obedient Plant 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 35 Orange, Hardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitogalum 144 Oxalis 144 Pæonia 109 Pæonies 136 Painted Tongue 109, 120 Palafoxia 109 Panayer 10, 116, 117	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Wigandia. 12
Locust 70 Locust 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 65, 70 Madeira Vine. 144 Madrona Tree. 68 Magnolia. 70 Malogany, Mt. 69 Maidenhair Tree. 70 Malcomia. 127 Mallow. 84, 99 Mallow, Tree. 102 Maloya. 104 Malva. 104 Mandevillea. 104 Mangel-Wurzel. 19	Oats 63 Obedient Plant 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 35 Orange, Hardy Jap. 69 Orange, Osage. 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Pæonia 109 Pæonies 130 Painted Tongue 109, 120 Palafoxia 109 Papaver 10, 116, 117 Parsley 37 Parsnip 37	Rampion. 43 Ranunculus. 144 Rape. 65 Raspberry (seed). 70 Ray of Gold. 84 Reana. 65 Red-Hot-Poker Plant. 125, 144 Redwood, California 68 Rehmannia. 9, 119 Reseda. 106 Rhamnus. 70 Rheum. 119 Rhodochiton. 119 Rhodochiton. 119 Rhodochiton. 70, 119 Rhodochiton. 119 Rhodochiton. 119 Rhodochiton. 119 Rhodochiton. 119 Rhodochiton. 119 Rhodochiton. 119 Rhubarb, Chilian. 99 Rhubarb, Chilian. 99 Rhubarb, Chilian. 97 Ribes. 70 Ribes. 70 Riicinus. 10, 65, 119	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 Stevia. 123 St. John's Wort. 100 St. Peter's Staff. 10 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry Tree. 65 Strawberry 70 Styrax 70 Styrax 70 Sugar Cane. 65 66 Sumach 70 Sumflower. 66 124 Swainsonia. 124 Swainsonia. 124 Swainsonia. 127 Sweet Peas. 70 Sweet Peas. 70 10, 74, 75, 76, 77	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Wigandia. 12 Wigandia. 12
Locust 70 Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lupinus 65, 70 Madeira 104 Maclura 65, 70 Madeira Vine 144 Madrona Tree 68 Magnolia 70 Mahogany, Mt. 69 Maidenhair Tree 70 Mallow 84, 99 Maidenhair Tree 102 Malow, Tree 102 Malope 104 Malva 104 Mangel-Wurzel 19 Manzanita 68	Oats 63 Obedient Plant 114 Œnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orange, Hardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Pæonia 109 Pæonies 136 Painted Tongue. Palafoxia 109 Papaver 10, 116, 117 Parsley 37 Parsnip 37 Parsnip 37 Pancratium 144	Rampion. 43 Ranunculus. 144 Rape. 65 Raspberry (seed). 70 Ray of Gold. 84 Reana. 65 Red-Hot-Poker Plant. 125, 144 Redwood, California 68 Rehmannia. 9, 119 Reseda. 106 Rhamnus. 70 Rheum. 119 Rhodochiton. 119 Rhodochiton. 119 Rhodochiton. 70, 119 Rhodochiton. 119 Rhodochiton. 119 Rhodochiton. 119 Rhodochiton. 119 Rhodochiton. 119 Rhodochiton. 119 Rhubarb, Chilian. 99 Rhubarb, Chilian. 99 Rhubarb, Chilian. 97 Ribes. 70 Ribes. 70 Riicinus. 10, 65, 119	Staft Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 St. John's Wort. 100 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry. 70 Sugar Cane. 55, 66 Sumach. 70 Sunflower. 66, 124 Swainsonia. 120 Sweet Peas. 70 Total proper Pusits for 120 Sweet Peaper Busb. 60	Veronica. 12 Vetches. 62, 6 Viburnum. 7. Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Wigandia. 12 Wigandia. 12 Willow. 7 Windflower. 80, 14
Locust 70 Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lupinus 65, 70 Madeira 104 Maclura 65, 70 Madeira Vine 144 Madrona Tree 68 Magnolia 70 Mahogany, Mt. 69 Maidenhair Tree 70 Mallow 84, 99 Maidenhair Tree 102 Malow, Tree 102 Malope 104 Malva 104 Mangel-Wurzel 19 Manzanita 68	Oats 63 Obedient Plant 114 Œnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orange, Hardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Pæonia 109 Pæonies 136 Painted Tongue. Palafoxia 109 Papaver 10, 116, 117 Parsley 37 Parsnip 37 Parsnip 37 Pancratium 144	Rampion. 43 Ranunculus. 144 Rape	Staft Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 St. John's Wort. 100 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry. 70 Sugar Cane. 55, 66 Sumach. 70 Sunflower. 66, 124 Swainsonia. 120 Sweet Peas. 70 Total proper Pusits for 120 Sweet Peaper Busb. 60	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Wigandia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 7
Locust 70 Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lupinus 65, 70 Madeira 104 Maclura 65, 70 Madeira Vine 144 Madrona Tree 68 Magnolia 70 Mahogany, Mt. 69 Maidenhair Tree 70 Mallow 84, 99 Maidenhair Tree 102 Malow, Tree 102 Malope 104 Malva 104 Mangel-Wurzel 19 Manzanita 68	Oats 63 Obedient Plant 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 35 Orange, Hardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Oxalis 144 Pæonia 109 Pæonies 136 Painted Tongue 109, 120 Palafoxia 109 Papaver 10, 116, 117 Parsley 37 Pansnip 37 Pancratium 144 Palm Seeds 128 Pansies 128 Pansies 128	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stenactis. 123 Stephanophysum. 123 Steylan. 123 St. John's Wort. 100 St. Peter's Staff. 10 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry 70 Styrax. 70 Sugar Cane. 65, 66 Sumach. 70 Sunflower. 66, 124 Swallow-wort. 81 Sweet Bay. 70 Sweet Peas. 10, 74, 75, 76, 77 Sweet Pepper Bush. 69 Sweet Sultan. 88 Sweet William. 124	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Wigandia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 7
Locust 70 Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lupinus 65, 70 Madeira 104 Maclura 65, 70 Madeira Vine 144 Madrona Tree 68 Magnolia 70 Mahogany, Mt. 69 Maidenhair Tree 70 Mallow 84, 99 Maidenhair Tree 102 Malow, Tree 102 Malope 104 Malva 104 Mangel-Wurzel 19 Manzanita 68	Oats 63 Obedient Plant. 13 Obedient Plant. 114 Œnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 65 Orange, Hardy Jap. 69 Orange, Osage. 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Pæonia 109 Pæonies 136 Painted Tongue 199 Palafoxia 109 Papaver 10, 116, 117 Parsley 37 Parsnip 37 Parsnip 37 Parsnip 37 Pancratium 144 Palm Seeds 128 Pansies, Tufted 126 Pansies, Tufted 126 Panse, 10, 111	Rampion. 43 Ranunculus. 144 Rape	Staft Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 St. John's Wort. 100 St. Peter's Staff. 10 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry Tree. 68 Sugar Cane. 65, 66 Sumach. 70 Sunflower. 66, 124 Swailsowia. 124 Swailow-wort. 81 Sweet Bay. 70 Sweet Pepper Bush. 69 Sweet Sultan 88 Sweet William 124 Swiss Chard. 44	Veronica. 12 Vetches. 62,6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 17 Windflower. 80, 14 Wistaria. 7 Windflower. 80, 14 Wistaria. 7 Woodruff, Sweet. 8
Locust 70 Locust 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 65, 70 Madeira Vine. 144 Madrona Tree. 68 Magnolia. 70 Mahogany, Mt. 69 Maidenhair Tree. 70 Malcomia. 127 Mallow. 84, 99 Mallow, Tree. 102 Maloyany. 104 Mandevillea. 104 Mandevillea. 104 Mandevillea. 104 Mangel-Wurzel. 19 Manzanita. 68 Maple. 69 Maple, Flowering. 78 Marguerite. 8, 89 Marigold.	Oats 63 Obedient Plant. 13 Obedient Plant. 114 Œnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 65 Orange, Hardy Jap. 69 Orange, Osage. 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Pæonia 109 Pæonies 136 Painted Tongue 199 Palafoxia 109 Papaver 10, 116, 117 Parsley 37 Parsnip 37 Parsnip 37 Parsnip 37 Pancratium 144 Palm Seeds 128 Pansies, Tufted 126 Pansies, Tufted 126 Panse, 10, 111	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 Stevia. 123 St. John's Wort. 100 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry 70 Styrax 70 Sugar Cane. 65, 66 Sumach. 70 Sugar Cane. 65, 66 Sumach. 60 Sumflower. 66, 124 Swainsonia. 124 Swainsonia	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Wigandia. 12 Wigandia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 7 Woodruff, Sweet. 8 Xeranthemum. 12
Locust 70 Locust 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 65, 70 Madeira Vine. 144 Madrona Tree. 68 Magnolia. 70 Mahogany, Mt. 69 Maidenhair Tree. 70 Malcomia. 127 Mallow. 84, 99 Mallow, Tree. 102 Maloyany. 104 Mandevillea. 104 Mandevillea. 104 Mandevillea. 104 Mangel-Wurzel. 19 Manzanita. 68 Maple. 69 Maple, Flowering. 78 Marguerite. 8, 89 Marigold.	Oats 63 Obedient Plant 114 CEnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orange, Mardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Orange, Osage 144 Oxalis 144 Pæonia 109 Pæonies 136 Painted Tongue 199 Papaver 10, 116, 117 Parsley 37 Parsnip 37 Parsnip 37 Parsnip 144 Palm Seeds 128 Pansies, Tufted 126 Pansy. 9, 110, 111 Passifora 111 Passifora 111	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 Stevia. 123 St. John's Wort. 100 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry 70 Styrax 70 Sugar Cane. 65, 66 Sumach. 70 Sugar Cane. 65, 66 Sumach. 60 Sumflower. 66, 124 Swainsonia. 124 Swainsonia	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Wigandia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 7 Woodruff, Sweet. 8 Xeranthemum. 12 Yellow-wood Tree. 6
Locust. 70 Locust. 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding. 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 65, 70 Madeira 104 Maclura. 65, 70 Madera Vine. 144 Madrona Tree. 68 Magnolia. 70 Mahogany, Mt. 69 Maidenhair Tree. 70 Maloomia. 127 Mallow. 84, 99 Maidenhair Tree. 102 Malope. 104 Mangel-Wurzel. 19 Manzanita. 68 Maple. 69 Maple, Flowering. 78 Marguerite. 8, 89 Marigold.	Oats 63 Obedient Plant 114 Œnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 35 Orange, Hardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Pæonia 109 Pæonies 109, 120 Palafoxia 109, 120 Palafoxia 109 Papaver 10, 116, 117 Parsley 37 Pancratium 144 Palm Seeds 128 Panises, Tufted 126 Pansy. 9, 110, 111 Passiflora 111 Passion Flower 111 Passion Flower 111	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 7 Woodruff, Sweet. 8 Xeranthemum 12 Yellow-wood Tree. 6
Locust 70 Locust 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 104 Maclura. 65, 70 Madeira Vine. 144 Madrona Tree. 68 Magnolia. 70 Mahogany, Mt. 69 Maidenhair Tree. 70 Mallow. 84, 99 Mallow, Tree. 102 Mallow, Tree. 102 Maloya. 104 Mandevillea. 104 Mandevillea. 104 Mandevillea. 104 Mandevillea. 104 Mandevillea. 8, 89 Maple. 69 Maple, Flowering. 78 Marigold. 124 Martynia. 104 Martynia. 124 Martynia. 104 Martynia. 124 Martynia. 104 Martynia. 124 Martynia. 104	Oats 63 Obedient Plant 114 Enothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 35 Orange, Hardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Oxalis 144 Pæonia 109 Pæonies 136 Painted Tongue 109, 120 Palafoxia 109 Papaver 10, 116, 117 Parsley 37 Pancratium 144 Palm Seeds 128 Pansies, Tufted 126 Pansy 9, 110, 111 Passifora 111 Passion Flower 111 Passion Flower 111 Passion Flower 124 Pawpaw 69	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stenactis. 123 Stenactis. 123 Stenactis. 123 Steylan 123 St. John's Wort. 100 St. Peter's Staff. 10 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry 70 Sugar Cane. 65, 66 Sumach. 70 Sunflower. 66, 124 Swainsonia. 124 Swainsonia. 124 Swainsonia. 124 Swainsonia. 124 Swainsonia. 124 Sweet Peas. 10, 74, 75, 76, 77 Sweet Pepper Bush. 69 Sweet Sultan. 88 Sweet William. 124 Swiss Chard. 44 Symphoricarpos. 70 Tacsonia. 124 Tagetes. 104, 105, 124 Tagetes. 104, 105, 124 Tagstes. 104, 105, 124 Tagstes. 104, 105, 124 Tagstes. 104, 105, 124	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 7 Woodruff, Sweet. 8 Xeranthemum 12 Yellow-wood Tree. 6
Locust. 70 Locust. 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding. 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 65, 70 Madeira 144 Madrona Tree. 68 Magnolia. 70 Mahogany, Mt. 69 Maidenhair Tree. 70 Mahogany, Mt. 69 Maidenhair Tree. 102 Mallow. 84, 99 Maidenhair Tree. 102 Mallow. 127 Mallow. 104 Mandevillea. 104 Mandevillea. 104 Mandevillea. 104 Mandevillea. 104 Mangel-Wurzel. 19 Manzanita. 68 Maple. 69 Maple, 100 Maple, Flowering. 78 Marguerite. 8, 89 Marigold. 104 Martynia. 105 Martynia. 105 Mask Flower. 79	Oats 63 Obedient Plant 114 CEnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 65, 70 Orchids 190 Ornamental Grasses129 Ornitbogalum 144 Oxalis 109 Pæonies 109 Pæonies 109 Papaver 10, 116, 117 Parsley 37 Pancratium 144 Palm Seeds 128 Pansies, Tufted 126 Pansy 9, 110, 111 Passiflora 111 Passiflora 111 Passion Flower 111 Passion Flower 111 Passion Vine 124 Pawpaw 69 Peach 70	Rampion. 43 Ranunculus. 144 Rape	Staft Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stenactis. 123 Stephanophysum. 123 Styloan 123 Stonecrop. 121 Strawberry Tree. 68 Sumach 70 Sunflower. 81 Sweet Peas. 10, 74, 75, 76, 77 Sweet Pepper Bush. 69 Sweet Sultan 88 Sweet William 124 Swiss Chard. 44 Symphoricarpos. 70 Tacsonia. 124 Tassel Flower. 83 Tassel Flower. 83 Tassel Tree. 78	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Wigandia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 7 Woodruff, Sweet. 8 Xeranthemum. 12 Yellow-wood Tree. 6 Yew. 6 Youth and Old Age Youth and Old Age Yellow-wood Tree. 6 Youth and Old Age
Locust 70 Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lupinus 65, 70 Madeira 104 Maclura 65, 70 Madeira Vine 144 Madrona Tree 68 Magnolia 70 Mahogany, Mt. 69 Maidenhair Tree 70 Mallow 84, 99 Mallow 127 Mallow 104 Manya 104 Mangel-Wurzel 19 Manzanita 68 Maple 69 Maple, Flowering 78 Marigold 83, 104, 105, 124 Martynia 105 Mask Flower 79 Matthiola 105, 123	Oats 63 Obedient Plant 114 CEnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 65, 70 Orchids 190 Ornamental Grasses129 Ornitbogalum 144 Oxalis 109 Pæonies 109 Pæonies 109 Papaver 10, 116, 117 Parsley 37 Pancratium 144 Palm Seeds 128 Pansies, Tufted 126 Pansy 9, 110, 111 Passiflora 111 Passiflora 111 Passion Flower 111 Passion Flower 111 Passion Vine 124 Pawpaw 69 Peach 70	Rampion. 43 Ramunculus. 144 Rape	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stenactis. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 St. John's Wort. 100 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry 70 Styrax 70 Sugar Cane. 65, 66 Sumach. 70 Sunflower. 66, 124 Swainsonia. 124 Swainsonia. 124 Swainsonia. 124 Swainsonia. 88 Sweet William. 88 Sweet William. 124 Swiss Chard. 44 Symphoricarpos. 70 Tacsonia. 124 Tagetes. 104, 105, 124 Tassel Tree. 78	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Wigandia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 7 Woodruff, Sweet. 8 Xeranthemum. 12 Yellow-wood Tree. 6 Yew. 6 Youth and Old Age Youth and Old Age Yellow-wood Tree. 6 Youth and Old Age
Locust. 70 Locust. 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding. 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 8, 9, 103, 104 Lycbnis. 104 Maclura. 65, 70 Madeira Vine. 144 Madrona Tree. 68 Magnolia. 70 Mahogany, Mt. 69 Maidenhair Tree. 70 Maloomia. 127 Mallow. 84, 99 Mallow. 84, 99 Mallow. 104 Mandevillea. 104 Mandevillea. 104 Mangel-Wurzel. 19 Manzanita. 68 Maple. 69 Maple, 69 Maple, Flowering. 78 Marguerite. 8, 89 Marigold 83, 104, 105, 124 Martynia. 105 Mask Flower. 79 Matthiola. 105, 123 Matricaria. 105	Oats 63 Obedient Plant 114 CEnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orange, Mardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Pæonia 109 Pæonies 136 Pæonies 109 Papaver 10, 116, 117 Parsley 17 Parsley 18 Parsley 19 Pars	Rampion. 43 Ramunculus. 144 Rape	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stenactis. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 St. John's Wort. 100 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry 70 Styrax 70 Sugar Cane. 65, 66 Sumach. 70 Sunflower. 66, 124 Swainsonia. 124 Swainsonia. 124 Swainsonia. 124 Swainsonia. 88 Sweet William. 88 Sweet William. 124 Swiss Chard. 44 Symphoricarpos. 70 Tacsonia. 124 Tagetes. 104, 105, 124 Tassel Tree. 78	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 12 Willow. 7 Windflower. 80, 14 Vistaria. 7 Woodruff, Sweet 8 Xeranthemum. 12 Yellow-wood Tree. 6 Yew. 6 Youth and Old Age. 127, 12 Yucca. 68, 12
Locust. 70 Locust. 70 Locust, Honey. 69 Lophospermum. 103 Lotus. 65 Love-in-a-Mist. 103 Love-Lies-Bleeding. 80 Lunaria. 100 Lupine. 9, 55, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 8, 9, 103, 104 Lupinus. 8, 9, 103, 104 Lycbnis. 104 Maclura. 65, 70 Madeira Vine. 144 Madrona Tree. 68 Magnolia. 70 Mahogany, Mt. 69 Maidenhair Tree. 70 Maloomia. 127 Mallow. 84, 99 Mallow. 84, 99 Mallow. 104 Mandevillea. 104 Mandevillea. 104 Mangel-Wurzel. 19 Manzanita. 68 Maple. 69 Maple, 69 Maple, Flowering. 78 Marguerite. 8, 89 Marigold 83, 104, 105, 124 Martynia. 105 Mask Flower. 79 Matthiola. 105, 123 Matricaria. 105	Oats 63 Obedient Plant 114 CEnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orach 65, 70 Orchids 190 Ornamental Grasses129 Ornitbogalum 144 Oxalis 109 Pæonies 109 Pæonies 109 Papaver 10, 116, 117 Parsley 37 Pancratium 144 Palm Seeds 128 Pansies, Tufted 126 Pansy 9, 110, 111 Passiflora 111 Passiflora 111 Passion Flower 111 Passion Flower 111 Passion Vine 124 Pawpaw 69 Peach 70	Rampion. 43 Ranunculus. 144 Rape	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 Stevia. 123 Stevia. 123 St. John's Wort. 100 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry Tree. 66 Sumach. 70 Sugar Cane. 65, 66 Sumach. 70 Sugar Cane. 65, 66 Sumach. 70 Sugar Cane. 66, 70 Sunflower. 81 Sweet Bay. 70 Sweet Peas. 124 Swainsonia. 124 Swainsonia. 124 Swainsonia. 124 Sweet Peas. 10, 74, 75, 76, 77 Sweet Pepper Bush. 69 Sweet Sultan. 88 Sweet William. 124 Swiss Chard. 44 Symphoricarpos. 70 Tacsonia. 124 Tagetes. 104, 105, 124 Tassel Flower. 83 Tassel Flower. 83 Tassel Flower. 83 Tassel Flower. 70 Taxus.	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Wigandia. 12 Wigandia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 7 Woodruff, Sweet. 8 Xeranthemum 12 Yellow-wood Tree. 6 Yew. 6 Youth and Old Age. 127, 12 Yucca. 68, 12 Yucca. 68, 12 Zephyranthus. 14
Locust 70 Locust 70 Locust, Honey 69 Lophospermum 103 Lotus 65 Love-in-a-Mist 103 Love-Lies-Bleeding 80 Lunaria 100 Lupine 9, 55, 103, 104 Lupinus 8, 9, 103, 104 Lupinus 65, 70 Madeira 104 Maclura 65, 70 Madeira Vine 144 Madrona Tree 68 Magnolia 70 Mahogany, Mt. 69 Maidenhair Tree 70 Mallow 84, 99 Mallow 127 Mallow 104 Manya 104 Mangel-Wurzel 19 Manzanita 68 Maple 69 Maple, Flowering 78 Marigold 83, 104, 105, 124 Martynia 105 Mask Flower 79 Matthiola 105, 123	Oats 63 Obedient Plant 114 CEnothera 118 Okra 35 Oleaster 69 Onion 36, 37 Onobrychis 65 Orange, Mardy Jap. 69 Orange, Osage 65, 70 Orchids 109 Ornamental Grasses129 Ornitbogalum 144 Pæonia 109 Pæonies 136 Pæonies 109 Papaver 10, 116, 117 Parsley 17 Parsley 18 Parsley 19 Pars	Rampion. 43 Ramunculus. 144 Rape	Staff Tree. 69 Star Flower. 101 Star of Bethlehem. 144 Statice. 123 Stenactis. 123 Stenactis. 123 Stenactis. 123 Stephanophysum. 123 Stevia. 123 St. John's Wort. 100 Stocks. 10, 123, 127 Stokesia. 123 Stonecrop. 121 Strawberry Tree. 68 Strawberry Tree. 68 Strawberry 70 Styrax 70 Sugar Cane. 65, 66 Sumach. 70 Sunflower. 66, 124 Swainsonia. 124 Swainsonia. 124 Swainsonia. 124 Swainsonia. 88 Sweet William. 88 Sweet William. 124 Swiss Chard. 44 Symphoricarpos. 70 Tacsonia. 124 Tagetes. 104, 105, 124 Tassel Tree. 78	Veronica. 12 Vetches. 62, 6 Viburnum. 7 Vinca. 10, 12 Viola. 110, 111, 12 Violet. 119, 12 Virginia Creeper. 6 Virgin's Bower. 9 Viscaria. 12 Vitis. 7 Wahlenbergia. 11 Waldmeister. 8 Wallflower. 10, 12 Walnut. 7 Watermelon. 34, 3 Watsonia. 14 Wayfaring Tree. 7 Wheat, Winter. 6 Whitlavia. 12 Willow. 7 Windflower. 80, 14 Wistaria. 12 Willow. 7 Windflower. 80, 14 Vistaria. 7 Woodruff, Sweet 8 Xeranthemum. 12 Yellow-wood Tree. 6 Yew. 6 Youth and Old Age. 127, 12 Yucca. 68, 12


Thorburn's List of Vegetable Seeds

That May Be Sown in Each Month from February to September in the Climate of New York

SEPTEMBER	IN OPEN GROUND Cabbage for cold-frames Cauliflower for coldframes Corn Salad Cress Siberian Kale Lettuce Mustard Winter Radish Spinach Turnip Sweet Peas Improved Big Boston LETTUCE
AUGUST	IN OPEN GROUND Beans, Bush Corn Salad Cucumber Endive Lettuce Welsh Onion Early Peas Radish Turnip THORBURN'S Extra Early Dwarf Erfurt CAULIFLOWER
JULY	Beans Beans Beans Beans Beans Beans Carrot Carrot Carrot Sweet Corn Carrot Corn Salad Cucumber Endive Cherkin Kale Kohlrabi Lettuce Noasutrium Okra Early Peas Pumpkin Radish Spinach Turnip Radish Spinach Turnip Corn Carrot Early Peas Pumpkin Radish Spinach Turnip Radish Spinach Turnip Rutabaga Dwarf Erfurt THORBURN'S CAULIFLOWER
JUNE	IN OPEN GROUND Beans, Lima and all other sorts Beets Broccoli Eate Cabbage Carrot Cauliflower Cauliflower Cress Cucumber Endive Kale Kohlrabi Lettuce Melon Nasturtium Okra Early Peas Poumpkin Radish Salsify Salsify Squash Herbs
MAY	Artichoke Asparagus Beans, Bush and Running Beets Brussels Sprouts Cauliflower Celery Sweet Corn Cress Cucumber Kohlrabi Leek Letek Letek Letek Letek Letek Spinon Parsley Parsnip Parsley Parsnip Parsley Parsnip Parsley Par
APRIL	SOW IN HOTBED Cucumber Eggplant Melon Pepper Tomato IN OPEN GROUND Asparagus English Beans Brests Brussels Sprouts Early Cabbage Carrot Cauliflower Carrot Crees Kohlrabi Lettuce Onion Parsley Parsnip Peas Rodish Spinach Early Turnip
MARCH	Early Beans Early Beans Early Beets Brussels Sprouts Early Cabbage Forcing Carrot Cauliflower Celery Eggplant Kohlrabi Lettuce Parsley Pepper Radish Tomato IN OPEN GROUND Beans, B. Wind- sor Beets Carrot Leek Onion Peas Potatoes Radish Spinach Early Turnip
FEBRUARY	SOW IN HOTBED Early Beans Broccoli Early Cabbage Forcing Carrot Early Celery Cucumber Eggplant Early Lettuce Parsley Pepper Radish Tomato THORBURN'S Stringless Green Pod BEANS

M. THORBURN & CO., SEEDSMEN, NEW YORK

53 BARCLAY STREET THROUGH TO 54 PARK PLACE



J. M. THORBURN & CO.

53 BARCLAY STREET THROUGH TO 54 PARK PLACE

NEW YORK CITY